

OM of: US-09-988-687-2 to: Issued_Patents_NA:* out_format : pfs
Date: Mar 30, 2002 12:54 AM
About: Results were produced by the GenCore software, version 4.5,
Copyright (c) 1993-2000 CompuGen Ltd.

Command line parameters:
-MODEL=framed_p2n.model -DEV=xlh
-Q=/cgn2_1/USPFO.spool/US09988687/runat_29032002_092149_591/app_query.fasta_1.895
-DB=Issued_Patents_NA -QFMT=fastap -SUFFIX=olip2n.rni
-GAPOP=4.500 -GAPEXT=0.050 -MINMATCH=0.100 -LOOPEXT=0.000
-LOOPEXT=0.000 -QGAPOP=4.500 -QGAPEXT=0.050 -XGAPOP=60.000
-XGAPEXT=60.000 -FGAPOP=6.000 -FGAPEXT=7.000 -YGAPOP=60.000
-YGAPEXT=60.000 -DELOP=6.000 -DELEXT=7.000 -START=1
-MATRIX=oligo -TRANS=human40.cdi -LIST=45 -LOCALIGN=200
-THR_SCORE=quality -THR_MIN=1 -ALIGN=15 -MODE=LOCAL -OUTFMT=pfs
-NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=200000000
-USER=US09988687 @CGN1_1.81 -NCPU=6 -ICPU=3 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPXY -WAIT -THREADS=1

Search information block:

Query: US-09-988-687-2
Query length: 826
Database: Issued_Patents_NA:*
Database sequences: 351203
Database length: 113238999
Search time (sec): 53.500000

WARN: XGAPOP and YGAPOP must be equal. Assuming YGAPOP=XGAPOP=60.000
WARN: XGAPEXT and YGAPEXT must be equal. Assuming YGAPEXT=XGAPEXT=60.000

score_list:

Sequence	Strd Orig	ZScore	Escore	Len	Documentation
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-328-111-315 +		78.00	1410.43	6.5e-71	238
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-09-315-794-51 +		9.00	127.00	19.99	2517
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-389-341-51 +		9.00	127.00	19.99	2517
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-378-551-18 +		8.00	124.82	26.45	285
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-190-982-18 +		8.00	124.82	26.45	285
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-408-257-18 +		8.00	124.82	26.45	285
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-329-350-30 +		8.00	116.11	80.76	936
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-424-918-60 +		8.00	113.06	119.52	1404
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-282-681-60 +		8.00	113.06	119.52	1404
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-336-728A-60 +		8.00	113.06	119.52	1404
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-09-035-706-1 +		8.00	111.23	151.07	1789
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-955-841-1 +		8.00	111.23	151.07	1789
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-669-536-1 +		8.00	111.13	152.95	1812
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-07-929-580B-1 -		8.00	111.03	154.91	1836
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-07-929-580B-4 -		8.00	111.02	155.15	1839
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-379-496-1 -		8.00	109.78	182.00	2169
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-317-522A-1 +		8.00	108.64	210.72	2524
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-439-818A-1 +		8.00	108.64	210.72	2524
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-751-965-1 +		8.00	108.64	210.72	2524
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-738-975-1 +		8.00	108.64	210.72	2524
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-728-626-1 +		8.00	108.64	210.72	2524
/cgn2_6/ptodata/2/ina/6A_COMB.seq:US-08-808-599A-1 +		8.00	108.64	210.72	2524
/cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-591-025-8 +		8.00	108.44	216.21	2592
/cgn2_6/ptodata/2/ina/6B_COMB.seq:US-08-482-918-47 +		8.00	102.28	476.07	5864
/cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-224-681-47 +		8.00	102.28	476.07	5864
/cgn2_6/ptodata/2/ina/6B_COMB.seq:US-08-336-728A-47 +		8.00	102.28	476.07	5864
/cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-813-819-3 -		8.00	94.20	1.3e+03	17138
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-09-103-840A-2 -		8.00	52.37	2.3e+05	4403765
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-434-001-50 +		7.00	117.00	72.06	73
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-433-595-50 +		7.00	117.00	72.06	73
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-434-425-50 +		7.00	117.00	72.06	73
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-437-667-50 +		7.00	117.00	72.06	73
/cgn2_6/ptodata/2/ina/6A_COMB.seq:US-08-906-955-50 +		7.00	117.00	72.06	73
/cgn2_6/ptodata/2/ina/6A_COMB.seq:US-08-945-909-50 +		7.00	117.00	72.06	73
/cgn2_6/ptodata/2/ina/6B_COMB.seq:PCT-US96-06060-50 +		7.00	117.00	72.06	73
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-606-789-9 -		7.00	112.31	131.50	136
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-111-348-9 -		7.00	112.31	131.50	136
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-606-789-25 -		7.00	110.24	171.51	179

/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-111-348-25 - 7.00 110.24 171.51 179
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-606-789-18 - 7.00 110.03 176.14 184
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-111-348-18 - 7.00 110.03 176.14 184
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-330-108-16 + 7.00 109.48 189.08 198
/cgn2_6/ptodata/2/ina/5A_COMB.seq:PCT-US92-10087-16 + 7.00 109.48 189.08 198
/cgn2_6/ptodata/2/ina/5A_COMB.seq:US-08-606-789-19 - 7.00 108.25 221.30 233
/cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-111-348-19 - 7.00 108.25 221.30 233

seq_name: /cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-328-111-315

seq_documentation_block:
; Sequence 315, Application US/09328111
; Patent No. 6262333
; GENERAL INFORMATION:
; APPLICANT: Endege, Wilson O.
; APPLICANT: Steinmann, Kathleen E.
; APPLICANT: Astle, Jon H.
; APPLICANT: Burgess, Christopher C.
; APPLICANT: Bushnell, Steven E.
; APPLICANT: Carroll III, Eddie
; APPLICANT: Catino, Theodore J.
; APPLICANT: Dertl, Adnan
; APPLICANT: Ford, Donna M.
; APPLICANT: Lewis, Marcia E.
; APPLICANT: Monahan, John E.
; APPLICANT: Schlegel, Robert
; TITLE OF INVENTION: NOVEL HUMAN GENES AND GENE EXPRESSION
; FILE REFERENCE: CCD-257 (US)
; CURRENT APPLICATION NUMBER: US/09/328,111
; CURRENT FILING DATE: 1999-06-08
; EARLIER APPLICATION NUMBER: US 60/088,801
; EARLIER FILING DATE: 1998-06-10
; NUMBER OF SEQ ID NOS: 850
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 315
; LENGTH: 238
; TYPE: DNA
; ORGANISM: Homo sapiens
US-09-328-111-315

alignment_scores:
Quality: 78.00 Length: 78
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-09-328-111-315

Align seg 1/1 to: US-09-328-111-315 from: 1 to: 238

60 LeuGlnValValAlaAlaGlySerArgAspSerGlyAlaAlaLeuTyrVa 76
|||||
3 CTGAGGTGGTGGCAGCGGTAGCGGCGACTCGGCGCGCGCTCTACGT 52

76 lPheSerGluPheAsnArgTyrLeuPheAsnCysGlyGluGlyValGlnA 93
|||||
53 CTTTCGCGAGTCAACCGGTATCTCTCAACTGTGGAGAGCGGCTTCAGA 102

93 rGluMetGlnGluHisLysLeuLysValAlaArgLeuAspAsnIlePhe 109
|||||
103 GACTCATGAGGAGCAGCAGTAAGGTGCTGCCTGGACACATATTC 152

110 LeuThrArgMetHisTrpSerAsnValIglyLeuSerGlyMetIleLe 126
|||||
153 CTGACAGCAATGACCTGCTTAATGTTGGGGCTTAAGTGAATGATTCT 202

126 uThrLeuLysGluThrGlyLeuProLysCysVal 137
|||||
203 TACTTTAAAGGAACCGGCTTCCAAAGTGTGA 236

seq_name: /cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-315-794-51

seq_documentation_block:
; Sequence 51, Application US/09315794
; Patent No. 6197517
; GENERAL INFORMATION:
; APPLICANT: Roberts, Christopher J.
; TITLE OF INVENTION: ESSENTIAL GENES OF YEAST AS TARGETS FOR ANTIFUNGAL
; TITLE OF INVENTION: AGENTS, HERBICIDES, INSECTICIDES AND ANTI-PROLIFERATION
; TITLE OF INVENTION: DRUGS
; FILE REFERENCE: 9301-053
; CURRENT APPLICATION NUMBER: US/09/315,794
; CURRENT FILING DATE: 1999-05-21
; NUMBER OF SEQ ID NOS: 64
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 51
; LENGTH: 2517
; TYPE: DNA
; ORGANISM: Saccharomyces cerevisiae
US-09-315-794-51

alignment_scores:
Quality: 9.00 Length: 9
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-09-315-794-51 ..

Align seg 1/1 to: US-09-315-794-51 from: 1 to: 2517

682 LeuLeulleHisGluAlaThrLeuGlu 690
|||||
2149 CTATTATTACGAGCTACTAGAA 2175

seq_name: /cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-389-341-51

seq_documentation_block:
; Sequence 51, Application US/09389341
; Patent No. 6200803
; GENERAL INFORMATION:
; APPLICANT: Roberts, Christopher J.
; TITLE OF INVENTION: ESSENTIAL GENES OF YEAST AS TARGETS FOR ANTIFUNGAL
; TITLE OF INVENTION: AGENTS, HERBICIDES, INSECTICIDES AND ANTI-PROLIFERATIVE
; TITLE OF INVENTION: DRUGS
; FILE REFERENCE: 9301-057
; CURRENT APPLICATION NUMBER: US/09/389,341
; CURRENT FILING DATE: 1999-09-02
; EARLIER APPLICATION NUMBER: 09/315,794
; EARLIER FILING DATE: 1999-05-21
; NUMBER OF SEQ ID NOS: 72
; SOFTWARE: Patentin Ver. 2.0
; SEQ ID NO 51
; LENGTH: 2517
; TYPE: DNA
; ORGANISM: Saccharomyces cerevisiae
US-09-389-341-51

alignment_scores:
Quality: 9.00 Length: 9
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-09-389-341-51 ..

Align seg 1/1 to: US-09-389-341-51 from: 1 to: 2517

682 LeuLeulleHisGluAlaThrLeuGlu 690
|||||
2149 CTATTATTACGAGCTACTAGAA 2175

seq_name: /cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-578-551-18

seq_documentation_block:
; Sequence 18, Application US/08578551
; Patent No. 5854050
; GENERAL INFORMATION:
; APPLICANT: Dalboge, Henrik
; APPLICANT: Christgau, Stephan
; APPLICANT: Andersen, Lene N.
; APPLICANT: Kofod, Lene V.
; APPLICANT: Kauppinen, Sakari M.
; APPLICANT: Dammann, Jack B.
; APPLICANT: Nielsen, Jack B.
; TITLE OF INVENTION: An Enzyme with Protease Activity
; NUMBER OF SEQUENCES: 34
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 58540500 No. 58540500disk of No. 5854050th America, Inc.
; STREET: 405 Lexington Avenue, 64th Floor
; CITY: New York
; STATE: New York
; COUNTRY: United States of America
; ZIP: 10174-6401
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/578,551
; FILING DATE: 01-FEB-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: DK 0811/93
; FILING DATE: 06-JUL-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO 95/02044
; FILING DATE: 19-JAN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J.
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4006.204-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 295 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; ORGANISM: Aspergillus aculeatus
US-08-578-551-18

alignment_scores:
Quality: 8.00 Length: 8
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-08-578-551-18 ..

Align seg 1/1 to: US-08-578-551-18 from: 1 to: 295

265 proValGlyThrAlaAlaIleAla 272
|||||
114 CCTGTTGGCACCCTGCTATTGCT 137

seq_name: /cgn2_6/ptodata/2/ina/5B_COMB.seq:US-09-190-982-18

```
seq_documentation_block:
; Sequence 18: Application US/09190982
; Patent No. 5998190
; GENERAL INFORMATION:
; APPLICANT: Dalboge, Henrik
; APPLICANT: Christgau, Stephan
; APPLICANT: Andersen, Lene N.
; APPLICANT: Kofod, Lene V.
; APPLICANT: Kauppinen, Sakari M.
; APPLICANT: Nielsen, Jack B.
; APPLICANT: Dammann, Claus
; TITLE OF INVENTION: An Enzyme with Protease Activity
; NUMBER OF SEQUENCES: 34
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NO. 59981900 No. 5998190disk of No. 5998190th America, Inc.
; STREET: 405 Lexington Avenue, 64th Floor
; CITY: New York
; STATE: New York
; COUNTRY: United States of America
; ZIP: 10174-6401
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/190,982
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/578,551
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO 95/02044
; FILING DATE: 19-JAN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J.
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4006.204-US
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 295 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; ORGANISM: Aspergillus aculeatus
US-09-190-982-18
```

```
alignment_scores:
  Quality: 8.00      Length: 8
  Ratio: 1.000      Gaps: 0
  Percent Similarity: 100.000  Percent Identity: 100.000
```

```
alignment_block:
US-09-988-687-2 x US-09-190-982-18 ..
```

```
Align seg 1/1 to: US-09-190-982-18 from: 1 to: 295
```

```
265 ProValGlyThrAlaAlaAla 272
|||||
114 CCTGTTGGCACCCTGCTATTGCT 137
```

```
seq_name: /cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-408-257-18
```

```
seq_documentation_block:
; Sequence 18: Application US/09408257
; Patent No. 6190905
; GENERAL INFORMATION:
; APPLICANT: Dalboge, Henrik
; APPLICANT: Christgau, Stephan
; APPLICANT: Andersen, Lene N.
; APPLICANT: Kofod, Lene V.
; APPLICANT: Kauppinen, Sakari M.
; APPLICANT: Nielsen, Jack B.
; APPLICANT: Dammann, Claus
; TITLE OF INVENTION: An Enzyme with Protease Activity
; NUMBER OF SEQUENCES: 34
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: NO. 61909050 No. 6190905disk of No. 6190905th America, Inc.
; STREET: 405 Lexington Avenue, 64th Floor
; CITY: New York
; STATE: New York
; COUNTRY: United States of America
; ZIP: 10174-6401
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/408,257
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/578,551
; FILING DATE: 01-FEB-1996
; APPLICATION NUMBER: DK 0811/93
; FILING DATE: 06-JUL-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO 95/02044
; FILING DATE: 19-JAN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J.
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4006.204-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 295 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; ORGANISM: Aspergillus aculeatus
US-09-408-257-18
```

```
alignment_scores:
  Quality: 8.00      Length: 8
  Ratio: 1.000      Gaps: 0
  Percent Similarity: 100.000  Percent Identity: 100.000
```

```
alignment_block:
US-09-988-687-2 x US-09-408-257-18 ..
```

```
Align seg 1/1 to: US-09-408-257-18 from: 1 to: 295
```

```
265 ProValGlyThrAlaAlaAla 272
|||||
114 CCTGTTGGCACCCTGCTATTGCT 137
```

```
seq_name: /cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-329-350-30
```

```
seq_documentation_block:
; Sequence 30, Application US/09329350
; Patent No. 6184019
; GENERAL INFORMATION:
; APPLICANT: Miettinen-Oinonen, Arja
; APPLICANT: Londresborough, John
; APPLICANT: Vehmaanper, Jari
; APPLICANT: Haakana, Heli
; APPLICANT: M ntyl, Arja
; APPLICANT: Lantto, Railja
; APPLICANT: Elovainio, Minna
; APPLICANT: Joutsjoki, Vesa
; APPLICANT: Paloheimo, Marja
; APPLICANT: Suominen, Pirkko
; TITLE OF INVENTION: NOVEL CELLULASES, THE GENES ENCODING THEM AND
; TITLE OF INVENTION: USES THEREOF
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sterne, Kessler, Goldstein & Fox P.L.L.C.
; STREET: 1100 New York Avenue, N.W., Suite 600
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.50 inch
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/329,350
; FILING DATE: Herewith
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/841,636
; FILING DATE: 30-APR-1997
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/005,335
; FILING DATE: 17-OCT-1995
; APPLICATION DATA:
; APPLICATION NUMBER: US 60/007,926
; FILING DATE: 04-DEC-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/020,840
; FILING DATE: 28-JUN-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/732,181
; FILING DATE: 16-OCT-1996
; APPLICATION DATA:
; APPLICATION NUMBER: PCT/FI96/00550
; FILING DATE: 17-OCT-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Shea Jr., Timothy
; REGISTRATION NUMBER: 41,306
; REFERENCE/DOCKET NUMBER: 1716.0510006/MAC/TJS
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)371-2600
; TELEFAX: (202)371-2540
; INFORMATION FOR SEQ ID NO: 30:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 936 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; ORIGINAL SOURCE:
; ORGANISM: Melanocarpus albomyces
; STRAIN: ALK04237
; FEATURE:
; NAME/KEY: exon
; LOCATION: 33..115
; OTHER INFORMATION: /codon_start= 33

; OTHER INFORMATION: /product= "20K-cellulase"
; FEATURE:
; NAME/KEY: exon
; LOCATION: 187..435
; OTHER INFORMATION: /product= "20K-cellulase"
; FEATURE:
; NAME/KEY: exon
; LOCATION: 506..881
; OTHER INFORMATION: /product= "20K-cellulase"
; US-09-329-350-30

alignment_scores:
; Quality: 8.00 Length: 8
; Ratio: 1.000 Gaps: 0
; Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
; US-09-988-687-2 x US-09-329-350-30/rev ..
; Align seg 1/1 to reverse of: US-09-329-350-30 from: 1 to: 936

800 AlaGlyClyLeuGluAspGlyGlu 807
|||||
875 GCTGGGGGCTTGAAGACGGCGAA 852

seq_name: /cgn2_6/ptodata/2/ina/6B_COMB.seq:US-08-482-918-60

seq_documentation_block:
; Sequence 60, Application US/08482918
; Patent No. 6207417
; GENERAL INFORMATION:
; APPLICANT: Zsebo, Krisztina M.
; APPLICANT: Bosselman, Robert A.
; APPLICANT: Suggs, Sidney V.
; APPLICANT: Martin, Francis H.
; TITLE OF INVENTION: Stem Cell Factor
; NUMBER OF SEQUENCES: 104
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
; STREET: 6300 Sears Tower, 233 South Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: United States of America
; ZIP: 60606-6402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/482,918
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Clough, David W.
; REGISTRATION NUMBER: 36,107
; REFERENCE/DOCKET NUMBER: 01017/33005
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312/474-6300
; TELEFAX: 312/474-0448
; TELEX: 25-3856
; INFORMATION FOR SEQ ID NO: 60:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1404 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 184..1002
; OTHER INFORMATION:
; FEATURE:
```



```
; NAME/KEY: mat_peptide
; LOCATION: 259..1002
US-08-482-918-60

alignment_scores:
  Quality:      8.00      Length:      8
  Ratio:        1.000     Gaps:        0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-08-482-918-60 ..
Align seg 1/1 to: US-08-482-918-60 from: 1 to: 1404

64 AlaAlaGlySerArgAspSerGly 71
25 GCTGCGGGAACGACGACAGTGA 48

seq_name: /cgn2_6/ptodata/2/ina/6B_COMB.seq:US-09-224-681-60

seq_documentation_block:
; Sequence 60, Application US/09224681
; Patent No. 6207454
; GENERAL INFORMATION:
; APPLICANT: Zsebo, Krisztina M.
; APPLICANT: Bosselman, Robert A.
; APPLICANT: Suggs, Sidney V.
; APPLICANT: Martin, Francis H.
; TITLE OF INVENTION: Method for Enhancing the Efficiency of Gene
; TRANSFER WITH STEM CELL FACTOR (SCF), POLYPEPTIDE
; NUMBER OF SEQUENCES: 104
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
; STREET: 6300 Sears Tower, 233 South Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: United States of America
; ZIP: 60606-6402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/224,681
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/005,893
; FILING DATE: 12-JAN-1998
; CLASSIFICATION:
; APPLICATION NUMBER: 08/449,653
; FILING DATE: 24-MAY-1995
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/982,255
; FILING DATE: 25-NOV-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/589,701
; FILING DATE: 01-OCT-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/573,616
; FILING DATE: 24-AUG-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/537,198
; FILING DATE: 11-JUN-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/422,383
; FILING DATE: 16-OCT-1989
; ATTORNEY/AGENT INFORMATION:
; NAME: Clough, David W.

; REGISTRATION NUMBER: 36,107
; REFERENCE/DOCKET NUMBER: 01017/35199
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312/474-6300
; TELEFAX: 312/474-0448
; TELEX:
; INFORMATION FOR SEQ ID NO: 60:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1404 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 184..1002
; NAME/KEY: mat_peptide
; LOCATION: 259..1002
US-09-224-681-60

alignment_scores:
  Quality:      8.00      Length:      8
  Ratio:        1.000     Gaps:        0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-09-224-681-60 ..
Align seg 1/1 to: US-09-224-681-60 from: 1 to: 1404

64 AlaAlaGlySerArgAspSerGly 71
25 GCTGCGGGAACGACGACAGTGA 48

seq_name: /cgn2_6/ptodata/2/ina/6B_COMB.seq:US-08-336-728A-60

seq_documentation_block:
; Sequence 60, Application US/08336728A
; Patent No. 6207802
; GENERAL INFORMATION:
; APPLICANT: Zsebo, Krisztina M.
; APPLICANT: Bosselman, Robert A.
; APPLICANT: Suggs, Sidney V.
; APPLICANT: Martin, Francis H.
; TITLE OF INVENTION: Stem Cell Factor
; NUMBER OF SEQUENCES: 104
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Marshall, O'Toole, Gerstein, Murray & Borun
; STREET: 6300 Sears Tower, 233 South Wacker Drive
; CITY: Chicago
; STATE: Illinois
; COUNTRY: United States of America
; ZIP: 60606-6402
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/336,728A
; FILING DATE: 09-NOV-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/982,255
; FILING DATE: 25-NOV-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/589,701
; FILING DATE: 01-OCT-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/573,616
; FILING DATE: 24-AUG-1990
; ATTORNEY/AGENT INFORMATION:
; NAME: Clough, David W.
```

```
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/537,198
; FILING DATE: 11-JUN-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/422,383
; FILING DATE: 16-OCT-1989
; ATTORNEY/AGENT INFORMATION:
; NAME: Clough, David W.
; REGISTRATION NUMBER: 36,107
; REFERENCE/DOCKET NUMBER: 01017/32956
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312/474-6300
; TELEFAX: 312/474-0448
; TELEX: 25-3856
; INFORMATION FOR SEQ ID NO: 60:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1404 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 184..1002
; FEATURE:
; NAME/KEY: mat_peptide
; LOCATION: 259..1002
; US-08-336-728A-60

alignment_scores:
  Quality: 8.00      Length: 8
  Ratio: 1.000      Gaps: 0
  Percent Similarity: 100.000  Percent Identity: 100.000

alignment_block:
  US-09-988-687-2 x US-08-336-728A-60 ..
  Align seg 1/1 to: US-08-336-728A-60 from: 1 to: 1404

64 AlaAlaGlySerArgAspSerGly 71
|||||
25 GCTGCGGGAAGCAGGGACAGTGGA 48

seq_name: /cgn2_6/ptodata/2/ina/6A_COMB.seq:US-09-035-706-1

seq_documentation_block:
; Sequence 1, Application US/09035706
; Patent No. 6001622
; GENERAL INFORMATION:
; APPLICANT: Dedhar, Shoukat
; APPLICANT: Hannigan, Greg
; TITLE OF INVENTION: Integrin-Linked Kinase and
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Bozicevic & Reed, LLP
; STREET: 285 Hamilton Avenue, Suite 200
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/035,706
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
```

```
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Sherwood, Pamela J
; REGISTRATION NUMBER: 36,677
; REFERENCE/DOCKET NUMBER: KIN-2CIP1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-327-3400
; TELEFAX: 650 327-3231
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1789 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; US-09-035-706-1

alignment_scores:
  Quality: 8.00      Length: 8
  Ratio: 1.000      Gaps: 0
  Percent Similarity: 100.000  Percent Identity: 100.000

alignment_block:
  US-09-988-687-2 x US-09-035-706-1 ..
  Align seg 1/1 to: US-09-035-706-1 from: 1 to: 1789

223 HisLeuProHisGlyValserGln 230
|||||
1700 CACTTGCACATGGTCTCCCA 1723

seq_name: /cgn2_6/ptodata/2/ina/6A_COMB.seq:US-08-955-841-1

seq_documentation_block:
; Sequence 1, Application US/08955841
; Patent No. 6013782
; GENERAL INFORMATION:
; APPLICANT: Dedhar, Shoukat
; APPLICANT: Hannigan, Greg
; TITLE OF INVENTION: Integrin-Linked Kinase and
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Bozicevic & Reed, LLP
; STREET: 285 Hamilton Avenue, Suite 200
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/955,841
; FILING DATE:
; CLASSIFICATION: 800
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Sherwood, Pamela J
; REGISTRATION NUMBER: 36,677
; REFERENCE/DOCKET NUMBER: KIN-2CIP1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-327-3400
; TELEFAX: 650 327-3231
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
```

alignment_block:
US-09-988-687-2 x US-08-669-536-1 ..
Align seg 1/1 to: US-08-669-536-1 from: 1 to: 1812

679 AspAlaThrLeuLeuLeuHisGlu 686
|||||
487 GATGCTACACTCTTGATTCATGAG 510

seq_name: /cgn2_6/ptodata/2/ina/5A_COMB.seq:US-07-929-580B-1

seq_documentation_block:
; Sequence 1, Application US/07929580B
; Patent No. 5426181

GENERAL INFORMATION:
; APPLICANT: Lee, Tae Ho
; APPLICANT: Lee, Gene W.
; APPLICANT: Vilcek, Jan
; TITLE OF INVENTION: Cytokine-Induced Protein, TSG-14,
; TITLE OF INVENTION: DNA Coding Therefor and Uses Thereof
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Browdy and Neimark
; STREET: 419 Seventh Street, NW
; CITY: Washington
; STATE: DC
; COUNTRY: US
; ZIP: 20004

seq_name: /cgn2_6/ptodata/2/ina/5B_COMB.seq:US-08-669-536-1

seq_documentation_block:
; Sequence 1, Application US/08669536
; Patent No. 5910444

GENERAL INFORMATION:
; APPLICANT: MASUTA, CHIKARA
; APPLICANT: UEHARA, KYOKO
; APPLICANT: TANAKA, HIDEO
; APPLICANT: KUWATA, SHIGERU
; TITLE OF INVENTION: ORGANISMS IN WHICH THE EXPRESSION OF
; TITLE OF INVENTION: S-ADENOSYLHOMOCYSTEINE HYDROLASE GENE IS INHIBITED
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BIRCH, STEWART, KOLASCH AND BIRCH
; STREET: PO BOX 747
; CITY: FALLS CHURCH
; STATE: VA
; COUNTRY: USA
; ZIP: 22040-0747

COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/669,536
; FILING DATE:
; CLASSIFICATION: 800

ATTORNEY/AGENT INFORMATION:
; NAME: MURPHY JR, GERALD M
; REGISTRATION NUMBER: 28,977
; REFERENCE/DOCKET NUMBER: 1254-128
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 205-8000
; TELEFAX: (703) 205-8050
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1812 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA to mRNA
US-08-669-536-1

alignment_scores:
Quality: 8.00 Length: 8
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-08-669-536-1 ..

Align seg 1/1 to: US-08-669-536-1 from: 1 to: 1812

679 AspAlaThrLeuLeuLeuHisGlu 686
|||||
487 GATGCTACACTCTTGATTCATGAG 510

seq_name: /cgn2_6/ptodata/2/ina/5A_COMB.seq:US-07-929-580B-1

seq_documentation_block:
; Sequence 1, Application US/07929580B
; Patent No. 5426181

GENERAL INFORMATION:
; APPLICANT: Lee, Tae Ho
; APPLICANT: Lee, Gene W.
; APPLICANT: Vilcek, Jan
; TITLE OF INVENTION: Cytokine-Induced Protein, TSG-14,
; TITLE OF INVENTION: DNA Coding Therefor and Uses Thereof
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Browdy and Neimark
; STREET: 419 Seventh Street, NW
; CITY: Washington
; STATE: DC
; COUNTRY: US
; ZIP: 20004

seq_name: /cgn2_6/ptodata/2/ina/5B_COMB.seq:US-07-929-580B-1

seq_documentation_block:
; Sequence 1, Application US/07929580B
; Patent No. 5426181

GENERAL INFORMATION:
; APPLICANT: Lee, Tae Ho
; APPLICANT: Lee, Gene W.
; APPLICANT: Vilcek, Jan
; TITLE OF INVENTION: Cytokine-Induced Protein, TSG-14,
; TITLE OF INVENTION: DNA Coding Therefor and Uses Thereof
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Browdy and Neimark
; STREET: 419 Seventh Street, NW
; CITY: Washington
; STATE: DC
; COUNTRY: US
; ZIP: 20004

COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/929,580B
; FILING DATE: 19920814
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/640,492
; FILING DATE: 14-JAN-1991

ATTORNEY/AGENT INFORMATION:
; NAME: Townsend, Guy Kevin
; REGISTRATION NUMBER: 34,033
; REFERENCE/DOCKET NUMBER: LEE25\VILCEK-2A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 628-5197
; TELEFAX: (202) 737-3528
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1836 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 73..606
US-07-929-580B-1

alignment_scores:
Quality: 8.00 Length: 8
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x US-07-929-580B-1/rev ..

Align seg 1/1 to reverse of: US-07-929-580B-1 from: 1 to: 1836

624 LeuIleSerLeuLeuArgThr 631
|||||
1116 CTTATCTCTTCATTGCTAAGAACA 1093

seq_name: /cgn2_6/ptodata/2/ina/5A_COMB.seq:US-07-929-580B-4
seq_documentation_block:
; Sequence 4, Application US/07929580B
; Patent No. 5426181
; GENERAL INFORMATION:
; APPLICANT: Lee, Tae Ho
; APPLICANT: Lee, Gene W.
; APPLICANT: Vilcek, Jan
; TITLE OF INVENTION: Cytokine-Induced Protein, TSG-14,
; TITLE OF INVENTION: DNA Coding Therefor and Uses Thereof
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Browdy and Neimark
; STREET: 419 Seventh Street, NW
; CITY: Washington
; STATE: DC
; COUNTRY: US
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.24
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/929,580B
; FILING DATE: 19920814
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/640,492
; FILING DATE: 14-JAN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Townsend, Guy Revin
; REGISTRATION NUMBER: 34,033
; REFERENCE/DOCKET NUMBER: LEE25\\VILCEK-2A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 628-5197
; TELEFAX: (202) 737-3528
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1839 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 74..1216
US-07-929-580B-4

alignment_scores:
Quality: 8.00 Length: 8
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-988-687-2 x US-07-929-580B-4/rev ..

Align seq.1/1 to reverse of: US-07-929-580B-4 from: 1 to: 1839

624 LeuIleSerLeuLeuArgThr 631

1119 CTTATCTCTTCATTGCTAAGAACA 1096

OM of: US-09-988-687-2 to: EST:* out_format : pfs

Date: Mar 29, 2002 6:06 PM

About: Results were produced by the GenCore software, version 4.5,
Copyright (c) 1993-2000 Compugen Ltd.

Command line parameters:

```
-MODEl=framet_p2n.model -DEV=xlh  
-Q/cgn2_1/USFTO.spool/US09988687/runat_29032002_092148_558/app_query.fasta_1.895  
-DB-EST -QMT-fastap -SUFFIX=olip2n.rst -GAPOP=4.500  
-GAPEXT=0.050 -MINMATCH=0.100 -LOOPEL=0.000 -LOOPEXT=0.000  
-GAPOP=4.500 -GAPEXT=0.050 -XGAPOP=60.000 -XGAPEXT=60.000  
-GAPOP=6.000 -GAPEXT=7.000 -YGAPOP=60.000 -YGAPEXT=60.000  
-DELOP=6.000 -GAPEXT=7.000 -START=1 -MATRIX=oligo  
-TRANS=human40.cdi -LIST=45 -LOCALIGN=200 -THR_SCORE=quality  
-THR_MIN=1 -ALIGN=15 -MODE=LOCAL -OUTFMT=pfs -NORM=ext  
-HEAPSIZE=500 -MINLEN=0 -MAXLEN=200000000  
-USER=US09988687 -CGN1_1_4602 -NCPU=6 -ICPU=3 -LONGLOG  
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPXY -WAIT -THREADS=1
```

Search information block:

Query: US-09-988-687-2

Query length: 826

Database: EST:*

Database sequences: 11351937

Database length: 1077921985

Search time (sec): 1176.950000

WARN: XGAPOP and YGAPOP must be equal. Assuming YGAPOP=XGAPOP=60.000

WARN: XGAPEXT and YGAPEXT must be equal. Assuming YGAPEXT=XGAPEXT=60.000

```
score_list:
Sequence      Strd Orig      ZScore      EScore Len      Documentation
gb_est1:BE260495 + 225.00 3949.63 7.8e-211 676 ! BE260495 601150702F1 NIH_MGC_19
gb_est1:AU126037 + 213.00 3737.19 5.3e-199 712 ! AU126037 AU126037 NT2RM4 Homo S
gb_est1:AU141334 + 203.00 3561.00 3.5e-189 666 ! AU141334 AU141334 THYR01 Homo S
gb_est1:AU143668 + 203.00 3561.00 3.5e-189 670 ! AU143668 AU143668 Y79AA1 Homo S
gb_est2:BF969043 + 199.00 3487.55 4.3e-185 944 ! BF969043 602289966F1 NIH_MGC_84
gb_est1:BE383336 + 197.00 3455.06 2.8e-183 664 ! BE383336 601298249F1 NIH_MGC_19
gb_est1:BE382353 + 196.00 3437.06 2.8e-182 692 ! BE382353 601298565F1 NIH_MGC_19
gb_est2:BF797306 + 194.00 3399.60 3.6e-180 960 ! BF797306 602256926F1 NIH_MGC_85
gb_est2:BG396395 + 190.00 3329.60 2.7e-176 827 ! BG396395 602459323F1 NIH_MGC_16
gb_est2:BG179016 + 186.00 3259.88 2.1e-172 735 ! BG179016 602699144F1 NIH_MGC_97
gb_est2:BG386090 + 186.00 3259.07 2.1e-172 920 ! BG386090 602455264F1 NIH_MGC_13
gb_est2:BG386648 + 185.00 3239.67 2.8e-171 1012 ! BG386648 602455530F1 NIH_MGC_13
gb_est2:BF434169 + 184.00 3226.85 1.4e-170 553 ! BF434169 7099404.x1 NCI_CGAP_Ov
gb_est2:BG519751 + 184.00 3223.05 2.3e-170 884 ! BG519751 602578902F1 NIH_MGC_19
gb_est2:BG756043 + 184.00 3223.00 2.3e-170 890 ! BG756043 602716533F1 NIH_MGC_48
gb_est2:BG746363 + 178.00 3117.05 1.9e-164 883 ! BG746363 602703625F1 NIH_MGC_15
gb_est2:BG333563 + 177.00 3102.32 1.2e-163 614 ! BG333563 602404708F1 NIH_MGC_21
gb_est2:BF196304 + 175.00 3068.24 9.7e-162 526 ! BF196304 7068a10.x1 NCI_CGAP_Ov
gb_est1:AU138595 + 175.00 3065.97 1.3e-161 696 ! AU138595 AU138595 PLACE1 Homo S
gb_est1:AU124671 + 172.00 3012.24 1.3e-158 762 ! AU124671 AU124671 NT2RM4 Homo S
gb_est2:BF057321 + 168.00 2944.87 7.2e-155 506 ! BF057321 7K19c01.x1 NCI_CGAP_Ov
gb_est2:BG822529 + 165.00 2888.25 1.0e-151 791 ! BG822529 602725613F1 NIH_MGC_15
gb_est2:BF794577 + 165.00 2886.75 1.3e-151 953 ! BF794577 602255843F1 NIH_MGC_85
gb_est1:AU138795 + 159.00 2789.75 6.8e-146 857 ! AU138795 AU138795 PLACE1 Homo S
gb_est2:BE795820 + 158.00 2766.65 6.0e-145 761 ! BE795820 601590856F1 NIH_MGC_7
gb_est1:AW206103 + 157.00 2750.06 5.1e-144 536 ! AW206103 UI-H-BIL-afx-f12-0-01
gb_est2:BE794311 + 154.00 2695.03 6.0e-141 688 ! BE794311 601591442F1 NIH_MGC_7
gb_est1:BE619259 + 154.00 2693.58 7.2e-141 823 ! BE619259 601473130F1 NIH_MGC_68
gb_est1:AA243700 + 152.00 2661.79 4.2e-139 531 ! AA243700 zr68908.s1 Soares_NHMH
gb_est2:BG766403 + 151.00 2641.10 6.0e-138 771 ! BG766403 602739314F1 NIH_MGC_49
gb_est1:AI200296 + 150.00 2627.77 3.3e-137 451 ! AI200296 qf86b12.x1 Soares_feta
gb_est2:BE260626 + 149.00 2604.18 6.9e-136 938 ! BE260626 601146116F1 NIH_MGC_19
gb_est2:BF433563 + 146.00 2556.30 3.2e-133 498 ! BF433563 7455b07.x1 NCI_CGAP_Lu
gb_est1:AA455121 + 145.00 2536.71 3.0e-132 493 ! AA455121 zx78c04.s1 Soares_ovar
gb_est2:BE892893 + 145.00 2534.90 5.0e-132 790 ! BE892893 601435738F1 NIH_MGC_72
gb_est1:BE250309 + 144.00 2519.81 3.4e-131 574 ! BE250309 600943455F1 NIH_MGC_17
gb_est2:BG751942 + 144.00 2517.54 4.6e-131 760 ! BG751942 602732110F1 NIH_MGC_43
```

```
gb_est1:AI468143 + 140.00 2451.65 2.2e-127 421 ! AI468143 tf92g05.x1 NCI_CGAP
gb_est1:AW575677 + 136.00 2379.70 2.2e-123 493 ! AW575677 UI-HF-BM0-adi-b-07-
gb_est2:BG327066 + 135.00 2362.73 1.9e-122 452 ! BG327066 602426274F1 NIH_MGC
gb_est2:BF309436 + 135.00 2362.64 2.0e-122 457 ! BF309436 601892128F1 NIH_MGC
gb_est1:AW304130 + 134.00 2345.97 1.7e-121 404 ! AW304130 xs13e05.x1 NCI_CGAP
gb_est1:AA291670 + 133.00 2327.01 1.9e-120 474 ! AA291670 zt37d04.s1 Soares_o
gb_est1:BE386924 + 131.00 2289.41 2.3e-118 627 ! BE386924 601274815F1 NIH_MGC
```

seq_name: gb_est1:BE260495

seq_documentation_block:

```
LOCUS      BE260495      676 bp      mRNA      EST      26-OCT-2000
DEFINITION 601150702F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503184 5',
            mRNA sequence.
```

ACCESSION BE260495

VERSION BE260495.1 GI:9131807

KEYWORDS EST.

SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 676)

NIH-MGC <http://mgc.nci.nih.gov/>.

National Institutes of Health, Mammalian Gene Collection (MGC)

Unpublished (1999)

Contact: Robert Strausberg, Ph.D.

Email: cgapbs-r@mail.nih.gov

Tissue Procurement: ATCC

cDNA Library Preparation: Ling Hong/Rubin Laboratory

CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA Sequencing by: Incyte Genomics, Inc.

Clone distribution: MGC clone distribution information can be

found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov

Plate: L16C176 row: d column: 01

High quality sequence stop: 672.

Location/Qualifiers

FEATURES

source

1..676

/organism="Homo sapiens"

/db_xref="taxon:9606"

/clone="IMAGE:3503184"

/clone_lib="NIH_MGC_19"

/tissue_type="neuroblastoma"

/lab_host="DH10B (phage-resistant)"

/note="Organ: brain; Vector: pOPB7; Site:1: XhoI; Site:2:

ECOR1; CDNA made by oligo-dT priming. Directionally

cloned into EcoRI/XhoI sites using the following 5'

adaptor: GGACGAG(G). Library constructed by Ling Hong

in the laboratory of Gerald M. Rubin (University of

California, Berkeley) using ZAP-cDNA synthesis kit

(Stratagene) and Superscript II RT (Life Technologies).

Note: this is a NIH_MGC Library."

BASE COUNT 154 a 207 c 176 g 139 t

ORIGIN

alignment_scores:

Quality: 225.00

Ratio: 1.000

Percent Similarity: 100.000

Percent Identity: 100.000

alignment_block:

US-09-988-687-2 x BE260495

Align seg 1/1 to: BE260495 from: 1 to: 676

365 ThrGlnHisLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuAr 381

|||||

1 ACCGACACTTGTCTCTGAATGAGAACTGTGCCTCAGTTCACAACTTCG 50

381 gSerHisLysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePhep 398

|||||

51 CAGCCCAAGATTCAAACCCAGCTACACCTCATCCACCCGACATCTTC 100

```

398 roLeuLeuThrSerPheArgCysLysLysGluGlyProThrLeuSerVal 414
|||||
101 CCCTGCTCACCAAGTTCCGCTGTGAAGAAGAGGGGCCCCACCCCTCAGTGTG 150
|||||
415 ProMetValGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgAr 431
|||||
151 CCCATGGTTCAGGGTGAATCCCTCCTCAAGTACAGCTCCGTCGCCAGGAG 200
|||||
431 gGUtTpGlnArgAspAlaIleIleThrCysAsnProGluGluPheIleV 448
|||||
201 GGAGTGGCAGAGGATGCCATTTACTTGCATTCCTGACGAATTCATAG 250
|||||
448- alGluAlaLeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrArg 464
|||||
251 TTGAGGCGCTGCAGCTTCCCACTCCAGCAGAGCGTGCAGGAGTACAGG 300
|||||
465 ArgSerAlaGlnaspGlyProAlaProAlaGluLysArgSerGlnTyrPr 481
|||||
301 AGGAGTGCAGGAGCGGCCAGCCCGCCAGCAGAGAGAAAAGAGTCAGTACC 350
|||||
481 oGUlIleIlePheLeuGlyThrGlySerAlaIleProMetLysIleArgA 498
|||||
351 AGAAATCATCTCTCTGGACAGGGTCTGCCATCCCGATGAAGATTCGAA 400
|||||
498 snValSerAlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeu 514
|||||
401 ATGTCAGTGCACACTGTCAACATAGACCCCGACACGCTCTCTGCTACTG 450
|||||
515 AspCysGlyGluGlyThrPheGlyGlnLeuCysArgHisTyrGlyAspG1 531
|||||
451 GACTGTGGTGAGGCGACATTGGGCGAGCTGTGCGCTCATTCACGAGACCA 500
|||||
531 nValAspArgValLeuGlyThrLeuAlaAlaValPheValSerHisLeuH 548
|||||
501 GGTGGACAGGGTCTGGGACCCCTGGCTGCTGTGTGTGTCGCCACCTGC 550
|||||
548 isAlaAspHisHisThrGlyLeuProSerIleLeuLeuGlnArgGluArg 564
|||||
551 ACGCAGATCACACACAGGGCTTGCCRAAGTATCTTGCTGCAGAGAGACGC 600
|||||
565 AlaLeuAlaSerLeuGlyLysProLeuHisProLeuLeuValValAlaPr 581
|||||
601 GCCTTGGCATCTTTGGGAAAGCGCTTCACCCCTTTGCTGGTGGTTGCCCC 650
|||||
581 oAsnGlnLeuLysAlaTrpLeuGln 589
|||||
651 CACACAGCTCAAGCCCTGGCTCCAG 675

```

seq_name: gb_est1:AU126037

```

seq_documentation_block:
LOCUS AU126037 712 bp mRNA EST 23-OCT-2000
DEFINITION AU126037 NT2RM4 Homo sapiens cDNA clone NT2RM4002610 5', mRNA
sequence.
ACCESSION AU126037
VERSION AU126037.1 GI:10950753
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 712)
AUTHORS Ota,T., Wakamatsu,A., Ozawa,M., Ishii,S., Saito,K., Yamamoto,J.,
Isogai,T., Nakamura,Y., Nishikawa,T., Nagai,T., Suzuki,Y., Sugano,S. and
HRI human cDNA project (Ota,T., Wakamatsu,A., Ozawa,M., Ishii,S.,
Saito,K., Yamamoto,J., Nakamura,Y., Nishikawa,T., Nagai,T., Suzuki
,Y., Sugano,S., Isogai,T.)
JOURNAL Unpublished (2000)
COMMENT Contact: Takao Isogai
Genomics Laboratory
Helix Research Institute
1532-3 Yana, Kisarazu, Chiba 292-0812, Japan

```

```

Tel: 81-438-52-3951
Fax: 81-438-52-3952
Email: genomics@hri.co.jp
HRI human cDNA project: 5'- & 3'-end one pass sequencing: Helix
Research Institute; cDNA library construction: Department of
Virology, Institute of Medical Science, University of Tokyo, and
Helix Research Institute.
FEATURES
Location/Qualifiers
1..712
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="NT2RM4002610"
/cell_type="teratocarcinoma"
/cell_line="NT2"
/notes="Vector: pME18SPL3; mRNA from uninduced NT2 neuronal
precursor cells"
BASE COUNT 173 a 198 c 204 g 134 t 3 others
ORIGIN

```

```

alignment_scores:
Quality: 213.00 Length: 213
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000
alignment_block:
US-09-988-687-2 x AU126037
Align seg 1/1 to: AU126037 from: 1 to: 712
1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgThrMetSe 17
|||||
22 ATGTGGGCGCTTTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 71
|||||
17 rGlnGlyArgThrIleSerGlnAlaProAlaArgArgGluArgProArgL 34
|||||
72 GCAGGGACGCACCATATCGCAGGCACCCGCCGCCGCCGCCGCCGCCGCA 121
|||||
34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
|||||
122 AGGACCCGCTGCGGCACCTCGGCACCGCAGAGAGAGCGCGCCGCTGGGG 171
|||||
51 CysSerGlyGlyProAsnThrValTyrLeuGlnValValAlaAlaGlySe 67
|||||
172 TGCTCCGCGCGCCCAACACCGCTGCTACCTGCAGGTGGTGGCAGCGGTAG 221
|||||
67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
|||||
222 CCGGGACTCGGGCGCGCTCTACGTCTTCTCGAGTTCACACCGGTATC 271
|||||
84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGluHisLysLeu 100
|||||
272 TCTTCAACTCTGGAGAGGCGTTTCAGAGACTCATGCGAGGAGCACAAGTTA 321
|||||
101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
|||||
322 AAGGTTGCTCGCTGGACACATATTCCTGACACGAATGCATGGTCTAA 371
|||||
117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeup 134
|||||
372 TGTGTGGGGCTTAAGTGAATGATTCTTACTTTAAAGGAAACCGGGCTTC 421
|||||
134 rOlyCysValLeuSerGlyProProGlnLeuGluLysTyrLeuGluAla 150
|||||
422 CAAAGTGTGACTTTCGGACCTCCACAACTGGAAAAATACCTCGAAGCA 471
|||||
151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
|||||
472 ATCAAAATATTTCTGGTCCATTGAAGAGTAAGAACTGGCTGTGGCGCC 521
|||||
167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
|||||

```

522 CCACCTGCCCCAGAAATACGAGGATGAACCATGACAGTTTACCAGATCC 571
 184 rtleHisSerGluGlnArgArgGlyLysHisGlnProTrpGlnSerPro 200
 572 CCATACACAGTGAACAGAGAGGGGGAAGACCAACCATGGCAGAGTCCA 621
 201 GluArgProLeuSerArgLeuSerProGluArgSerSer 213
 622 GAAAGGCCTCTCAGCAGGCTCAGTCAGAGCGGATCTTCA 660

seq_name: gb_est1:AUI141334

seq_documentation_block:
 LOCUS AUI141334 666 bp mRNA EST 25-OCT-2000
 DEFINITION AUI141334 THYR01 Homo sapiens cDNA clone THYR01000421 5', mRNA
 sequence.

ACCESSION AUI141334.1 GI:11002855
 VERSION AUI141334.1
 KEYWORDS EST.
 SOURCE human.

ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
 REFERENCE 1 (bases 1 to 666)
 AUTHORS Ota,T., Nishikawa,T., Suzuki,Y., Ishii,S., Saito,K., Kawai,Y.,
 Yamamoto,J., Wakamatsu,A., Nakamura,Y., Nagai,T., Sugano,S. and
 Isogai,T.

TITLE HRI human cDNA project
 JOURNAL Unpublished (2000)
 COMMENT Contact: Takao Isogai
 Genomics Laboratory
 Helix Research Institute
 1532-3 Yana, Kisarazu, Chiba 292-0812, Japan
 Tel: 81-438-52-3951
 Fax: 81-438-52-3952

Email: genomics@hri.co.jp
 HRI human cDNA project; 5'- & 3'-end one pass sequencing: Helix
 Research Institute; cDNA library construction: Department of
 Virology, Institute of Medical Science, University of Tokyo, and
 Helix Research Institute.

FEATURES
 Location/Qualifiers

1..666
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone="THYR01000421"
 /clone_lib="THYR01"
 /tissue_type="thyroid gland"
 /note="Vector: pME18SFL3"
 BASE COUNT 158 a 186 c 190 g 129 t 3 others
 ORIGIN

alignment_scores:
 Quality: 203.00 Length: 203
 Ratio: 1.000 Gaps: 0
 Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-988-687-2 x AUI141334

Align seg 1/1 to: AUI141334 from: 1 to: 666

1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgHrMetSe 17
 29 ATGTGGCGCTTGTCTGCTGCTCGCTCGCGTCCGCGCGGCGACCATGTC 78
 17 rGlnGlyArgThrIleSerGlnAlaProAlaArgArgGluArgProArgL 34
 79 GCAGGGACGACCATATCGCAGGACCCCGCGCGGCGGCGCGCGCA 128
 34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
 129 AGGACCGCTGCGGCACCTCGGCACGCGAGAGCGCGGACCGCTCGGG 178

51 CysSerGlyGlyProAsnThrValTyrLeuGlnValValAlaAlaGlySe 67
 179 TGTCTCCGGCGGCCCAACACCGTGTACTCGAGTGGTGGCAGCGGGTAG 228
 67 rArgSpSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
 229 CCGGACTCGGGCGCGCTCTACGCTCTCTCCGAGTTCAACCGGTATC 278
 84 eupheAsnCysGlyGluGlyValGlnArgLeuMetGlnGlnHisLysLeu 100
 279 TCTTCAACTGTGGAGAAGGGGTTTCAGAGACTCATGSCAGGACACAAGTTA 328
 101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
 329 AGGTGCTCGCTCGGACACATATCTGACACGAATGCACCTGCTCTTAA 378
 117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeuP 134
 379 TGTGGGGCTTAAGTGAATGATTTACTTTAAAGGAAACCGGGCTTC 428
 134 rLysCysValLeuSerGlyProGlnLeuGluLysTyrLeuGluAla 150
 429 CAAAGTGTACTTCTTGACCTCCACAACTGGAAAAATACCTCGAAGCA 478
 151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
 479 ATCAAAATATTTCTGTGTCATTGAAAGGAATAGAACTGGCTGCGGCC 528
 167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
 529 CCACCTGCCCCAGAAATACGAGGATGAACCATGACAGTTTACCAGATCC 578
 184 rolleHisSerGluGlnArgArgGlyLysHisGlnProTrpGlnSerPro 200
 579 CCATACACAGTGAACAGAGGAGGGGAAAGCAACCAACCATGCGAGATCCA 628
 201 GluArgPro 203
 629 GAAAGGCCT 637

seq_name: gb_est1:AUI143668

seq_documentation_block:

LOCUS AUI143668 670 bp mRNA EST 25-OCT-2000
 DEFINITION AUI143668 Y79AA1 Homo sapiens cDNA clone Y79AA1002297 5', mRNA
 sequence.

ACCESSION AUI143668
 VERSION AUI143668.1 GI:11005189
 KEYWORDS EST.
 SOURCE human.

ORGANISM

Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.

REFERENCE 1 (bases 1 to 670)

AUTHORS Ota,T., Nishikawa,T., Suzuki,Y., Ishii,S., Saito,K., Kawai,Y.,
 Yamamoto,J., Wakamatsu,A., Nakamura,Y., Nagai,T., Sugano,S. and
 Isogai,T.

TITLE HRI human cDNA project

JOURNAL

COMMENT Unpublished (2000)

Contact: Takao Isogai

Genomics Laboratory

Helix Research Institute

1532-3 Yana, Kisarazu, Chiba 292-0812, Japan

Tel: 81-438-52-3951

Fax: 81-438-52-3952

Email: genomics@hri.co.jp

HRI human cDNA project; 5'- & 3'-end one pass sequencing: Helix

Research Institute; cDNA library construction: Department of

Virology, Institute of Medical Science, University of Tokyo, and

Helix Research Institute.

FEATURES Location/Qualifiers

1..670

source

```
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="Y79AA1002297"
/clone_lib="Y79AA1"
/cell_type="retinoblastoma"
/cell_line="Y79"
/note="Vector: pME18SFL3"
157 a 190 c 193 g 127 t 3 others
BASE COUNT
ORIGIN

alignment_scores:
  Quality: 203.00      Length: 203
  Ratio: 1.000        Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AU143668
Align seg 1/1 to: AU143668 from: 1 to: 670
1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgThrMetSe 17
|||||
31 ATGTGGCGGCTTCTCGCTGCTGGTCCGCGCGGACGACCATGTC 80
17 rGlnGlyArgThrIleSerGlnAlaProAlaArgGluArgProArgL 34
|||||
81 GCAGGAGCGCACCATATCGCAGGACCGCCGCCGCGGAGCGCGCGCA 130
34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
|||||
131 AGGACCGGCTCGCGACCTGCGACGCGGAGAGAGCGGACCGTCGGGG 180
51 CysSerGlyGlyProAsnThrValTyLeuGlnValValAlaAlaGlySe 67
|||||
181 TGCCTCCGCGGCCCAACACCGTACTCGAGGTGGTGGCAGCGGGTAG 230
67 rArgAspSerGlyAlaAlaLeuTyValPheSerGluPheAsnArgTyRL 84
|||||
231 CCGGAGCTCGGGCGCGCTCTACGCTTCTCCGAGTTCACCGGATC 280
84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGluHisLysLeu 100
|||||
281 TCTTCAACTGTGGAGAGGGCTTCAGAGACTCATGCGAGGACACAAGTTA 330
101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
|||||
331 AGGTTGCTCGCTGGACAAACATATCTGACAGAAATGCACTGGTCTAA 380
117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeuP 134
|||||
381 TGTGGGGCTTAAGTGAATGATTCTTACTTTAAAGGAACCGGGCTTC 430
134 roLysCysValLeuSerGlyProProGlnLeuGluLysTyLeuGluAla 150
|||||
431 CAAAGTGTGACTTCTCGACCTCCAGAACTGGAAAAATACCTCGAAGCA 480
151 ileLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
|||||
481 ATCAAAATATTTCTGGCCCAATGAAGGAATAGAACTGGCGGTCGGGCC 530
167 ohIsSerAlaProGluTyArgGluAspGluThrMetThrValTyArgGlnIleP 184
|||||
531 CCACTCTGCCCAAGATACGAGGATGAACCATGACAGTTTACCAGATCC 580
184 roIleHisSerGluGlnArgArgGlyLysHisGlnProTrpGlnSerPro 200
|||||
581 CCATACACAGTGAACAGAGGGGGAAGCAACCAACCATGCGCAGAGTCCA 630
201 GluArgPro 203
|||||
631 GNAAGGCGCT 639
```

```
seq_name: gb_est2:BF969043
seq_documentation_block:
LOCUS BF969043 944 bp mRNA EST 22-JAN-2001
DEFINITION 60226996F1 NIH_MGC_84 Homo sapiens cDNA clone IMAGE:4357985 5',
mrna sequence.
ACCESSION BF969043
VERSION BF969043.1 GI:12336258
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 944)
AUTHORS NIH-MGC http://mgc.nci.nih.gov/
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: ATCC
CDNA Library Preparation: Life Technologies, Inc.
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLAM9995 row: d column: 18
High quality sequence stop: 591.
FEATURES
Location/Qualifiers
1..944
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4357985"
/clone_lib="NIH_MGC_84"
/tissue_type="adrenal cortex carcinoma, cell line"
/note="Organ: adrenal gland; Vector: pCMV-SPORT6; Site_1:
NotI; Site_2: SalI; Cloned unidirectionally; oligo-dT
primed. Average insert size 1.229 kb. Library enriched for
full-length clones and constructed by Life Technologies.
Note: this is a NIH_MGC Library."
BASE COUNT 200 a 266 c 264 g 214 t
ORIGIN

alignment_scores:
  Quality: 199.00      Length: 199
  Ratio: 1.000        Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x BF969043
Align seg 1/1 to: BF969043 from: 1 to: 944
266 ValGlyThrAlaAlaIleAlaAlaProIleIleAlaAlaValLysAspGlyLy 282
|||||
1 GTTGGGACAGCTGCCATCGCTCCCATCATTCGCTGCTCAAGGACGGAA 50
282 sSerIleThrHisGluGlyArgGluIleLeuAlaGluLeuCysThrP 299
|||||
51 AAGCATCACTCATGAAGGAGAGAGATTTGGCTGAAGAGCTGTGTACTC 100
299 roProAspProGlyValAlaPheValValGluCysProAspGluSer 315
|||||
101 CTCACAGATCCGTGGTGTCTTTTGTGGTGGTAGAATGTCCAGATGAAGC 150
316 PheIleGlnProIleCysGluAsnAlaThrPheGlnArgTyArgGlnGlyLy 332
|||||
151 TTCATTCAACCCATCTGTGAGAATGCCACCTTTCAGAGGTACCAAGAAA 200
332 sAlaAspAlaProValAlaLeuValValHisMetAlaProAlaSerValL 349
|||||
```



```
201 GCAGATGCCCCGCTGGCTTGCATGCGCCCGCCAGCATCTGTGC 250
349 euValAspSerArgTyrGlnGlnTrpMetGluArgPheGlyProAspThr 365
251 TTGTGGACAGCAGGTACACGACGTGGATGGAGAGGTTTGGCCGTGACACC 300
366 GlnHisLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgse 382
301 CAGCACTTGGTCTGCTGAATGAGAACTGGCTCAGTTCAACAACCTTCGCAG 350
382 rHisLysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProL 399
351 CCACAAGATTCAAAACCCAGCTCAACCTCATCCACCGGACATCTCCCCC 400
399 euLeuThrSerPheArgCysLysGluGlyProThrLeuSerValPro 415
401 TGTCTACCAAGTTTCCCGTGTAAAGAGAGGCCCCACCTCAGTGTGCC 450
416 MetValGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgArgL 432
451 ATGGTTCCAGGTTGAATGCCTCCTCAAGTACCAGCTCCGTCCTCCAGGAGGA 500
432 uTrpGlnArgAspAlaIleIleThrCysAsnProGluGluPheIleValG 449
501 GTGGCAGAGGATGCCATTATTACTTGAATCTGAGGAATTCATAGTTG 550
449 luAlaLeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrArg 464
551 AGCGCTGCAGCTTCCCACTTCCAGCAGAGCGTGCAGGAGTACAGG 597

seq_name: gb_est1:BE383336

seq_documentation_block: 664 bp mRNA EST 21-JUL-2000
LOCUS BE383336
DEFINITION 601298656F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628308 5',
mRNA sequence.
ACCESSION BE383336
VERSION BE383336.1 GI:9328701
KEYWORDS EST..
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 664)
NIH-MGC http://mgc.nci.nih.gov/.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
Contact: Robert Strausberg, Ph.D.
Email: cgapbs-re@mail.nih.gov
Tissue Procurement: ATCC
cDNA Library Preparation: Ling Hong/Rubin Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone Distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
Plate: L1CM313 row: a column: 13
High quality sequence stop: 662.
Location/Qualifiers
1. 664
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:3628308"
/clone_lib="NIH_MGC_19"
/tissue_type="neuroblastoma"
/lab_host="DH10B (phage-resistant)"
/note="organ: brain; Vector: pOTB7; Site_1: XhoI; Site_2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5'
adaptor: GGCACGAG(G). Library constructed by Ling Hong
in the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies).
Note: this is a NIH_MGC Library."
```

```
BASE COUNT 154 a 199 c 174 g 137 t
ORIGIN
alignment_scores:
Quality: 197.00 Length: 197
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000
alignment_block:
US-09-988-687-2 x BE383336 ..
Align seg 1/1 to: BE383336 from: 1 to: 664
365 ThrGlnHisLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuAr 381
|||||
1 ACCGACAGCTTGGTCCCTGAATGAGAAGTGGCTCAGTTCAACAACCTTCG 50
381 gSerHisLysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheP 398
|||||
51 CAGCCACAAGATTCAAAACCCAGCTCAACCTCATCCACCGGACATCTCC 100
398 rLeuLeuThrSerPheArgCysLysLysGluGlyProThrLeuSerVal 414
|||||
101 CCCTGCTCAGCAGTTTCCCGTGTAAAGAGGAGGCCACCTCAGTGTG 150
415 ProMetValGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgAr 431
|||||
151 CCCATGTTTCAGGTTGAATGCCTCCTCAAGTACCAGCTCCGTCCTCAGGAG 200
431 gGluTrpGlnArgAspAlaIleIleThrCysAsnProGluGluPheIleV 448
|||||
201 GGAGTGGCAGAGGATGCCATTATTACTTGAATCCTGAGGAATTCATAG 250
448 alGluAlaLeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrArg 464
|||||
251 TTGAGGCGCTGCAGCTTCCCAACTTCCAGCAGAGCGTGCAGGAGTACAGG 300
465 ArgSerAlaGlnAspGlyProAlaProAlaGluLysArgSerGlnTyrPr 481
|||||
301 AGGAGTCCGAGGAGCGGCCAGCCCGCCAGCAGAGAGAGAAAGAGTACGCC 350
481 oGluIleIlePheLeuGlyThrGlySerAlaIleProMetLysIleArgA 498
|||||
351 AGAAATCATCTTCTCCGAGACAGGCTGTCCATCCCGATGAAGATTGAA 400
498 snValSerAlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeu 514
|||||
401 ATGTCAGTGCACACTTGTCAACATAAGCCCGACAGCTCTCTGCTACTG 450
515 AspCysGlyGluGlyThrPheGlyGlnLeuCysArgHisTyrGlyAspGl 531
|||||
451 GACTGTGTGGTGGGACATTTGGGACGCTGTGCCGTCTATTACGGAGACCA 500
531 nValAspArgValLeuGlyThrLeuAlaValPheValSerHisLeuH 548
|||||
501 GGTGGACAGGCTCTGGGACCCCTGGCTGCTGCTTTGTGTCCACCTGC 550
548 isAlaAspHisHisThrGlyLeuProSerIleLeuLeuGln 561
|||||
551 ACGCAGATACCCACACGCGCTTGCCAAAGATATCTTGTGCTGCAA 591

seq_name: gb_est1:BE382353

seq_documentation_block:
LOCUS BE382353
DEFINITION 601298656F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3629028 5',
mRNA sequence.
ACCESSION BE382353
VERSION BE382353.1 GI:9327718
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
```

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 692)
AUTHORS NIH-MGC <http://mhc.nci.nih.gov/>
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapsb@mail.nih.gov
Tissue Procurement: ATCC

CDNA Library Preparation: Ling Hong/Rubin Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
Plate: LLC314 row: 0 column: 13
High quality sequence stop: 600.

FEATURES

source

1..692
Location/Qualifiers
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone_lib="NIH_MGC_19"
/tissue_type="neuroblastoma"
/lab_host="DH10B (phage-resistant)"
/note="Organ: Brain; Vector: pOTB7; Site_1: XhoI; Site_2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5'
adaptor: GGACGAG(G). Library constructed by Ling Hong
in the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies).
Note: This is a NIH_MGC Library."

BASE COUNT 152 a 193 c 197 g 150 t
ORIGIN

alignment_scores:

Quality: 196.00 Length: 196
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-988-687-2 x BE382353 ..

Align seg 1/1 to: BE382353 from: 1 to: 692

493 ProMetIyIleArgAsnValSerAlaThrLeuValAsnIleSerProAs 509

|||||
3 CCGATGAAGATTCGAAATGTCAGTCCACACTTGTCAACATAAGCCCGA 52

509 pThrSerLeuLeuAspCysGlyGluGlyThrPheGlyGlnLeuCysA 526

|||||
53 CACGTCCTGCTACTGACTGTGTGAGGACACATTTGGGACGTGTGCC 102

526 rgHisTyrglyAspGlnValAspArgValLeuGlyThrLeuAlaVal 542

|||||
103 GTCATTCAGGAGACAGGTGGACAGGGTCTGGGCACCCCTGGCTGTG 152

543 PheValSerHisLeuHisAlaAspHisThrGlyLeuProSerIleLe 559

|||||
153 TTTGTGTCCCACTTCGACGAGATCACCACACGGGCTTGCCAAATATCT 202

559 uLeuGlnArgGluArgAlaLeuAlaSerLeuGlyLysProLeuHisProL 576

|||||
203 GCTGCAGAGAACGCGCTTGGCATCTTTGGGAAGCCGCTTCACCTT 252

576 euLeuValValAlaProAsnGlnLeuLysAlaTrpLeuGlnGlnTyHis 592

|||||
253 TGCTGGTGGTTGCCCAACACAGCTCAAGGCTGGCTCCACAGTACCAC 302

593 AsnGlnCysGlnGluValLeuHisHisIleSerMetIleProAlaLysCy 609

|||||
303 AACCAAGTGCCAGGAGGTCCTGCACCATCATGATGATTCCTGCAAAATG 352

609 sLeuGlnGluGlyAlaGluIleSerProAlaValGluArgLeuIleS 626

|||||
353 CCTTCAGAAAGGGCTGAGATCTCCAGTCTCAGTGGAAAGATTGATCA 402

626 erSerLeuLeuArgThrCysAspLeuGluGluPheGlnThrCysLeuVal 642

|||||
403 GTTCGCTGTTCCGAACATGTGATTGGAAAGAGTTTCAGACCTGTCTGGTG 452

643 ArgHisCysLysHisAlaPheGlyCysAlaLeuValHisThrSerGlyTr 659

|||||
453 CGGCACTGCAAGCATGGCTTTGGCTGTGCGTGGTCACACCTCTGGCTG 502

659 pLysValValTyrrSerGlyAspThrMetProCysGluAlaLeuValArgM 676

|||||
503 GAAGTGTGCTATTCCGGGGACACCATGCCCTCGAGGCTCTGGTCCGA 552

676 etGlyLysAspAlaThrLeuLeuIleHisGluAlaThr 688

|||||
553 TGGGAAAGATGCCACCTCTGTATACATGAAGCCACC 590

seq_name: gb_est2:BF797306

seq_documentation_block:

LOCUS BF797306 960 bp mRNA EST 12-JAN-2001
DEFINITION 602256926F1 NIH_MGC_85 Homo sapiens cDNA clone IMAGE:4340286 5',
mRNA sequence.

ACCESSION

BF797306 GI:12102360

KEYWORDS

EST.

SOURCE

human.

ORGANISM

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 960)

NIH-MGC <http://mhc.nci.nih.gov/>.

National Institutes of Health, Mammalian Gene Collection (MGC)

Unpublished (1999)

Contact: Robert Strausberg, Ph.D.

Email: cgapsb@mail.nih.gov

Tissue Procurement: Louis Staudt, M.D., Ph.D.

CDNA Library Preparation: Life Technologies, Inc.

CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA Sequencing by: Incyte Genomics, Inc.

Clone distribution: MGC clone distribution information can be

found through the I.M.A.G.E. Consortium/LLNL at:

<http://image.llnl.gov>

Plate: LLAM9952 row: c column: 07

High quality sequence stop: 705.

FEATURES

Location/Qualifiers

1..960

/organism="Homo sapiens"

/db_xref="taxon:9606"

/clone_lib="NIH_MGC_85"

/tissue_type="lymphoma, cell line"

/lab_host="DH10B (phage-resistant)"

/note="Organ: lymph; Vector: pCMV-SPORT6; Site_1: NotI;

Site_2: SalI; Cloned unidirectionally; oligo-dT primed.

Average insert size 1.867 kb. Library enriched for

full-length clones and constructed by Life Technologies.

Note: this is a NIH_MGC Library."

BASE COUNT 230 a 286 c 276 g 168 t

ORIGIN

..

alignment_scores:

Quality: 194.00 Length: 194

Ratio: 1.000 Gaps: 0

Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-988-687-2 x BF797306 ..

Align seg 1/1 to: BF797306 from: 1 to: 960

```
455 AsnPheGlnGlnSerValGlnGluTyrArgArgSerAlaGlnAspGlyPr 471
|||||
2 AACCTCCAGCAGAGCGTGCAGGAGTACAGAGAGTGCAGGAGCGGCC 51
|||||
471 oAlaProAlaGluLysArgSerGlnTyrProGluIleIlePheLeuGlyT 488
|||||
52 AGCCCCAGCAGAGAAAGAGTCACTACCCAGAGAAATCACTTCTTGGAA 101
|||||
488 hrGlySerAlaIleProMetLysIleArgAsnValSerAlaThrLeuVal 504
|||||
102 CAGGGTCTGCCATCCCGATGAAGATTGGAATGTCAGTGCCACACTTGTC 151
|||||
505 AsnIleSerProAspThrSerLeuLeuLeuLeuAspCysGlyGluGlyhrPh 521
|||||
152 AACATAAGCCCCACACAGCTCTCTGCTACTGGACTGTGGTAGGGCAGTT 201
|||||
521 eGlyGlnLeuCysArgHisTyrGlyAspGlnValAspArgValLeuGlyT 538
|||||
202 TGGGACGTGTGCCGTCATATTACGAGACACAGGTGGACAGGTCCTGGGCA 251
|||||
538 hrLeuAlaAlaValPheValSerHisLeuHisAlaAspHisThrGly 554
|||||
252 CCCTGCTGCTGTGTGTGTCTCCACCTGCACGCAGATCACACACGGGC 301
|||||
555 LeuProSerIleLeuLeuGlnArgGluArgAlaLeuAlaSerLeuGlyLy 571
|||||
302 TTCCCAAGTATCTTGTGCAGAGAGACGCGCTTGGCATCTTTGGGAAA 351
|||||
571 sProLeuHisProLeuLeuValValAlaProAsnGlnLeuLysAlaTrpL 588
|||||
352 GCGCCTTACCCCTTGTGTGTGTGTGTCGCCCAACACAGCTCAAAGCCTGGC 401
|||||
588 euGlnGlnTyrHisAsnGlnCysGlnGluValLeuHisHisIleSerMet 604
|||||
402 TCCAGCAGTACCAACACAGTGCAGAGGTCTCGCACCATCATCAGTATG 451
|||||
605 IleProAlaLysCysLeuGlnGluGlyAlaGluIleSerSerProAlaVa 621
|||||
452 ATTCCCTGCCAAATGCCCTTCCAGGAAGGGCTGAGATCTCCAGTCTCGAGT 501
|||||
621 lGluArgLeuIleSerSerLeuLeuArgThrCysAspLeuGluGluPheG 638
|||||
502 GGAAGATTGATCAGTTCGCTGTGTGGCAACATGTGATCTGGAAGAGTTTC 551
|||||
638 lnThrCysLeuValArgHisCysLysHisAla 648
|||||
552 AGACCTGTCTGTGTGGGCACTGCAAGCATGCG 583
|||||
```

seq_name: gb_est2:BG396395

seq_documentation_block:

LOCUS BG396395 827 bp mRNA EST 12-MAR-2001
DEFINITION 602459323P1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:4581700 5',
mRNA sequence.

ACCESSION BG396395

VERSION BG396395.1 GI:13289941

KEYWORDS EST.

SOURCE human.

ORGANISM

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE

AUTHORS NIH-MGC <http://mgc.nci.nih.gov/>.

TITLE National Institutes of Health, Mammalian Gene Collection (MGC)

JOURNAL Unpublished (1999)

CONTACT: Robert Strausberg, Ph.D.

Email: cgapbs-remail.nih.gov

Tissue Procurement: ATCC

cDNA Library Preparation: Ling Hong/Rubin Laboratory

cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
Plate: LLM1302 row: n column: 05
High quality sequence stop: 779.
Location/Qualifiers

FEATURES

source

1..827
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4581700"
/clone_lib="NIH_MGC_16"
/tissue_type="retinoblastoma"
/lab_host="DH10B (phage-resistant)"
/note="Organ: eye; Vector: pOTB7; site_1: XhoI; site_2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5'
adaptor: GGCACGAG(G). Library constructed by Ling Hong
in the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies).
Note: this is a NIH_MGC Library."
BASE COUNT 205 a 217 c 226 g 179 t
ORIGIN

alignment_scores:

Quality: 190.00 Length: 204
Ratio: 0.936 Gaps: 1
Percent Similarity: 99.510 Percent Identity: 99.510

alignment_block:

US-09-988-687-2 x BG396395 ..

Align seg 1/1 to: BG396395 from: 1 to: 827

```
237 SerSerLeuValValAlaPheIleCysLysLeuHisLeuLysArgGlyAs 253
|||||
24 TCITCCCTGGTGTAGCTTTCATCTGTAAGCTTCACITAAAGAGAGGAAA 73
|||||
253 nPheLeuValLeuLysAlaLysGluMetGlyLeuProValGlyThrAlaA 270
|||||
74 CTTCTTGGTGTCTAAAGCAAGGAGATGGGCTCCCACTGGACAGCTG 123
|||||
270 lArleAlaProIleIleAlaAlaValLysAspGlyLysSerIleThrHis 286
|||||
124 CCATCGCTCCCATCATCTTGTCTCAAGGACGGGAAAAGCATCCTCAT 173
|||||
287 GluGlyArgGluIleLeuAlaGluGluLeuCysThrProProAspProGl 303
|||||
174 GAAGGAAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCCACAGATCCT 223
|||||
303 yAlaAlaPheValValValGluCysProAspGluSerPheIleGlnProI 320
|||||
224 TGCTGCTTTTGTGTGTAGTAATGTCCAGATGAAAGCTTCATTCACCCCA 273
|||||
320 leCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysAlaAspAlaPro 336
|||||
274 TCTGTGAGATGCCACCTTTCAGAGGTACCAAGGAAGGACAGATGCCCCC 323
|||||
337 ValAlaLeuValValHisMetAlaProAlaSerValLeuValAspSerAr 353
|||||
324 GTGGCCTTGGTGTGTACATGGCCCCAGCATCTGTGCTTGTGGACAGCAG 373
|||||
353 gTyrGlnGlnTrpMetGluArgPheGlyProAspThrGlnHisLeuValL 370
|||||
374 GTACCAGCAGTGGATGGAGAGGTTTGGGCCCTGACACCCAGCAGCTTGT 423
|||||
370 euAsnGluAsnCysAlaSerValHisAsnLeuArgSerHisLysIleGln 386
|||||
424 TGAATGAGAACTGTGCTCTCAGTTCACACCTTCGACGCCCAAGATTCAA 473
|||||
387 ThrGlnLeuAsnLeuIleHisProAspIlePheProLeuLeuThrSerPh 403
|||||
```

474 ACCGAGCTACCTCATCCACCCGGACATCTTCCCTGCTACACAGTTT 523
 403 eArgCysLysLysGluGlyProThrLeuSerValProMet.ValGlnGly 419
 524 CCGCTGTAAAGAGGAGGCCCCACCTCAGTGTGCCATGGTTCAGGGT 573
 420 GluCysLeuLeuLysTyrGlnLeuArgProArgArgGluTrpGlnArgAs 436
 574 GAATGCCCTCCTCAAGTACAGCTCGTCCAGGAGGAGTGGCAGAGGA 623
 436 palatillele 439
 624 TGCCATTATT 633

seq_name: gb_est2:BG719016

seq_documentation_block: 735 bp mRNA EST 08-MAY-2001
 LOCUS BG719016 602699144F1 NIH_MGC_97 Homo sapiens cDNA clone IMAGE:4831139 5',
 mRNA sequence.

ACCESSION BG719016 GI:13998216

VERSION

KEYWORDS

SOURCE

ORGANISM

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 735)

NIH-MGC <http://mgc.nci.nih.gov/>.

National Institutes of Health, Mammalian Gene Collection (MGC)

Unpublished (1999)

Contact: Robert Strausberg, Ph.D.

Email: cgabbs-remail.nih.gov

Tissue Procurement: Miklos Palkovits, M.D., Ph.D.

CDNA Library Preparation: Michael J. Brownstein (NHGRI), Shiraki

Toshiyuki and Piero Carninci (RIKEN)

CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LNL)

DNA Sequencing by: Incyte Genomics, Inc.

Clone distribution: MGC clone distribution information can be

found through the I.M.A.G.E. Consortium/LNL at:

<http://image.llnl.gov>

Plate: LLAM10753 row: g column: 12

High quality sequence stop: 728.

Location/Qualifiers

1..735

/organism="Homo sapiens"

/db_xref="taxon:9606"

/clone_lib="NIH_MGC_97"

/lab_host="DH10B"

/note="Organ: testis; Vector: pBluescriptR (modified

pBluescript KS+); Site_1: BamHI; Site_2: SalI-XhoI (gtcgag

); Oligo-dt primed using primer 5'-TTTTTTTTTTTTTTN-3',

size-selected for average insert size 2.2 kb and

normalized to ROT 5. This is a primary library enriched

for full-length clones and constructed using the

Cap-trapper method (Carninci, in preparation). Library

constructed by M. Brownstein (NHGRI, National

Institutes of Health). Note: this is a NIH_MGC Library."

BASE COUNT 178 a 202 c 214 g 141 t

ORIGIN

alignment_scores:

Quality: 186.00 Length: 214

Ratio: 0.877 Gaps: 2

Percent Similarity: 99.065 Percent Identity: 99.065

alignment_block:

US-09-988-687-2 x BG719016 ..

Align seg 1/1 to: BG719016 from: 1 to: 735

1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgThrMetSe 17
 36 ATGTGGGCGCTTTGCTGCTGCTGCGGTCGCGCGGACGACCATGTC 85
 17 rGlnGlyArgThrIleSerGlnAlaProAlaAargArgGluArgProArgL 34
 86 CGAGGACGACCATATCGAGGACCGCGCGCGGCGGCGGCGCGCA 135
 34 ysAspProLeuAargHisLeuArgThrArgGluLysArgGlyProSerGly 50
 136 AGGACCCGCTGGGCACTGCGCACCGGAGAGAGCGCGGCGGCGGG 185
 51 CysSerGlyGlyProAsnThrValTyrLeuGlnValAlaAlaGlySe 67
 186 TGCTCCGGCGGCCCAACACACCGTGTACCTGCAAGTGGTGGCAGCGGTAG 235
 67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
 236 CCGGAGACTCGGCGCGCGGCTCTACGTCTTCTCCGAGTTCAACCGGTATC 285
 84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGluHisLysLeu 100
 286 TCTTCAACTGTGGAGAGCGGTTTCAGAGACTCATGCAGGAGCACAGTTA 335
 101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
 336 AAGGTGCTCGCTCGACGACATATTCCTGACACGAATGCACCTGTCTAA 385
 117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeuP 134
 386 TGTTGGGCGCTTAAGTGAATGATTCTTACTTTAAAGGAAACCGGCTTC 435
 134 roLysCysValLeuSerGlyProGlnLeuGluLysTyrLeuGluAla 150
 436 CAAAGTGTGACTTCTGGACCTCCACCACTGGAAAAATACCTCGAAGCA 485
 151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgP 167
 486 ATCAAAATATTTCTGGTCCATTGAAAGGAATAGCACTGGCTGTGCGGC 535
 167 roHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIle 183
 536 CCCACTCTGCCCCAGATACGAGGATGAACCATGACAGTTTACCAGATC 585
 184 ProfileHisSerGluGlnArgArgGlyLysHisGlnProTrpGlnSerP 200
 586 CCATACACAGTGAACAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGT 635
 200 roGluArgProLeuSerArgLeuSerProGluArgSer 212
 636 CAGAAAGCCCTCTCAGCAGGCTCAGTCCAGAGCGATCT 673

seq_name: gb_est2:BG386090

seq_documentation_block:

LOCUS BG386090 920 bp mRNA EST 12-MAR-2001

DEFINITION 602455264F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:4583679 5',

mRNA sequence.

ACCESSION BG386090

VERSION BG386090.1 GI:13279536

KEYWORDS

SOURCE

human.

ORGANISM

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 920)

AUTHORS NIH-MGC <http://mgc.nci.nih.gov/>.

TITLE National Institutes of Health, Mammalian Gene Collection (MGC)

JOURNAL Unpublished (1999)

COMMENT Contact: Robert Strausberg, Ph.D.

Email: cgabbs-remail.nih.gov

Tissue Procurement: ATCC

CDNA Library Preparation: Ling Hong/Rubin Laboratory

CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
 DNA Sequencing by: NIH Intramural Sequencing Center
 Clone distribution: MGC clone distribution information can be
 found through the I.M.A.G.E. Consortium/LLNL at:
 http://image.llnl.gov
 Plate: LLCM1307 row: p column: 16
 High quality sequence stop: 736.
 Location/Qualifiers

FEATURES

```

source
1..920
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4583679"
/clone_lib="NIH_MGC_15"
/tissue_type="adenocarcinoma cell line"
/lab_host="DH10B (phage-resistant)"
/note="Organ: colon; Vector: pOTB7; Site_1: XhoI; Site_2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5'
adaptor: GGCACGAG(G). Size-selected >500bp for average
insert size 1.8kb. Library constructed by Ling Hong in
the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies)"
BASE COUNT      196 a      261 c      272 g      190 t      1 others
ORIGIN

```

alignment_scores:
 Quality: 186.00 Length: 186
 Ratio: 1.000 Gaps: 0
 Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

```

US-09-988-687-2 x BG3866090 ..
Align seg 1/1 to: BG386090 from: 1 to: 920

306 PheValValValGluCysProAspGluSerPheIleGlnProIleCysG1 322
|||||
21 TTGTGGTGTAGTAATGTCAGATGAAGCTTCATCAACCCATCTGTGA 70
|||||
322 uAsnAlaThrPheGlnArgTyrGlnGlyLysAlaAspAlaProValAlaL 339
|||||
71 GAATGCCACCTTTCAGAGGTACCAAGAAAGGACAGATGCCCGCTGCCT 120
|||||
339 euValValHisMetAlaProAlaSerValLeuValAspSerArgTyrGln 355
|||||
121 TGGTGGTTCATGCGCCCGACATCTGTCTGTGGACAGCAGTACCAG 170
|||||
356 GlnTrpMetGluArgPheGlyProAspThrGlnHisLeuValLeuAsnG1 372
|||||
171 CAGTGGATGGAGAGTTTGGCCCTTGACCCAGCACATTTGGTCTGGAATGA 220
|||||
372 uAsnCysAlaSerValHisAsnLeuArgSerHisLysIleGlnThrGlnL 389
|||||
221 GAACGTGCGCTCAGTTCAACACCTTCGACGCCACAGATTCAACCCAGC 270
|||||
389 euAsnLeuIleHisProAspIlePheProLeuLeuThrSerPheArgCys 405
|||||
271 TCACCTTCATCCACCGGACATCTCCCTGCTCACCAGTTTCCGCTGT 320
|||||
406 LysLysGluGlyProThrLeuSerValProMetValGlnGlyCysLe 422
|||||
321 AAGAAGGAGGGCCCCACCCCTCAGTGTGCCCATGGTTCAGGGTGAATGCCT 370
|||||
422 uLeuLysTyrGlnLeuArgProArgArgGluTrpGlnArgAspAlaIleI 439
|||||
371 CCTCAAGTACCAGTCTCGTCCAGAGGGAGTGCACAGGGATGCCATTA 420
|||||
439 leThrCysAsnProGluGlnPheIleValGluAlaLeuGlnLeuProAsn 455
|||||
421 TTACTTGCAATCCTGAGGAATTCATAGTTGAGGGCGCTGCAGCTTCCCAAC 470
|||||

```

```

456 PheGlnGlnSerValGlnGluTyrArgArgSerAlaGlnAspGlyProAl 472
|||||
471 TTCACGACAGCGCTGAGGAGTACAGAGGAGTGCAGGACGCCGCCAGC 520
|||||
472 aProAlaGluLysArgSerGlnTyrProGluIleIlePheLeuGlyThrG 489
|||||
521 CCCAGCAGAGAAAGAAGTACGTACCCAGAAATCATCTCTCTTGGAAACAG 570
|||||
489 lySerAla 491
|||||
571 GGTCTGCA 578

```

seq_name: gb_est2:BG386348

```

seq_documentation_block:
LOCUS      BG386348      1012 bp      mRNA      EST      12-MAR-2001
DEFINITION 60245550F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:4583749 5',
            mRNA sequence.
ACCESSION  BG386348
VERSION    BG386348.1 GI:13279794
KEYWORDS   EST.
SOURCE     human.
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
REFERENCE  1 (bases 1 to 1012)
AUTHORS   NIH-MGC http://mgc.nci.nih.gov/.
TITLE      National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL    Unpublished (1999)
COMMENT    Contact: Robert Strausberg, Ph.D.
            Email: cgapbs-r@mail.nih.gov
            Tissue procurement: ATCC

```

```

CDNA Library Preparation: Ling Hong/Rubin Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: NIH Intramural Sequencing Center
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLCM1308 row: c column: 14
High quality sequence stop: 675.
Location/Qualifiers
1..1012
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4583749"
/clone_lib="NIH_MGC_15"
/tissue_type="adenocarcinoma cell line"
/lab_host="DH10B (phage-resistant)"
/note="Organ: colon; Vector: pOTB7; Site_1: XhoI; Site_2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5'
adaptor: GGCACGAG(G). Size-selected >500bp for average
insert size 1.8kb. Library constructed by Ling Hong in
the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies)"
BASE COUNT      246 a      273 c      281 g      210 t      2 others
ORIGIN

```

FEATURES

```

source
1..1012
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4583749"
/clone_lib="NIH_MGC_15"
/tissue_type="adenocarcinoma cell line"
/lab_host="DH10B (phage-resistant)"
/note="Organ: colon; Vector: pOTB7; Site_1: XhoI; Site_2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5'
adaptor: GGCACGAG(G). Size-selected >500bp for average
insert size 1.8kb. Library constructed by Ling Hong in
the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies)"
BASE COUNT      246 a      273 c      281 g      210 t      2 others
ORIGIN

```

alignment_scores:
 Quality: 185.00 Length: 199
 Ratio: 0.934 Gaps: 1
 Percent Similarity: 99.497 Percent Identity: 99.497

alignment_block:

```

US-09-988-687-2 x BG386348 ..
Align seg 1/1 to: BG386348 from: 1 to: 1012

300 ProAspProGlyAlaAlaPheValValValGluCysProAspGluSerPh 316
|||||
4 CCAGATCCTGCTGCTCTTTTGTGGTGTAGATGTCAGATGTCAGATGAAGCTT 53
|||||

```

```
316 eileGlnProIleCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysA 333
|||||
54 CATTCACCCCATCTGTGAGATGCCACCTTCAGAGGTACCAAGAAAGG 103
|||||
333 laAspAlaProValAlaLeuValHisMetAlaProAlaSerValLeu 349
|||||
104 CAGATGCCCGCGTGGCTGTGGTTTCACATGGCCCGCCAGCATCTGTGCTT 153
|||||
350 ValAspSerArgTyrGlnGlnTrpMetGluArgPheGlyProAspThrG1 366
|||||
154 GTGGACAGCAGGTACACAGCATGTGATGAGAGGTTTGGCGCTGACACCCA 203
|||||
366 n.HisLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgSer 382
|||||
204 GTCACCTGGTCTCTGATGAGAACTGTGCCTCAGTTCACAACTTCGCGAGC 253
|||||
383 HisLysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProLe 399
|||||
254 CACAAGATTCAAAACCCAGCTCAACCTCATCCACCCGGACATCTTCCCGCT 303
|||||
399 uLeuThrSerPheArgCysLysLysGluGlyProThrLeuSerValProM 416
|||||
304 GCTCACCAGTTTCCGCTGTAAAGAGGAGGGCCCGCCACCTCAGTGTGCCCA 353
|||||
416 etValGlnGlyCysLeuLeuLysTyrGlnLeuArgProArgArgGlu 432
|||||
354 TGGTTCAGGTGAATGCTCTCAAGTACCAGCTCCGTCGCCAGGAGGAG 403
|||||
433 TrpGlnArgAspAlaIleIleThrCysAsnProGluGluPheIleValG1 449
|||||
404 TGGCAGAGGGATGCCATTATTACTTGAATCCTCAGGAATTCATAGTTGA 453
|||||
449 uAlaLeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrArgArgS 466
|||||
454 GGCCTCGCAGCTTCCCAACTTCCAGCAGAGCGTGCAGAGTACAGAGGA 503
|||||
466 erAlaGlnAspGlyProAlaProAlaGluLysArgSerGlnTyrProGlu 482
|||||
504 GTGGCAGGAGCGCCCGCCAGCCAGCAGAGAAAGATCAGTACCCAGAA 553
|||||
483 IleIlePheLeuGlyThrGlySerAlaIleProMetLysIleArg 497
|||||
554 ATCATCTCTCTGGAACAGGCTGTGCCATCCCGATCCGATGAAGATTGCA 598
|||||
```

seq_name: gb_est2:BF434169

```
seq_documentation_block:
LOCUS      BF434169          553 bp      mRNA          29-NOV-2000
DEFINITION 7099F04.x1 NCI-CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3644670 3'
            similar to TR:Q9V5J4 Q9V5J4 CG3298 PROTEIN. ;, mRNA sequence.
ACCESSION  BF434169
VERSION     BF434169.1 GI:11446441
KEYWORDS   EST.
SOURCE      human.
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE  1 (bases 1 to 553)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL    Unpublished (1997)
COMMENT    Contact: Robert Strausberg, Ph.D.
            Email: cgapsb@mail.nih.gov
            Tissue Procurement: Christopher A. Moskaluk, M.D., Ph.D., Michael
            R. Emmert-Buck, M.D., Ph.D. cDNA Library Preparation: M. Bento
            Soares, Ph.D. cDNA Library Arrayed by: Christa Prange, The
            I.M.A.G.E. Consortium DNA Sequencing by: Washington University
            Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL, send email to:
            info@image.llnl.gov
```

```
Seq primer: -40UP from Gibco
High quality sequence stop: 507.
FEATURES
    source
        1..553
        /organism="Homo sapiens"
        /db_xref="taxon:9606"
        /clone="IMAGE:3644670"
        /clone_lib="NCI_CGAP_Ov18"
        /tissue_type="fibrothecoma"
        /lab_host="DH10B (phage-resistant)"
        /note="Organ: ovary; vector: pT73D-pac (Pharmacia) with a
        modified polylinker; site_1: Not I; site_2: Eco RI; 1st
        strand cDNA was primed with a Not I - oligo(dT) primer [5'
        TCTTACCAATCTGAAGTGGAGCGCGCGACATTTTTTTTTTTT 3'];
        double-stranded cDNA was ligated to Eco RI adaptors
        (Pharmacia), digested with Not I and cloned into the Not
        I and Eco RI sites of the modified pT73 vector. Library
        went through one round of normalization, and was
        constructed by Bento Soares and M. Fatima Bonaldo. "
```

BASE COUNT 143 a 150 c 153 g 107 t
ORIGIN

alignment_scores:

Quality: 184.00 Length: 184
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-988-687-2 x BF434169 ..

Align seg 1/1 to: BF434169 from: 1 to: 553

```
31 ArgProArgLysAspProLeuArgHisLeuArgThrArgGluLysArgG1 47
|||||
1 CGGCGCGCGCAAGGACCGCGCTCGCGCACCTGCGCACGCGAGAGAGCGCGG 50
|||||
47 YProSerGlyCysSerGlyGlyProAsnThrValTyrLeuGlnValValA 64
|||||
51 ACCGTCGGGTGCTCCCGCGCGCCCAACACCGTGCTACTCGAGGTGGTGG 100
|||||
64 laAlaGlySerArgAspSerGlyAlaAlaLeuTyrValPheSerGluPhe 80
|||||
101 CAGCGGCTAGCGGGAGCTCGGGCGCGCTCTACGCTCTTCTCCGAGTTC 150
|||||
81 AsnArgTyrLeuPheAsnCysGlyGlyValGlnArgLeuMetGlnG1 97
|||||
151 AACCGGTATCTCTTCAACTGTGGAGAGGGCTTCAGAGACTCATGCGAGGA 200
|||||
97 uHisLysLeuLysValAlaArgLeuAspAsnIlePheLeuThrArgMeth 114
|||||
201 GCACAACTTAAAGTTCTCCCTGGACACATATCTCTGACACGAATGC 250
|||||
114 istrpSerAsnValIlglyLeuSerGlyMetIleLeuThrLeuLysGlu 130
|||||
251 ACTGCTCTAATGTTGGGGCTTAAGTGAATGATTTACTTTTAAAGGAA 300
|||||
131 ThrGlyLeuProLysCysValLeuSerGlyProGlnLeuGluLysTy 147
|||||
301 ACCGGGCTTCAAGTGTACTTTCTGGACCTCCACAACTGGAAATA 350
|||||
147 rLeuGluAlaIleLysIlePheSerGlyProLeuLysGlyIleGluLeuA 164
|||||
351 CCTCGAAGCAATCAAAATATTTCTGTGCTCCATTTGAAAGGAATAGACTGG 400
|||||
164 laValArgProHisSerAlaProGluTyrGluAspGluThrMetThrVal 180
|||||
401 CTGTGCGGCGCCACTCTGCCCCAGAAATACGAGGATGAACCATGCACATT 450
|||||
181 TyrGlnIleProIleHisSerGluGlnArgGlyLysHisGlnProTr 197
|||||
451 TACCAGATCCCATACATGACAGAGGAGGGGAAAGCAACCAACCATG 500
|||||
```

197 pGlnSerProGluArgProLeuSerArgLeuSerProGluArgSerSera 214
 |||
 501 GCAGAGTCCAGAAAGGCTCTCAGCAGGCTCAGTCCAGAGGATCTTCAG 550
 214 sp 214
 |||
 551 AC 552

seq_name: gb_est2:BG519751

seq_documentation_block:
 LOCUS BG519751 884 bp mRNA EST 02-APR-2001
 DEFINITION 602578902F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503184 5',
 mRNA sequence.

ACCESSION BG519751
 VERSION BG519751.1 GI:13515513
 KEYWORDS EST..
 SOURCE human.

ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 884)
 AUTHORS NIH-MGC http://mgc.nci.nih.gov/.
 TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
 JOURNAL Unpublished (1999)
 COMMENT Contact: Robert Strausberg, Ph.D.
 Email: cgabbs-r@mail.nih.gov
 Tissue Procurement: ATCC

cDNA Library Preparation: Ling Hong/Rubin Laboratory
 cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
 DNA Sequencing by: Incyte Genomics, Inc.
 Clone distribution: MGC clone distribution information can be
 found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
 Plate: LLCM176 row: d column: 01
 High quality sequence stop: 859.

FEATURES

source

1. .884
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone="IMAGE:3503184"
 /tissue_lib="NIH_MGC_19"
 /tissue_type="neuroblastoma"
 /lab_host="DH10B (phage-resistant)"
 /note="Organ: brain; Vector: pOPB7; Site:1: XhoI; Site_2:
 EcoRI; cDNA made by oligo-dT priming. Directionally
 cloned into EcoRI/XhoI sites using the following 5'
 adaptors: GCCACGAG(G). Library constructed by Ling Hong
 in the laboratory of Gerald M. Rubin (University of
 California, Berkeley) using ZAP-cDNA synthesis kit
 (Stratagene) and Superscript II RT (Life Technologies).
 Note: this is a NIH_MGC Library."

BASE COUNT 199 a 251 c 249 g 185 t
 ORIGIN

alignment_scores:

Quality: 184.00 Length: 198
 Ratio: 0.934 Gaps: 1
 Percent Similarity: 99.495 Percent Identity: 99.495

alignment_block:

US-09-988-687-2 x BG519751 ..

Align seg 1/1 to: BG519751 from: 1 to: 884

439 IleThrCysAsnProGluGluPheIleValGluAlaLeuGlnLeuProAs 455

273 ATTACTTGCATCTCTGAGGATTCATAGTTGAGCGCTGCAGCTCCCAA 322

455 nPheGlnSerValGlnGlnGluTyrArgSerAlaGlnAspGlyProA 472

323 CTTCCAGCAGCGCTGCAGGAGTACAGGAGGAGTGCAGGACGCCAG 372

472 laProAlaGluLysArgSerGlnTyrProGluIleIlePheLeuGlyThr 488
 |||
 373 CCCAGCAGAGAAAGAGTCAGTACCCAGAAATCATCTTCCCTTGAACA 422
 489 GlySerAlaIleProMetLysIleArgAsnValSerAlaThrLeuValAs 505
 |||
 423 GGGTCTGCCATCCGATGAAGATTGCAATGTCAGTCCACACTTGTCAA 472
 505 nIleSerProAspThrSerLeuLeuLeuAspCysGlyGluGlyThrPheG 522
 |||
 473 CATAAGCCCCGACACGCTCTGTCTACTGGACTGTGGTGAGGCACATTG 522
 522 lyGlnLeuCysArgHisTyrGlyAspGlnValAspArgValLeuGlyThr 538
 |||
 523 GGCAGCTGTGCCGTCAATTACGGAGACCGAGTGGACAGGCTCTGGGCACC 572
 539 LeuAlaAlaValPheValSerHisLeuHisAlaAspHisHisThrGlyLe 555
 |||
 573 CTGGCTGCTGTGTGTGTGCCACCTGCACGCAGATCACCACACGGGCTT 622
 555 uProSerIleLeuLeuGlnArgGluArgAlaLeuAlaSerLeuGlyLysP 572
 |||
 623 GCCAAGTATCTTGTCTGCAGAGAACGCCCTTGGCATCTTTGGAAAGC 672
 572 roLeuHisProLeuLeuValAlaProAsnGlnLeuLysAlaTrpLeu 588
 |||
 673 CGCTTACCCTTGTGCTGTGCCCCCAACACGCTCAAGGCTGGCTC 722
 589 GlnGlnTyrHisAsnGlnCysGlnGluValLeuHisHisIle.SerMetI 605
 |||
 723 CAGCAGTACCAACACCACTGCTCCAGAGAGTCTGCACCACTTCAGTATGA 772
 605 leProAlaLysCysLeuGlnGluGlyAlaGluIleSerSerProAlaVal 621
 |||
 773 TTCCTGCCAATGCTTTCAGGAAGGGCTGAGATCTCCAGTCTCCAGTGCAGTG 822
 622 GluArgLeuIleSerSerLeuLeuArgThrCysAspLeuGlu 635
 |||
 823 GAAAGATTGATCAGTTCGCTGTTCCGAACATGTGATTGGAA 864

seq_name: gb_est2:BG756043

seq_documentation_block:
 LOCUS BG756043 890 bp mRNA EST 15-MAY-2001
 DEFINITION 602716533F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4856360 5',
 mRNA sequence.

ACCESSION BG756043
 VERSION BG756043.1 GI:14066696
 KEYWORDS EST.
 SOURCE human.

ORGANISM

Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE

1 (bases 1 to 890)

AUTHORS NIH-MGC http://mgc.nci.nih.gov/.

TITLE National Institutes of Health, Mammalian Gene Collection (MGC)

JOURNAL Unpublished (1999)

COMMENT Contact: Robert Strausberg, Ph.D.

Email: cgabbs-r@mail.nih.gov

Tissue Procurement: Louis M. Staudt, M.D., Ph.D.

cDNA Library Preparation: Ling Hong/Rubin Laboratory

cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA Sequencing by: Incyte Genomics, Inc.

Clone distribution: MGC clone distribution information can be

found through the I.M.A.G.E. Consortium/LLNL at:

http://image.llnl.gov

Plate: LLCM1707 row: b column: 09

High quality sequence stop: 878.

Location/Qualifiers

1. .890

/organism="Homo sapiens"

/db_xref="taxon:9606"

/clone="IMAGE:4856360"

FEATURES

source

```
/clone_lib="NIH_MGC_48"  
/tissue_type="primary B-cells from tonsils (cell line)"  
/lab_host="DH10B (phage-resistant)"  
/note="Organ: B-cells; Vector: pORF7; Site_1: XhoI;  
Site_2: EcoRI; cDNA made by oligo-dT priming.  
Directionally cloned into EcoRI/XhoI sites using the  
following 5' adaptor: GGCACGAG(G). Size-selected >500bp  
for average insert size 1.8kb. Library constructed by Ling  
Hong in the laboratory of Gerald M. Rubin (University of  
California, Berkeley) using ZAP-cDNA synthesis kit  
(Stratagene) and Superscript II RT (Life Technologies).  
Note: this is a NIH_MGC Library."
```

```
BASE COUNT      209 a      275 g      159 t  
ORIGIN
```

alignment_scores:

```
Quality: 184.00      Length: 184  
Ratio: 1.000        Gaps: 0  
Percent Similarity: 100.000 Percent Identity: 100.000
```

alignment_block:

```
US-09-988-687-2 x BG756043
```

```
Align seg 1/1 to: BG756043 from: 1 to: 890
```

```
643 ArgHisCysLysHisAlaPheGlyCysAlaLeuValHisThrSerGlyTr 659  
|||||  
2 CGGCACCTGCAAGCATGCGCTTTGGCTGTGCGCTGGTGCACACCTCTGGCTG 51  
  
659 pLysValValTyrSerGlyAspThrMetProCysGluAlaLeuValArgM 676  
|||||  
52 GAAAGTGGTCTATTCCGGGGACACCATGCCCTGCCAGGCTCTGGTCCGGA 101  
  
676 etGlyLysAspAlaThrLeuLeuLeHisGluAlaThrLeuGluAspGly 692  
|||||  
102 TGGGAAAGATGCCACCCCTCTGTATACATGAAGCCACCCCTGGAAGATGGT 151  
  
693 LeuGluGluAlaValGluLysThrHisSerThrThrSerGlnAlaI 709  
|||||  
152 TTGGAAGAGGAGGAGTGGGAAAGACACACACACACACGTCCTCCCAAGCCAT 201  
  
709 eSerValGlyMetArgMetAsnAlaGluPheIleMetLeuAsnHisPheS 726  
|||||  
202 CAGCGTGGGGATCGGATGACGCGGAGTTCATTATGCTGAACCACTTCA 251  
  
726 erGlnArgTyrAlaLysValProLeuPheSerProAsnPheSerGluLys 742  
|||||  
252 GCCAGCGCTATGCCAAGGTCCCTCTTCAGCCCACTTCAGCGGAGAA 301  
  
743 ValGlyValAlaPheAspHisMetLysValCysPheGlyAspPheProTh 759  
|||||  
302 GTGGGAGTGGCTTTGACCAATGAAGGTCTGCTTTGGAGACTTTCCAAC 351  
  
759 rMetProLysLeuIleProLeuLysAlaLeuPheAlaGlyAspIleG 776  
|||||  
352 AATGCCCAAGCTGATTCCTCCCACTGAAGCCCTGTTTCTGGCGACATCG 401  
  
776 luGluMetGluArgArgGluLysArgGluLeuArgGlnValArgAla 792  
|||||  
402 AGGAGATGGAGGAGCGCAGGAGGAGGAGGAGTGCAGGAGGTGCGGGCG 451  
  
793 AlaLeuSerArgGluLeuAlaGlyGlyLeuGluAspGlyGluProGl 809  
|||||  
452 GCCCTCTCTGTCCAGGAGCTGGCAGCGGCGCTGGAGGATGGGAGGCTTCA 501  
  
809 nGlnLysArgAlaHisThrGluGluProGlnAlaLysLysValArgAlaG 826  
|||||  
502 GCAGAGCGGGCCACACAGAGGAGCCACAGGCCCAAGAGGTCAGAGCCC 551  
  
826 In 826  
||  
552 AG 553
```


THIS PAGE BLANK (USPTO)


```
617 rSerProAlaValGluArgLeuIleSerSerSerLeuArgThrCysAspL 634
|||||
1901 CAGTCTGAGTGGAAAGATGATCAGTTCCTGTTGCGAACATGTGATT 1950
|||||
634 euGluGluPheGlnThrCysLeuValArgHisCysLysHisAlaPheGly 650
|||||
1951 TGAAGAGTTTCAGACTGCTGCTGGCGGCACCTGCAAGCATGCTTTGGC 2000
|||||
651 CysAlaLeuValHisThrSerGlyTyrLysValValValTyrSerGlyAspTh 667
|||||
2001 TGTGCGCTGGTGACACCTCTTGCTGGAAGTGTCTATTCCGGGGGACAC 2050
|||||
667 rMetProCysGluAlaLeuValArgMetGlyLysAspAlaThrLeuLeuI 684
|||||
2051 CATGCCCTGGAGGCTCTGCTCGGATGGGAAAGATGCCACCTCTCTGA 2100
|||||
684 leHisGluAlaThrLeuGluAspGlyLeuGluGluAlaValAluLys 700
|||||
2101 TACATGAAGCCACCTTGGAAAGATGTTTGAAGAGAAAGCAGTGGAAAG 2150
|||||
701 ThrHisSerThrThrSerGlnAlaIleSerValGlyMetArgMetAsnAl 717
|||||
2151 ACACAGCAGCACACGTCCTCCCAAGCATCAGCGTGGGGATGGGATGAACG 2200
|||||
717 aGluPheIleMetLeuAsnHisPheSerGlnArgTyrAlaLysValProL 734
|||||
2201 GGAGTTCAATTATCTGAACCACTTCAGCCAGCGCTATGCCAAGTCCCC 2250
|||||
734 euPheSerProAsnPheSerGluLysValGlyValAlaPheAspHisMet 750
|||||
2251 TCTTCAGCCCAACTTCAGCGAGAAAGTGGAGTTGCCTTTGACCACATG 2300
|||||
751 LysValCysPheGlyAspPheProThrMetProLysLeuIleProProLe 767
|||||
2301 AAGTCTGCTTTGGAGACTTTTCAACAATGCCCAAGCTGATCCCCCACT 2350
|||||
767 uLysAlaLeuPheAlaGlyAspIleGluGluMetGluGluArgArgGluL 784
|||||
2351 GAAAGCCTGTTTGTGGCGACATCGAGGAGATGGAGAGCGCAGGAGA 2400
|||||
784 ysArgGluLeuArgGlnValArgAlaLeuLeuSerArgGluLeuAla 800
|||||
2401 AGCGGGAGCTGCGCAGGTGCGGGCGGCCCTCTCTGTCAGGGAGCTGGCA 2450
|||||
801 GlyGlyLeuGluAspGlyGluProGlnGlnLysArgAlaHisThrGluG 817
|||||
2451 GCGGGCTGGAGATGGGAGCGCTCAGCAGAGCGGGGCCACACAGAGGA 2500
|||||
817 uProGlnAlaLysLysValArgAlaGln 826
|||||
2501 GCCACAGCCCAAGAGGTGACAGCCAG 2528
|||||
```

seq_name: /SIDS2/gcgdata/geneseq/geneseqn/NA2000.DAT:AAA52810

seq_documentation_block:

ID AAA52810 standard; cDNA; 2478 BP.

XX

AC AAA52810;

DT

XX 20-SEP-2000 (first entry)

XX Human sulphatase G cDNA.

XX Human sulphatase G; hsg; chromosome 17p11.2; gene therapy; ss.

KW Homo sapiens.

XX

XX

XX

XX

XX

XX

XX

XX

XX

XX

XX

XX

XX

```
XX WO200034327-A1.
XX PN
XX 15-JUN-2000.
XX PD
XX 09-DEC-1999; 99WO-AU01092.
XX PF
XX 09-DEC-1998; 98AU-0007624.
XX PR
XX (WOME-) WOMEN'S & CHILDREN'S HOSPITAL.
XX PA
XX Hopwood JJ, Litjens T, Hu RL;
XX PI
XX WPI: 2000-431273/37.
XX DR
XX P-PSDB; AAY99850.
XX XX
XX Novel isolated DNA sequence which encodes human sulphatase G or its
XX fragment useful in gene therapy for treating patients suffering from
XX sulfatase deficiency -
XX PS
XX Claim 2; Page 29-30; 33pp; English.
XX CC
XX The present sequence encodes human sulphatase G (hsg). hsg is
XX not a member of the well-characterised CTPSR sulphatase family.
XX It belongs to a family showing sequence similarity to a sulphatase
XX from the marine bacterium Alteromonas carrageenovora. The hsg gene
XX contains 23 exons and is located at chromosome 17p11.2. The present
XX sequence is clone lambda29.1 from a human testes cDNA library. It was
XX isolated using human EST sequences with sequence similarity to the
XX non-CTPSR family as a probe to screen the library. The cDNA insert was
XX subcloned and the DNA sequence of both strands was determined. The
XX sequence may be used to treat a patient suffering from hsg deficiency
XX by replacing, repairing, or compensating for a DNA sequence within that
XX patient's genome.
XX SQ
XX Sequence 2478 BP; 587 A; 686 C; 709 G; 496 T; 0 other;
```

alignment_scores:

Quality: 624.00 Length: 826

Ratio: 0.757 Gaps: 0

Percent Similarity: 99.758 Percent Identity: 99.758

alignment_block:

US-09-988-687-2 x AAA52810

Align seg 1/1 to: AAA52810 from: 1 to: 2478

```
1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgThrMetSe 17
|||||
1 ATGTGGCGGCTTTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 50
|||||
17 rGlnGlyArgThrIleSerGlnAlaProAlaArgAlaArgGluArgProArgL 34
|||||
51 GCAGGGACCGCACCATATCGCAGGCACCGCCGCCGCCGCCGCCGCCGCCGA 100
|||||
34 ysaspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
|||||
101 AGGACCGCTGCGGCACTCGCAGCAGCAGAGAGAGAGAGAGAGAGAGAGAG 150
|||||
51 CysSerGlyGlyProAsnThrValTyrLeuGlnValValAlaAlaGlySe 67
|||||
151 TGCTCCGGCGGCCCAACACCGGTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 200
|||||
67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
|||||
201 CCGGGACTCGGGCGCGCTCTACGTCTTCTCCAGTTCACCGGTATC 250
|||||
84 eupheAsnCysGlyGluGlyValGlnArgLeuMetGlnGluHisLysLeu 100
|||||
251 TCTTCAACTGTGGAGAAAGGGCTTCAGAGACTCATGAGGAGACACAGTTA 300
|||||
101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
|||||
```

|||||
301 AAGGTTGCTGCCCTGGCAACAATATTCCTGACGAATGCATGGCTCAA 350
|||||
117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeup 134
|||||
351 TGTGGGGGCTTAAGTGAATGATCTTACTTTAAAGGAACCGGGCTC 400
|||||
134 roLysCysValLeuSerGlyProGlnLeuGluLysTyrLeuGluAla 150
|||||
401 CAAGTGTAATCTTCGGACCTCCCAACTGGAAATACTCGAAGCA 450
|||||
151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgpr 167
|||||
451 ATCAAAATATTTCTGGTCCATTTGAAAGGAATAGAACTGGCTGGCGCC 500
|||||
167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
|||||
501 CCACCTCTGCCCCAGAAATACGAGGATGAACCATGACAGTTTACCAGATCC 550
|||||
184 rolleHisSerGluGlnArgArgGlyLysHisGlnProTyrGlnSerPro 200
|||||
551 CCATACACAGTGAACAGAGAGGGGAAGACCAACCATGGCAGAGTCCA 600
|||||
201 GluArgProLeuSerArgLeuSerProGluArgSerSerAspSerGluSe 217
|||||
601 GAAAGGGCTCTCAGCAGGCTCAGTCCAGAGCGATCTTCAGACTCCGAGTT 650
|||||
217 rAsnGluAsnGluProHisLeuProHisGlyValSerGlnArgArgGlyV 234
|||||
651 GAATGAAATAGGCCACACCTTCCACATGGTGTAGCCAGAGAAAGAGGG 700
|||||
234 alArgAspSerSerLeuValAlaPheIleCysLysLeuHisLeuLys 250
|||||
701 TCAGGGACTCTTCCTGGTGTAGCTTTCACTCTGTAAAGTTCACTTAAAG 750
|||||
251 ArgGlyAsnPheLeuValLeuLysAlaLysGluMetGlyLeuProValGI 267
|||||
751 AGAGGAAACTTCTTGGTGCTCAAGCAAGAGAGATGGGCTCCCGAGTTGG 800
|||||
267 yThrAlaAlaIleAlaProIleIleAlaAlaValLysAspGlyLysSerI 284
|||||
801 GACAGTGCCATCCTCCCATCTTCTGCTGTCAAGAGCGGGAAGCA 850
|||||
284 leThrHisGluGlyArgGluIleLeuAlaGluLeuLysCysThrProPro 300
|||||
851 TCACTCATGAAGGAAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCCA 900
|||||
301 AspProGlyAlaAlaPheValValIleGluCysProAspGluSerPheII 317
|||||
901 GATCCTGGTGTCTTTTGTGGTGTAGAAATGTCCAGATGAAGCTTCAT 950
|||||
317 eGlnProIleCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysAlaA 334
|||||
951 TCAACCCATCTGTGAGAAATGCCACTTTCAGAGGTACCAAGGAAGGCAG 1000
|||||
334 spAlaProValAlaLeuValHisMetAlaProAlaSerValLeuVal 350
|||||
1001 ATGCCCGCTGGCTTGGTGGTTTCCATGGCCCCCAGCATCTGTGCTGTG 1050
|||||
351 AspSerArgTyrGlnGlnTrpMetGluArgPheGlyProAspThrGlnHI 367
|||||
1051 GACAGCAGGTACCAAGCAGTGGATGGAGAGGTTTGGGCTTGACACCCAGCA 1100
|||||
367 sLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgSerHisL 384
|||||
1101 CTTGGTCTGTAATGAGAACTGTGGCTCAGTTCAACAACCTTCGCAAGCCACA 1150
|||||
384 ysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProLeuLeu 400
|||||
1151 AGATTCAAACCCAGCTCAACCTCATCCACCCGGACATCTTCCCTCGTCTC 1200
|||||
401 ThrSerPheArgCysLysLysGluGlyProThrLeuSerValProMetVa 417
|||||

1201 ACCAGTTTCCGCTGTAAAGAGGAGGGCCCCACCCTCAGTGTGCCATGGT 1250
|||||
417 lGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgArgGluTrpG 434
|||||
1251 TCAGGGTGAATGCCCTCCTCAAGTACCAGTCCGTCGCCAGGAGGAGTGCC 1300
|||||
434 lNArgAspAlaIleIleThrCysAsnProGluGluPheIleValGluAla 450
|||||
1301 AGAGGATGCCATTTACTTTGCAATCTCGAGGAATTCATAGTTGAGCGG 1350
|||||
451 LeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrArgArgSerAl 467
|||||
1351 CTGCACTTCCCAACTTCCAGCAGAGGCTGCAGGAGTACAGGAGGAGTGC 1400
|||||
467 aGlnAspGlyProAlaProAlaGluLysArgSerGlnTyrProGluIleI 484
|||||
1401 GCAGGACGGCCCCAGCCCGAGAGAAAGAGTCAGTACCCAGAAATCA 1450
|||||
484 lePheLeuGlyThrGlySerAlaIleProMetLysIleArgAsnValSer 500
|||||
1451 TCCTTCTTGGAAACAGGCTGCCATCCGATGAAGATTCGAAATGTCACT 1500
|||||
501 AlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeuAspCysGI 517
|||||
1501 GCCACACTTGTCAACATAAGCCCGACACGCTCTCTGTACTGTGACTGTGG 1550
|||||
517 yGluGlyThrPheGlyGlnLeuCysArgHisTyrGlyAspGlnValAspA 534
|||||
1551 TGAGGGCAGCTTGGGAGCTGTGCCGTCAATTACGGAGACCAGGTGGACA 1600
|||||
534 rgValLeuGlyThrLeuAlaAlaValPheValSerHisLeuHisAlaAsp 550
|||||
1601 GGGTCTTGGGCACCTGGCTACTGTGTGTGTGTCCTCCACCTGCACGCAGAT 1650
|||||
551 HisHisThrGlyLeuProSerIleLeuLeuGlnArgGluArgAlaLeuAl 567
|||||
1651 CACCACACGGGCTTGCCTCAAGTATCTTGTGTCAGAGAAACGCGCTTGGC 1700
|||||
567 aSerLeuGlyLysProLeuHisProLeuLeuValAlaProAsnGlnL 584
|||||
1701 ATCTTTGGGAAAGCGCTTACCTTTGCTGGTGTGTCCTCCCAACCCAGC 1750
|||||
584 euLysAlaTrpLeuGlnGlnTyrHisAsnGlnCysGlnGluValLeuHis 600
|||||
1751 TCAAGGCTGGCTCCAGCAGTACCACCAACCACTGCCAGGAGGTCTCGCAC 1800
|||||
601 HisIleSerMetIleProAlaLysCysLeuGlnGluGlyAlaGluIleSe 617
|||||
1801 CACATCAGTATGATTCCTGCAAAATGCTTTCAGGAAGGGGCTGAGATCTC 1850
|||||
617 rSerProAlaValGluArgLeuIleSerSerLeuLeuArgThrCysAspL 634
|||||
1851 CAGTCTCGCAGTGGAAAGATTGATCAGTTCCTGTTGCGAACAATGTGATT 1900
|||||
634 euGluGluPheGlnThrCysLeuValArgHisCysLysHisAlaPheGly 650
|||||
1901 TGGAAAGATTTTCAGACCTGTCTGTGGCGCACTGCAAGCATGCGTTTGGC 1950
|||||
651 CysAlaLeuValHisThrSerGlyTriPlysValValTyrSerGlyAspTh 667
|||||
1951 TGTGCGTGGTGCACACCTCTGGCTGGAAAGTGTCTATTCCGGGGGACAC 2000
|||||
667 rMetProCysGluAlaLeuValArgMetGlyLysAspAlaThrLeuLeuI 684
|||||
2001 CATCCCTCGCAGGCTCTGGTCCGGATGGGAAAGATGCCACCTCTCTGA 2050
|||||
684 leHisGluAlaThrLeuGluAspGlyLeuGluGluAlaValGluLys 700
|||||
2051 TACATGAAGCCACCTCGAAGATGTTTGGAAAGAGGAGCAGTGGAAAG 2100
|||||
701 ThrHisSerThrThrSerGlnAlaIleSerValGlyMetArgMetAsnAl 717
|||||
2101 ACACACAGCACACGTCCTCCAGCCATCAGCGTGGGGATGCGGATGACGC 2150
|||||

717 aGluPheIleMetLeuAsnHisPheSerGlnArgTyrAlaLysValProL 734
|||||
2151 GGAGTTCATATGCTGAACCACTTCAGCAGCGCTATGCCAGGTCCCC 2200
734 euPheSerProAsnPheSerGluLysValGlyValAlaPheAspHisMet 750
|||||
2201 TCTTCAGCCCACTTCAGCGAGAAAGTGGAGTTGCCCTTGACCATG 2250
751 LysValCysPheGlyAspPheProThrMetProLysLeuIleProProLe 767
|||||
2251 AAGTCTGCTTGGAGACTTTCACAATGCCAAGCTGATTCGCCCAT 2300
767 uLysAlaLeuPheAlaGlyAspIleGluMetGluGluArgArgGluL 784
|||||
2301 GAAAGCCCTGTTGCTGGCGACATCCAGGAGATGGAGGAGCGAGGAGA 2350
784 yArgGluLeuArgGlnValArgAlaAlaLeuLeuSerArgGluLeuAla 800
|||||
2351 AGCGGAGCTGCGGCAAGTGCAGGCGGCCCTCTGTCACAGGAGCTGGCA 2400
801 GlyGlyLeuGluAspGlyGluProGlnGlnLysArgAlaHisThrGluL 817
|||||
2401 GCGGCTGGAGATGGGAGCTCAGCAGAGCGGGCCACACAGAGGA 2450
817 uProGlnAlaLysLysValArgAlaGln 826
|||||
2451 GCCACAGGCCAAGAGGTGAGCCAG 2478

seq_name: /SID2/gcgdata/geneseq/geneseq/NA2000.DAT:AACT76445

seq_documentation_block:
ID AACT76445 standard; cDNA; 2546 BP.

AC AACT76445;
XX
XX
DT 08-FEB-2001 (first entry)
XX
DE Human ORFX ORF2000 polynucleotide sequence SEQ ID NO:3999.
XX

XX Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW vulnary; antiparatic; antiparkinsonian; nootropic; neuroprotective;
KW anticonvulsant; osteopathic; antiarthritic; immunosuppressant; cardiant;
KW immunostimulant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW hypotensive; dermatological; immunosuppressive; antiinflammatory;
KW antiviral; antibacterial; antifungal; antineumatic; antithyroid;
KW antianaemic; gene therapy; cancer; proliferative disorder; hypertension;
KW neurodegenerative disorder; osteoarthritis; graft vs host disease;
KW cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW cholesterol ester storage; systemic lupus erythematosus; infection;
KW severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW bone damage; cartilage damage; antiinflammatory disease; coagulation;
KW thrombosis; contraceptive; ss.

XX Homo sapiens.
OS
XX
XX WO200058473-A2.
PN
XX
XX 05-OCT-2000.
PD
XX
XX 31-MAR-2000; 2000WO-US08621.
PF
XX
XX 31-MAR-1999; 99US-0127607.
PR
XX 02-APR-1999; 99US-0127636.
PR
XX 05-APR-1999; 99US-0127728.
PR
XX 30-MAR-2000; 2000US-0540763.
PR

XX (CURA-) CURAGEN CORP.
XX
XX Shinkets RA, Leach M;
PI
XX WPI; 2000-602362/57.
DR

P-PSDB; AAB42236.

DR
XX Novel nucleic acids and peptides derived from open reading frame X,
XX useful for treating e.g. cancers, proliferative disorders,
XX neurodegenerative disorders and cardiovascular disease -
PS
XX Claim 5; Page 3179-3180; 5507pp; English.

XX AAC74446 to AAC77606 encode the proteins given in AAB40237 to AAB43397,
CC which represent the human ORFX open reading frames 1 to 3161. The ORFX
CC sequences have activities such as: cytostatic; hepatotropic; vulnary;
CC antiparatic; antiparkinsonian; nootropic; neuroprotective;
CC osteopathic; anticonvulsant; antiarthritic; immunosuppressant;
CC immunostimulant; cardiant; thrombolytic; coagulant; vasotropic;
CC antidiabetic; hypotensive; dermatological; immunosuppressive;
CC antiinflammatory; antibacterial; antifungal; antineumatic; antithyroid;
CC antianaemic. The sequences can be used for determining
CC the presence of or predisposition to, or preventing or treating
CC pathological conditions associated with an ORFX-associated disorder. The
CC nucleic acids can be used to express ORFX proteins in gene therapy
CC vectors. The proteins and nucleic acids may be used to treat cancers,
CC proliferative disorders, neurodegenerative disorders, osteoarthritis,
CC graft vs host disease, cardiovascular disease, diabetes mellitus,
CC erythematosus, severe combined immunodeficiency (SCID), AIDS, viral,
CC bacterial or fungal infection, malaria, autoimmune disorders, asthma,
CC allergies, aplastic anaemia, burns, wounds, bone and cartilage damage,
CC nocturnal haemoglobinuria, antiinflammatory disease; to enhance
CC coagulation; to inhibit thrombosis; and as a contraceptive.
XX
XX Sequence 2546 BP; 652 A; 643 C; 686 G; 564 T; 1 other;

alignment_scores:

Quality: 559.00 Length: 573
Ratio: 0.977 Gaps: 1
Percent Similarity: 99.825 Percent Identity: 99.825

alignment_block:

US-09-988-687-2 x AAC76445

Align seg 1/1 to: AAC76445 from: 1 to: 2546

255 LeuValLeuLysAlaLysGluMetGlyLeuProValGlyThrAlaAlaI 271
|||||
361 TTGCTCTCAACCAAGGAGATGGCTCCAGTTGGGACAGTGCAT 410
271 eAlaProIleAlaAlaValLysAspGlyLysSerIleThrHisGluG 288
|||||
411 CGCTCCCATCATTTGCTGCTCAAGGACGGGAAAGCATCATCAAG 460
288 lYArgGluIleLeuAlaGluLeuCysThrProProAspProGlyAla 304
|||||
461 GAAGAGAGATTTGGCTGAAGAGCTGTACTCTCCAGATCTCTGTGCT 510
305 AlaPheValValGluCysProAspGluSerPheIleGlnProIleCy 321
|||||
511 GCTTTTGTGGTGTAGAAATGTCAGATGAAGCTTCATTCAACCATCTG 560
321 sGluAsnAlaThrPheGlnArgTyrGlnGlyLysAlaAspAlaProVala 338
|||||
561 TGAGATGCCACCTTTCAGAGGTACCAAGGAAAGGAGAGATGCCCGTGG 610
338 laLeuValValHisMetAlaProAlaSerValLeuValAspSerArgTyr 354
|||||
611 CCTTGTGTGTTACATGGCCCGACATCTGTGCTTGTGGACAGCAGGTAC 660
355 GlnGlnTrpMetGluArgPheGlyProAspThrClnHisLeuValLeuAs 371
|||||
661 CAGCAGTGGATGAGAGGTTTGGGCTTGACCCAGCAGCTTGGTCTCGAA 710
371 nGluAsnCysAlaSerValHisAsnLeuArgSerHisLysIleGlnThrG 388
|||||

```
711 TGAGAACTGTGCCTCAGTTCACAACTTCGACGCCACAAGATTCAAACCC 760
388 lnLeuAsnLeuIleHisProAspIlePheProLeuLeuThrSerPheArg 404
|||||
761 AGCTCAACCTCATCCACCGGACATCTTCCCTCGCTCACCAGTTTCCGC 810
405 CysLysLysGluGlyProThrLeuSerValProMetValGlnGlnGlyCys 421
|||||
811 TGTAAGAAGAGGAGGCCACCCCTCAGTGTGCCATGGTTTCAGGGTGAATG 860
421 sLeuLeuLysTyrGlnLeuArgProArgArgGluTrpGlnArgAspAlaI 438
|||||
861 CCTCCTCAAGTACCAGCTCCGTCGACGAGGAGTGCAGAGGATGCCA 910
438 leIleThrCysAsnProGluGluPheIleValGluAlaLeuGlnLeuPro 454
|||||
911 TTATTACTTGCAATCCCTGAGGAATTCATAGTTGAGGCGCTCAGCTTCCC 960
455 AsnPheGlnGlnSerValGlnGluTyrArgArgSerAlaGlnAspGlyPr 471
|||||
961 AACTTCCAGCAGAGCGTGCAGAGTACAGGAGGAGTGCAGGAGCGGCC 1010
471 oAlaProAlaGluLysArgSerGlnTyrProGluIleIlePheLeuGlyT 488
|||||
1011 AGCCCCAGCAGAGAAAAGAGTCAAGTACAGTCCAGAAATCATCTTCC 1060
488 hrGlySerAlaIleProMetLysIleArgAsnValSerAlaThrLeuVal 504
|||||
1061 CAGGGTCTGCCATCCCGATGAAGATTCGAATGTGAGTGCACACTTGTG 1110
505 AsnIleSerProAspThrSerLeuLeuLeuAspCysGlyGluGlyThrPh 521
|||||
1111 AACATAAGCCCGACACGCTCTCTGCTACTTGACTGTGTGAGGACATT 1160
521 eGlyGlnLeuCysArgHisTyrGlyAspGlnValAspArgValLeuGlyT 538
|||||
1161 TGGCAGCTGTGCGCTCATATTACGAGAGACAGGTGGACAGGTCCTGG 1210
538 hrLeuAlaAlaValPheValSerHisLeuHisAlaAspHisThrGly 554
|||||
1211 CCTGGCTGCTGTGTGTGTCCTCCACCTGCACGACGATCACACACGGG 1260
555 LeuProSerIleLeuLeuGlnArgGluArgAlaLeuAlaSerLeuGlyLY 571
|||||
1261 TTGCCAAGTATCTGCTCAGAGAGAGCGCGCTTGGCATCTTTGGGAAA 1310
571 sProLeuHisProLeuLeuValValAlaProAsnGlnLeuLysAlaTrpL 588
|||||
1311 GCCGCTTCACCTTTGCTGGTGGTTGCCCCCAACCCAGCTCAAAGCCTGG 1360
588 euGlnGlnTyrHisAsnGlnCysGlnGluValLeuHisHisIleSerMet 604
|||||
1361 TCCAGCAGTACCACACACAGTGCAGGAGGTCCTGCACCATCAGTATG 1410
605 IleProAlaLysCysLeuGlnGluGlyAlaGluIleSerSerProAlaVa 621
|||||
1411 ATTCTGCAAAATGCTTCAGGAAGGGCTCAGATCTCCAGTCTCGCACT 1460
621 lGluArgLeuIleSerSerLeuLeuArgThrCysAspLeuGluGluPheG 638
|||||
1461 GGAAGATTGATCAGTTCGCTGTCGGAACATGTGATTTGGAAGAGTTTC 1510
638 lnThrCysLeuValArgHisCysLysHisAlaPheGlyCysAlaLeuVal 654
|||||
1511 AGACCTGTCTGGTGGGCACTGCAGAGCATGGTTTGGCTGTGCGCTGGT 1560
655 HisThrSerGlyTrpLysValValTyrSerGlyAspThrMetProCysGl 671
|||||
1561 CACACCTCTGCTGGAAAGTGGTCTATTTCGCGGGACACCATGCCCTGCG 1610
671 uAlaLeuValArgMetGlyLysAspAlaThrLeuLeuIleHisGluAla 688
|||||
1611 GGCTCTGGTCCGGATGGGAAAGATGCCACCTCTCTGTATCATGAAGCCA 1660
```

```
688 hrLeuGluAspGlyLeuGluGluAlaValGluLysThrHisSerThr 704
|||||
1661 CCTGGAGATGTTTGGAGAGGAAGCAGTGGAAAGACACACAGCACA 1710
705 ThrSerGlnAlaIleSerValGlyMetArgMetAsnAlaGluPheIleMe 721
|||||
1711 ACGTCCCAAGCCATCAGCTGGGATCGGATGAACGCGGAGTTCAATTAT 1760
721 tLeuAsnHisPheSerGlnArgTyrAlaLysValProLeuPheSerProA 738
|||||
1761 GCTGAACCACTTCAGCCAGCGCTATGCCAAGGTCCCTCTTCAGCCCCA 1810
738 snPheSerGluLysValGlyValAlaPheAspHisMetLysValCysPhe 754
|||||
1811 ACTTCACGAGAAAGTGGAGTTGCCCTTGCACCATGAAGGTCTGCTTT 1860
755 GlyAspPheProThrMetProLysLeuIle.ProProLeuLysAlaLeuP 771
|||||
1861 GGAGACTTTCACAATGCCCAAGCTGATTCCTCCCTCCACTGAAAGCCCTGT 1910
771 heAlaGlyAspIleGluGluMetGluGluArgGluLysArgGluLeu 787
|||||
1911 TTGCTGCGCAGATCGAGGAGATGGAGGCGCAGGGAGAACCGGAGCTG 1960
788 ArgGlnValArgAlaAlaLeuLeuSerArgGluLeuAlaGlyGlyLeuGl 804
|||||
1961 CGGCAGGTGCGGGCGCCCTCTGCTCCAGGAGCTGCGCAGGCGGCTTGA 2010
804 uAspGlyGluProGlnGlnLysArgAlaHisThrGluGluProGlnAlaL 821
|||||
2011 GGATGGGAGCTCAGCAGAAGCGGGCCACACAGAGAGGCCACAGGCCA 2060
821 ysLysValArgAlaGln 826
|||||
2061 AGAAGGTTCAGAGCCAG 2077
```

seq_name: /SIDS2/gcgdata/geneseq/geneseqn/NA2001.DAT:AAH14250

seq_documentation_block:

ID AAH14250 standard; cDNA; 2976 BP.

XX AC AAH14250;

XX XX 26-JUN-2001 (first entry)

XX DE Human cDNA sequence SEQ ID NO:11557.

XX KW Human; primer; detection; diagnosis; antisense therapy; gene therapy; ss.

XX OS Homo sapiens.

XX PN EP1074617-A2.

XX PD 07-FEB-2001.

XX PF 28-JUL-2000; 2000EP-0116126.

XX PR 29-JUL-1999; 99JP-0248036.

XX PR 27-AUG-1999; 99JP-0300253.

XX PR 11-JAN-2000; 2000JP-0118776.

XX PR 02-MAY-2000; 2000JP-0183767.

XX PR 09-JUN-2000; 2000JP-0241899.

XX PA (HELI-) HELIX RES INST.

XX PI Ota T, Isogai T, Nishikawa T, Hayashi K, Saito K, Yamamoto J;

XX PI Ishii S, Sugiyama T, Wakamatsu A, Nagai K, Otsuki T;

XX DR WPI; 2001-318749/34.

XX PT Primer sets for synthesizing polynucleotides, particularly the 5602 full-length cDNAs defined in the specification, and for the detection

PT and/or diagnosis of the abnormality of the proteins encoded by the
PT full-length cDNAs -
PS Claim 8; SEQ ID 11557; 2537pp + CD ROM; English.
XX
CC The present invention describes primer sets for synthesizing 5602
CC full-length cDNAs defined in the specification. Where a primer set
CC comprises: (a) an oligo-dT primer and an oligonucleotide complementary
CC to the complementary strand of a polynucleotide which comprises one of
CC the 5602 nucleotide sequences defined in the specification, where the
CC oligonucleotide comprises at least 15 nucleotides; or (b) a combination
CC of an oligonucleotide comprising a sequence complementary to the
CC complementary strand of a polynucleotide which comprises a 5'-end
CC sequence and an oligonucleotide comprising a sequence complementary to a
CC polynucleotide which comprises a 3'-end sequence, where the
CC oligonucleotide comprises at least 15 nucleotides and the combination of
CC the 5'-end sequence/3'-end sequence is selected from those defined in
CC the specification. The primer sets can be used in antisense therapy and
CC in gene therapy. The primers are useful for synthesizing polynucleotides,
CC particularly full-length cDNAs. The primers are also useful for the
CC detection and/or diagnosis of the abnormality of the proteins encoded by
CC the full-length cDNAs. The primers allow obtaining of the full-length
CC cDNAs easily without any specialised methods. AAH03166 to AAH13628 and
CC AAH13633 to AAH18742 represent human cDNA sequences; AAH92446 to
CC AAH95893 represent human amino acid sequences; and AAH13629 to AAH13632
CC represent oligonucleotides, all of which are used in the exemplification
CC of the present invention.

XX
SQ Sequence 2976 BP; 712 A; 807 C; 856 G; 601 T; 0 other;

alignment_scores:

Quality:	430.00	Length:	753
Ratio:	0.573	Gaps:	1
Percent Similarity:	99.602	Percent Identity:	99.602

alignment_block:

US-09-988-687-2 x AAH14250 ..

Align seg 1/1 to: AAH14250 from: 1 to: 2976

1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgThrMetSe 17
|||||
75 ATGTGGCGCTTTCGCTGCTGCGGTCCGCGCGGCGGACGACCATGTC 124

17 rGlnGlyArgThrIleSerGlnAlaProAlaArgArgGluArgProArgL 34
|||||
125 GCAGGAGCACCATATCGAGCGACCCCGCGCGCGGCGCGCGCA 174

34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
|||||
175 AGGACCCGCTGGCGACCTTGGCGCGGAGAGAGAGCGCGGCGCGGG 224

51 CysSerGlyGlyProAsnThrValTyrLeuGlnValAlaAlaGlySe 67
|||||
225 TGCTCCGGCGGCGCAACACCGGTGACCTGCAGGTGGTGGCAGCGGTAG 274

67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
|||||
275 CCGGGACTCGGGCGCGCGCTTACGCTCTCTCCGAGTTCAACCGGTATC 324

84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGluHisLysLeu 100
|||||
325 TCTTCAACTGTGAGAGCGGTTCAGAGACTCATGCGAGGACACAAGTTA 374

101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
|||||
375 AAGGTTGCTCGCGTGGACAACATATTCCTCACACGAATGCACGTGGCTAA 424

117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeuP 134
|||||
425 TGTTGGGGGCTTAAGTGAATGATTCTTCTTAAAGAAACCGGGCTTC 474

134 rOLysCysValLeuSerGlyProGlnLeuGluLysTyrLeuGluAla 150
|||||
475 CAAAGTGTGTACTTCTGGACCTCCCAACTGGAAAAATACCTCGAAGCA 524

151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
|||||
525 ATCAAAATATTTCTGGTCCATTGAAAGGAATAAGAACTGGCTATGGCGCC 574

167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
|||||
575 CCACCTGCCCCAGATACGAGGATGAACCATGACAGCTTTACCAGATCC 624

184 roIleHisSerGluGlnArgArgGlyLysHisGlnProTrpGlnSerPro 200
|||||
625 CCATACACAGTGAACAGAGAGGGGAAAGCACCAACCATGGCAGAGTCCA 674

201 GluArgProLeuSerArgLeuSerProGluArgSerSerAspSerGluSe 217
|||||
675 GAAAGGCCCTTCCAGCAGGCTCAGTCCAGAGCGGATCTTCAGACTCCGAGTC 724

217 rAsnGluAsnGluProHisLeuProHisGlyValSerGlnArgArgGlyV 234
|||||
725 GAATGAAATGAGCCACACCTTCCACATGCTGTTCAGCAGAGAGAGGGG 774

234 alArgAspSerSerLeuValValAlaPheIleCysLysLeuHisLeuLys 250
|||||
775 TCAGGGGACTTTCCTCCCTGGTGTAGCTTTCATCTGTAAGCTTCACTTAAAG 824

251 ArgGlyAsnPheLeuValLeuLysAlaLysGluMetGlyLeuProValGI 267
|||||
825 AGAGGAAACTTCTTGGTGTCTAAAGCAAAAGAGATGGGCTCCCGAGTTGG 874

267 yThrAlaAlaIleAlaProIleIleAlaValLysAspGlyLysSerI 284
|||||
875 GACAGCTGCCATCGCTCCCATCATCTGCTGTCAGAGGAGGAAAAAGCA 924

284 leThrHisGluGlyArgGluIleLeuAlaGluLeuCysThrProPro 300
|||||
925 TCACTCATGAGGAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCTCCA 974

301 AspProGlyAlaAlaPheValValValGluCysProAspGluSerPheII 317
|||||
975 GATCCTGGTGTCTTTTGTGGTGTAGATGTCAGATGAAAGCTTCAT 1024

317 eGlnProIleCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysAlaA 334
|||||
1025 TCAACCCATCTGTGAAATGCCACCTTTTCAGAGGTACCAAGGAAAGGCAG 1074

334 spAlaProValAlaLeuValValHisMetAlaProAlaSerValLeuVal 350
|||||
1075 ATGCCCCCGTGGCTTGGTGGTTTCACATGCCCCCAGCATCTGTGCTGTG 1124

351 AspSerArgTyrGlnGlnTrpMetGluArgPheGlyProAspThrGlnHI 367
|||||
1125 GACAGCAGGTACCCAGCAGTGGATGGAGAGGTTTGGGCTTCACACCCAGCA 1174

367 sLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgSerHisL 384
|||||
1175 CTGTGGCTCTGAATGAGAACTGTGCCTCAGTTCAACACCTTCGCGAGCCACA 1224

384 ysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProLeuLeu 400
|||||
1225 AGATTCAACCCAGCTCAACCTCATCCACCGGACATCTTCCCCCTGCTC 1274

401 ThrSerPheArgCysLysLysGluGlyProThrLeuSerValProMetVa 417
|||||
1275 ACCAGTTTCGCTGT...AAGGAGGCGCCACCCCTCAGTGTGCCCATGGT 1321

417 lGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgArgGluTrpG 434
|||||
1322 TCAGGTGAATGCTCTCTCAAGTACCAGCTCCGTCAGAGGAGGAGTGGC 1371

434 lnArgaspAlaIleIleThrCysAsnProGluGluPheIleValGluAla 450

|||||
1372 AGAGGATGCAATATTACTTGAATCCTGAGGAATTCATAGTTGAGCG 1421
451 LeuGlnLeuProAsnPheGlnGlnSerValGlnGlnTyrArgArgSerAl 467
|||||
1422 CTGCAGCTTCCCACTTCCAGCAGAGCGTGCAGAGGTACAGGAGGATGC 1471
467 aGlnAspGlyProAlaProAlaGluLysArgSerGlnTyrProGluIleI 484
|||||
1472 GCAGGAGGCCAGGCCGCCAGCAGAGAAAGATCAGTACCCAGAAATCA 1521
484 lePheLeuGlyThrGlySerAlaIleProMetLysIleArgAsnValSer 500
|||||
1522 TCTTCCTTGAACAGGCTGCTCCATCCGATCCGATGAAGATTGAAATGTCAGT 1571
501 AlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeuLeuLeuLeu 517
|||||
1572 GCCACACTTGTCAACATGAAGCCCGACACGCTCTGCTACTGGACTGTGG 1621
517 yGluGlyThrPheGlyGlnLeuCysArgHisTyrGlyAspGlnValAspA 534
|||||
1622 TGAGGGCACATTTGGGCAGCTGTGCCGTCAATTACGGAGACCAAGTGGACA 1671
534 rgValLeuGlyThrLeuAlaAlaValPheValSerHisLeuHisAlaAsp 550
|||||
1672 GGGTCTCTGGCACCTGGCTGTGTGTTGTCTCCACCTGCACGCAGAT 1721
551 HisHisThrGlyLeuProSerIleLeuLeuGlnArgGluArgAlaLeuAl 567
|||||
1722 CACCACAGGGCTTGCACAGTACTTCTGTCAGAGAAAGCGCCTTGGC 1771
567 aSerLeuGlyLysProLeuHisProLeuLeuValValAlaProAsnGlnL 584
|||||
1772 ATCTTTGGGAAGCGCTTCCACCTTTGCTGGTGGTGGCCCAACCCAGC 1821
584 euLysAlaTrpLeuGlnGlnTyrHisAsnGlnCysGlnGlnValLeuHis 600
|||||
1822 TCAAGCCTGGCTCCAGCAGTACTACAAACCAAGTCCAGGAGGCTCTGCAC 1871
601 HistSerMetIleProAlaLysCysLeuGlnGlnGluGlyAlaGluIleSe 617
|||||
1872 CATCATGATGATGCTCCCAATGCTTTCAGAGGGGCTGAGATCTC 1921
617 rSerProAlaValGluArgLeuIleSerSerLeuLeuArgThrCysAspL 634
|||||
1922 CAGTCTGCAAGTGAAGATGATCAGTTCGCTGCTGCGAACATGTGATT 1971
634 euGluGluPheGlnThrCysLeuValArgHisCysLysHisAlaPheGly 650
|||||
1972 TGAAGAGATTTCAGACCTGTCTGGTGGCGCACTGCAAGCATGCGTTTGGC 2021
651 CysAlaLeuValHisThrSerGlyTrpLysValValTyrSerGlyAspTh 667
|||||
2022 TGTGCGCTGTGCACACCTGTGGCTGGAAAGTGTCTATTTCGGGGGACAC 2071
667 rMetProCysGluAlaLeuValArgMetGlyLysAspAlaThrLeuLeuI 684
|||||
2072 CATGCCCTGGAGGCTGTGTCGGATGGGAAAGATGCCACCTCTCTGA 2121
684 leHisGluAlaThrLeuGluAspGlyLeuGluGluAlaValGluLys 700
|||||
2122 TACATGAAGCCACCTCGAAGATGTTTGAAGAGGAGGAGGAGGAGGAGG 2171
701 ThrHisSerThrThrSerGlnAlaIleSerValGlyMetArgMetAsnAl 717
|||||
2172 ACACAGCAGCAACGTCCTCCCAAGCCATCAGCGTGGGGATGCGGATGAACGC 2221
717 aGluPheIleMetLeuAsnHisPheSerGlnArgTyrAlaLysValProL 734
|||||
2222 GGAGTTCATTTATGCTGAACACATTCAGCCAGCGCTATGCTCAAGGTCCCC 2271
734 euPheSerProAsnPheSerGluLysValGlyValAlaLalaPheAspHisMet 750
|||||

2272 TCCTTACGCCCAACTTCAGCGAGAAAGTGGAGTTGCCTTTGACCACATG 2321

751 LysValCys 753

|||||

2322 AAGGTCTGC 2330

seq_name: /SIDS2/gcdata/geneseq/geneseq/NA2001.DAT:AAH05835

seq_documentation_block:

ID AAH05835 standard; cDNA; 584 BP.

XX AAH05835;

XX 26-JUN-2001 (first entry)

XX Human cDNA clone (5'-primer) SEQ ID NO:2670.

Human; primer; detection; diagnosis; antisense therapy; gene therapy; ss.

XX Homo sapiens.

XX EP1074617-A2.

XX 07-FEB-2001.

XX 28-JUL-2000; 2000EP-0116126.

XX 29-JUL-1999; 99JP-0248036.

XX 27-AUG-1999; 99JP-0300253.

XX 11-JAN-2000; 2000JP-0118776.

XX 02-MAY-2000; 2000JP-0183767.

XX 09-JUN-2000; 2000JP-0241899.

XX (HELI-) HELIX RES INST.

XX Ota T, Isogai T, Nishikawa T, Hayashi K, Saito K, Yamamoto J;

PI Ishii S, Sugiyama T, Wakamatsu A, Nagai K, Otsuki T;

XX WPI; 2001-318749/34.

DR Claim 1; SEQ ID 2670; 2537pp + CD ROM; English.

XX The present invention describes primer sets for synthesizing 5602 full-length cDNAs defined in the specification. Where a primer set comprises: (a) an oligo-dT primer and an oligonucleotide complementary to the complementary strand of a polynucleotide which comprises one of the 5602 nucleotide sequences defined in the specification, where the oligonucleotide comprises at least 15 nucleotides; or (b) a combination of an oligonucleotide comprising a sequence complementary to the complementary strand of a polynucleotide which comprises a 5'-end sequence and an oligonucleotide comprising a sequence complementary to a polynucleotide which comprises a 3'-end sequence, where the oligonucleotide comprises at least 15 nucleotides and the combination of the 5'-end sequence/3'-end sequence is selected from those defined in the specification. The primer sets can be used in antisense therapy and in gene therapy. The primers are useful for synthesizing polynucleotides, particularly full-length cDNAs. The primers are also useful for the detection and/or diagnosis of the abnormality of the proteins encoded by the full-length cDNAs. The primers allow obtaining of the full-length cDNAs easily without any specialised methods. AAH03166 to AAH13628 and AAH13633 to AAH18742 represent human cDNA sequences; AAH92446 to AAH95893 represent human amino acid sequences; and AAH13629 to AAH13632 represent oligonucleotides, all of which are used in the exemplification of the present invention.

XX Sequence 584 BP; 122 A; 166 C; 178 G; 115 T; 3 other;

```
alignment_scores:
  Quality: 121.00      Length: 121
  Ratio: 1.000         Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AAH05835 ..

Align seg 1/1 to: AAH05835 from: 1 to: 584

1 MetTrpAlaLeuCysSerLeuLeuLeuArgSerAlaAlaGlyArgThrMetse 17
75 ATGTGGCGCGTTTTCGCTGCTGCTGCGTCCGCGCGGACGCCACCATGTC 124

17 rGlnGlyArgThrIleSerGlnAlaProAlaArgArgGluArgProArgL 34
125 GCAGGACGCGACCATATFCGAGGACGACCCGCCGCGGAGCGCGCGCA 174

34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
175 AGGACCCGCTGCGGACCTCGCGACGCGAGAGAGCGCGGACCGTCGGG 224

51 CysSerGlyGlyProAsnThrValTyrLeuGlnValValAlaAlaGlyse 67
225 TGCTCCGCGCGGCCAACACACCGTGTACCTGCAGGTGTCGACGGGTAG 274

67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
275 CCGGGACTCGGGCGCGCGCTCTACGTCCTTCCTCCGAGTTCAACCGGTATC 324

84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGluHisLysLeu 100
325 TCCTCAACTGCGAGAGCGGTTTCAGAGACTCATGCAGGAGCACAGTTA 374

101 LysValAlaIaArgLeuAspAsnIlePheLeuThrArgMethIstTrpSerAs 117
375 AAGGTTGCTCGCTGGACACATATTCCTGACACGAATGCACGTGGTCTAA 424

117 nValGlyGlyLeu 121
425 TGTGGGGGCTTA 437

seq_name: /SIDS2/gcgdata/geneseq/geneseq/NA2000.DAT:AAA60207

seq_documentation_block:
ID AAA60207 standard; DNA; 26664 BP.
XX
XX
AC AAA60207;
XX
XX
DT 07-DEC-2000 (first entry)
XX
XX Human prostate cancer predisposing gene HPC2 genomic sequence.
XX
XX Human; prostate cancer predisposing gene; HPC2; chromosome 17p;
XX gene therapy; peptide therapy; drug design; ds.
XX
OS Homo sapiens.
XX
FH Key
FH CDS Location/Qualifiers
FT 910..26039
FT /*tag= a
FT /product= "HPC2"
FT /note= "this sequence contains introns".
FT /transl_except= (pos:23892..23895,aa:Glu)
FT exon 910..1154
FT /*tag= b
FT /number= 1
FT 1736..1786
FT /*tag= c
FT /number= 2
FT 1925..1995
FT /*tag= d
FT /number= 3
FT
```

```
FT exon 3025..3089
FT /*tag= e
FT /number= 4
FT 4361..4418
FT /*tag= f
FT /number= 5
FT 5582..5650
FT /*tag= g
FT /number= 6
FT 7075..7194
FT /*tag= h
FT /number= 7
FT 8186..8244
FT /*tag= i
FT /number= 8
FT 12878..12936
FT /*tag= j
FT /number= 9
FT 13032..13104
FT /*tag= k
FT /number= 10
FT 13756..13868
FT /*tag= l
FT /number= 11
FT 15283..15378
FT /*tag= m
FT /number= 12
FT 16278..16416
FT /*tag= n
FT /number= 13
FT 16498..16583
FT /*tag= o
FT /number= 14
FT 18583..18701
FT /*tag= p
FT /number= 15
FT 20349..20445
FT /*tag= q
FT /number= 16
FT 22172..22310
FT /*tag= r
FT /number= 17
FT 22879..22917
FT /*tag= s
FT /number= 18
FT 23045..23154
FT /*tag= t
FT /number= 19
FT 23795..23895
FT /*tag= u
FT /number= 20
FT 23973..24093
FT /*tag= v
FT /number= 21
FT 24354..24432
FT /*tag= w
FT /number= 22
FT 25026..25170
FT /*tag= x
FT /number= 23
FT 25812..26036
FT /*tag= y
FT /number= 24
FT 26447..26452
FT /*tag= z
XX
XX WO200027864-A1.
XX 18-MAY-2000.
XX
XX 05-NOV-1999; 99WO-US26055.
XX 06-NOV-1998; 98US-0107468.
XX PR
```



```
XX 07-DEC-2000 (first entry)
XX Murine prostate cancer predisposing gene HPC2 coding sequence.
DE Mouse; prostate cancer predisposing gene; HPC2; gene therapy;
KW peptide therapy; drug design; ss.
XX Mus musculus.
XX
FH Key Location/Qualifiers
FT CDS 51..269
FT     /*tag= a
FT     /product= "Mm.HPC2"
FT     /partial
FT     /note= "this sequence contains no termination codon"
XX
XX WO200027864-A1.
XX
XX 18-MAY-2000.
XX
XX 05-NOV-1999; 99WO-US26055.
XX
XX 06-NOV-1998; 98US-0107468.
XX
XX (MYRI-) MYRIAD GENETICS INC.
XX
XX Tavtigian SV, Teng DHF, Simard J, Rommens JM;
PI
XX WPI; 2000-376481/32.
XX P-PSDB; AAB07230.
XX
XX Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX antibodies, useful for treatment and diagnosis of prostate cancer
XX
XX Disclosure; Page 151; 157pp; English.
XX
XX The present sequence is the coding sequence of the murine prostate
XX cancer predisposing gene Mm. HPC2, the human homologue of which is found
XX on chromosome 17p. Some alleles of this gene cause a predisposition to
XX cancer, particularly prostate cancer. This gene and its protein can be
XX used in peptide and gene therapy for cancer patients, as well as being
XX useful as diagnostic tools (both for cancer sufferers and those with a
XX predisposition to the disease) and in the production of cancer drugs.
XX
XX Sequence 326 BP; 39 A; 104 C; 127 G; 56 T; 0 other;
SQ
alignment_scores:
    Quality: 15.00      Length: 15
    Ratio: 1.000        Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000
alignment_block:
US-09-988-687-2 x AAG60390 ..
Align seg 1/1 to: AAG60390 from: 1 to: 326
34 LysAspProLeuArgHisLeuArgThrArgGluLysArgGlyPro 48
132 AAGGACCCACTGGCACCTCGCTACGCGGAGGAGCGCGCG 176
seq_name: /SIDS2/gcgdata/geneseq/geneseq/NA2000.DAT.AAC38171
seq_documentation_block:
ID AAC38171 standard; DNA; 464 BP.
XX
XX AAC38171;
XX
XX 17-OCT-2000 (first entry)
XX
XX Arabidopsis thaliana DNA fragment SEQ ID NO: 20026.
XX
```

Hybridisation assay; genetic mapping; gene expression control;
protein identification; signal transduction pathway;
metabolic pathway; promoter; termination sequence; ss.
Arabidopsis thaliana.
EP1033405-A2.
06-SEP-2000.
25-FEB-2000; 2000EP-0301439.
25-FEB-1999; 99US-0121825.
09-MAR-1999; 99US-0123180.
09-MAR-1999; 99US-0123548.
23-MAR-1999; 99US-0125788.
25-MAR-1999; 99US-0126264.
29-MAR-1999; 99US-0126785.
01-APR-1999; 99US-0127462.
06-APR-1999; 99US-0128234.
08-APR-1999; 99US-0128714.
16-APR-1999; 99US-0129845.
19-APR-1999; 99US-0130077.
21-APR-1999; 99US-0130449.
23-APR-1999; 99US-0130510.
28-APR-1999; 99US-0130891.
30-APR-1999; 99US-0131449.
30-APR-1999; 99US-0132048.
04-MAY-1999; 99US-0132407.
05-MAY-1999; 99US-0132484.
06-MAY-1999; 99US-0132485.
06-MAY-1999; 99US-0132486.
07-MAY-1999; 99US-0132487.
11-MAY-1999; 99US-0132863.
11-MAY-1999; 99US-0134256.
14-MAY-1999; 99US-0134218.
14-MAY-1999; 99US-0134219.
14-MAY-1999; 99US-0134221.
14-MAY-1999; 99US-0134370.
18-MAY-1999; 99US-0134768.
19-MAY-1999; 99US-0134941.
20-MAY-1999; 99US-0135124.
21-MAY-1999; 99US-0135353.
24-MAY-1999; 99US-0135629.
25-MAY-1999; 99US-0136021.
27-MAY-1999; 99US-0136392.
28-MAY-1999; 99US-0136782.
01-JUN-1999; 99US-0137222.
03-JUN-1999; 99US-0137528.
04-JUN-1999; 99US-0137502.
07-JUN-1999; 99US-0137724.
08-JUN-1999; 99US-0138094.
10-JUN-1999; 99US-0138540.
10-JUN-1999; 99US-0138847.
14-JUN-1999; 99US-0139119.
16-JUN-1999; 99US-0139452.
16-JUN-1999; 99US-0139453.
17-JUN-1999; 99US-0139492.
18-JUN-1999; 99US-0139454.
18-JUN-1999; 99US-0139455.
18-JUN-1999; 99US-0139456.
18-JUN-1999; 99US-0139457.
18-JUN-1999; 99US-0139458.
18-JUN-1999; 99US-0139459.
18-JUN-1999; 99US-0139460.
18-JUN-1999; 99US-0139461.
18-JUN-1999; 99US-0139462.
18-JUN-1999; 99US-0139463.
18-JUN-1999; 99US-0139750.
18-JUN-1999; 99US-0139763.
21-JUN-1999; 99US-0139817.
22-JUN-1999; 99US-0139899.
23-JUN-1999; 99US-0140353.

```
PR 23-JUN-1999; 99US-0140354.
PR 24-JUN-1999; 99US-0140695.
PR 28-JUN-1999; 99US-0140823.
PR 29-JUN-1999; 99US-0140991.
PR 30-JUN-1999; 99US-0141287.
PR 01-JUL-1999; 99US-0141842.
PR 01-JUL-1999; 99US-0142154.
PR 02-JUL-1999; 99US-0142055.
PR 05-JUL-1999; 99US-0142390.
PR 08-JUL-1999; 99US-0142803.
PR 09-JUL-1999; 99US-0142920.
PR 12-JUL-1999; 99US-0142977.
PR 13-JUL-1999; 99US-0143542.
PR 14-JUL-1999; 99US-0143624.
PR 15-JUL-1999; 99US-0144005.
PR 16-JUL-1999; 99US-0144085.
PR 16-JUL-1999; 99US-0144086.
PR 19-JUL-1999; 99US-0144325.
PR 19-JUL-1999; 99US-0144331.
PR 19-JUL-1999; 99US-0144332.
PR 19-JUL-1999; 99US-0144333.
PR 19-JUL-1999; 99US-0144334.
PR 20-JUL-1999; 99US-0144335.
PR 20-JUL-1999; 99US-0144352.
PR 20-JUL-1999; 99US-0144352.
PR 20-JUL-1999; 99US-0144352.
PR 21-JUL-1999; 99US-0144884.
PR 21-JUL-1999; 99US-0144814.
PR 21-JUL-1999; 99US-0145086.
PR 21-JUL-1999; 99US-0145088.
PR 22-JUL-1999; 99US-0145085.
PR 22-JUL-1999; 99US-0145087.
PR 22-JUL-1999; 99US-0145089.
PR 22-JUL-1999; 99US-0145192.
PR 23-JUL-1999; 99US-0145145.
PR 23-JUL-1999; 99US-0145218.
PR 23-JUL-1999; 99US-0145224.
PR 26-JUL-1999; 99US-0145276.
PR 27-JUL-1999; 99US-0145913.
PR 27-JUL-1999; 99US-0145918.
PR 27-JUL-1999; 99US-0145919.
PR 28-JUL-1999; 99US-0145951.
PR 02-AUG-1999; 99US-0146386.
PR 02-AUG-1999; 99US-0146388.
PR 02-AUG-1999; 99US-0146388.
PR 03-AUG-1999; 99US-0147038.
PR 04-AUG-1999; 99US-0147204.
PR 04-AUG-1999; 99US-0147302.
PR 05-AUG-1999; 99US-0147192.
PR 05-AUG-1999; 99US-0147260.
PR 06-AUG-1999; 99US-0147303.
PR 06-AUG-1999; 99US-0147416.
PR 09-AUG-1999; 99US-0147493.
PR 09-AUG-1999; 99US-0147935.
PR 10-AUG-1999; 99US-0148171.
PR 12-AUG-1999; 99US-0148319.
PR 13-AUG-1999; 99US-0148341.
PR 13-AUG-1999; 99US-0148565.
PR 16-AUG-1999; 99US-0148684.
PR 16-AUG-1999; 99US-0149368.
PR 17-AUG-1999; 99US-0149175.
PR 18-AUG-1999; 99US-0149426.
PR 20-AUG-1999; 99US-0149722.
PR 20-AUG-1999; 99US-0149723.
PR 20-AUG-1999; 99US-0149929.
PR 23-AUG-1999; 99US-0149902.
PR 23-AUG-1999; 99US-0149930.
PR 26-AUG-1999; 99US-0150566.
PR 26-AUG-1999; 99US-0150884.
PR 27-AUG-1999; 99US-0151065.
PR 27-AUG-1999; 99US-0151066.
PR 27-AUG-1999; 99US-0151080.
PR 30-AUG-1999; 99US-0151303.
PR 31-AUG-1999; 99US-0151438.
```

```
PR 01-SEP-1999; 99US-0151930.
PR 07-SEP-1999; 99US-0152363.
PR 10-SEP-1999; 99US-0153070.
PR 13-SEP-1999; 99US-0153758.
PR 15-SEP-1999; 99US-0154018.
PR 16-SEP-1999; 99US-0154039.
PR 20-SEP-1999; 99US-0154779.
PR 22-SEP-1999; 99US-0155139.
PR 23-SEP-1999; 99US-0155486.
PR 24-SEP-1999; 99US-0155659.
PR 28-SEP-1999; 99US-0156458.
PR 29-SEP-1999; 99US-0156596.
PR 04-OCT-1999; 99US-0157117.
PR 05-OCT-1999; 99US-0157753.
PR 06-OCT-1999; 99US-0157865.
PR 07-OCT-1999; 99US-0158029.
PR 08-OCT-1999; 99US-0158232.
PR 12-OCT-1999; 99US-0158369.
PR 13-OCT-1999; 99US-0159293.
PR 13-OCT-1999; 99US-0159294.
PR 13-OCT-1999; 99US-0159295.
PR 14-OCT-1999; 99US-0159329.
PR 14-OCT-1999; 99US-0159330.
PR 14-OCT-1999; 99US-0159331.
PR 14-OCT-1999; 99US-0159637.
PR 14-OCT-1999; 99US-0159638.
PR 18-OCT-1999; 99US-0159584.
PR 21-OCT-1999; 99US-0160741.
PR 21-OCT-1999; 99US-0160767.
PR 21-OCT-1999; 99US-0160768.
PR 21-OCT-1999; 99US-0160770.
PR 21-OCT-1999; 99US-0160814.
PR 21-OCT-1999; 99US-0160815.
PR 22-OCT-1999; 99US-0160980.
PR 22-OCT-1999; 99US-0160981.
PR 22-OCT-1999; 99US-0160989.
PR 25-OCT-1999; 99US-0161404.
PR 25-OCT-1999; 99US-0161405.
PR 25-OCT-1999; 99US-0161406.
PR 26-OCT-1999; 99US-0161359.
PR 26-OCT-1999; 99US-0161360.
PR 26-OCT-1999; 99US-0161361.
PR 28-OCT-1999; 99US-0161920.
PR 28-OCT-1999; 99US-0161992.
PR 28-OCT-1999; 99US-0161993.
PR 29-OCT-1999; 99US-0162142.

alignment_scores:
  Quality: 10.00      Length: 10
  Ratio: 1.000        Gaps: 0
  Percent Similarity: 100.000  Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AAC38171 ..

Align seg 1/1 to: AAC38171 from: 1 to: 464

511 SerLeuLeuLeuAspCysGlyGluclyThr 520
|||||
200 AGTCTCTCTAGATTGTGGTGAAGGAACC 229

seq_name: /SIDS2/gcgdata/geneseq/geneseqn/NA1995.DAT:AAT23314

seq_documentation_block:
ID AAT23314 standard; cDNA to mRNA; 161 BP.
XX
AC AAT23314;
XX
DT 02-SEP-1996 (first entry)
XX
DE Human gene signature HUMGS05130.
XX
KW Gene signature; messenger RNA; mRNA; relative abundance; frequency;
```

KW human; cloning; mapping; non-biased library; diagnosis; detection;
KW cell typing; abnormal cell function; ss.
XX Homo sapiens.
OS WO9514772-A1.
PN 01-JUN-1995.
XX 11-NOV-1994; 94WO-JP01916.
XX 12-NOV-1993; 93JP-0355504.
PR (MATS/) MATSUBARA K.
PA (OKUB/) OKUBO K.
XX Matsubara K, Okubo K;
PI WPI; 1995-206931/27.
DR Identifying gene signatures in 3'-directed human cDNA library - e.g.
XX for diagnosis of abnormal cell function, by preparing cDNA that
PT reflects relative abundance of corresp. mRNA in specific human
PT tissues
XX
PS Claim 1; Page 1339-1340; 2245pp; Japanese.
XX A single-stranded DNA (or its complementary strand or the corresp.
CC double-stranded DNA) which comprises one of the 7837 "GS" sequences
CC given in AAT19001-T26837 and which is able to hybridise to part of
CC human genomic DNA, cDNA or mRNA is claimed. The GS (Gene Signature)
CC sequences were obtained from 3'-directed cDNA libraries prepared
CC from various human tissues; synthesis of cDNA was initiated from the
CC 3'-end of mRNA by using poly(I) as the sole primer. Since the 3'-
CC untranslated sequence is unique to a particular mRNA species, almost
CC all the 3'-oriented cDNAs hybridise with specific mRNAs. Each library
CC is constructed so as to reflect accurately the relative abundance of
CC different mRNAs in the particular tissue from which it was derived.
CC The appearance frequency of a given GS in a cDNA library can be
CC determined (esp. using primers and probes derived from the GS
CC sequences) as a means of diagnosing abnormal cell function or for
CC recognising different cell types.
XX
SQ Sequence 161 BP; 30 A; 56 C; 45 G; 30 T; 0 other;

alignment_scores:
Quality: 9.00 Length: 9
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AAT23314/rev ...

Align seg 1/1 to reverse of: AAT23314 from: 1 to: 161

569 LeuGlyLysProLeuHisProLeuLeu 577
|||||
52 CTGGGCAACCGCTGCATCGCTCCCTC 26

seq_name: /SIDS2/gcgdata/geneseq/geneseqn/NA2001.DAT:AAC89621

seq_documentation_block:
ID AAC89621 standard; DNA; 2517 BP.
XX
AC AAC89621;
DT 08-MAR-2001 (first entry)
XX
DE S. cerevisiae YKR079C gene.
XX
KW Yeast; germination; proliferation; essential gene; antifungal agent;
KW insecticide; herbicide; anti-proliferation drug; cancer; psoriasis;

KW restenosis; YKR081C; YFR003C; YGR277C; YGR278W; YKR071C; YKR079C;
KW YKR083C; ds.
XX
OS Saccharomyces cerevisiae.
XX WO200071161-A1.
PN 30-NOV-2000.
XX 12-MAY-2000; 2000WO-US13017.
XX 21-MAY-1999; 99US-0315794.
PR 02-SEP-1999; 99US-0389341.
XX (ROSE-) ROSETTA INPHARMATICS INC.
XX Roberts CJ;
PI WPI; 2001-025092/03.
DR P-PSDB; AAB49964.
XX Identifying antifungal compounds which target yeast essential genes
PT comprises use of novel Saccharomyces cerevisiae essential genes
PT YFR003C, YGR277C, YGR278W, YKR0701C, YKR079C or YKR083C or YKR081C
XX
PS Example 5; Fig 29; 127pp; English.
XX The present invention provides methods of identifying antifungal agents
CC using the coding and protein sequences of several yeast genes. These are
CC essential for the germination and proliferation of Saccharomyces
CC cerevisiae, and include YKR081C, YFR003C, YGR277C, YGR278W, YKR071C,
CC YKR079C and YKR083C. The sequences can also be used to identify compounds
CC for use as herbicides, insecticides and anti-proliferation drugs which
CC can be used in the treatment of cancer, psoriasis and restenosis. This is
CC because they can be used to identify plant, insect and human homologues
CC of the yeast genes.
XX
SQ Sequence 2517 BP; 881 A; 417 C; 496 G; 723 T; 0 other;

alignment_scores:
Quality: 9.00 Length: 9
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AAC89621 ..

Align seg 1/1 to: AAC89621 from: 1 to: 2517

682 LeuLeuIleHisGluAlaThrLeuGlu 690
|||||
2149 CTATTATTCCAGAGCTACACTAGAA 2175

seq_name: /SIDS2/gcgdata/geneseq/geneseqn/NA2000.DAT:AAC30375

seq_documentation_block:
ID AAC30375 standard; cDNA; 158 BP.
XX
AC AAC30375;
DT 06-OCT-2000 (first entry)
XX
DE Human secreted protein 5' EST, SEQ ID NO: 34450.
XX
KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
KW gene therapy; chromosome mapping; ss.
XX
OS Homo sapiens.
XX
PN EP1033401-A2.
XX
XX 06-SEP-2000.

XX 21-FEB-2000; 2000EP-0200610.
PF
XX
XX 26-FEB-1999; 99US-0122487.
PR
XX
XX (GEST) GENSET.
PA
XX
XX Dumas Milne Edwards J, Duclert A, Giordano J;
PI
XX WPI; 2000-500381/45.
DR
XX
XX New nucleic acid that is a 5' expressed sequence tag (5' EST) for
PT obtaining cDNAs and genomic DNAs that correspond to 5'ESTs and for
PT diagnostic, forensic, gene therapy and chromosome mapping procedures -
PT
XX
XX Claim 1; SEQ ID 34450; 71pp + CD-ROM; English.
PS
XX
XX The present sequence is one of a large number of 5' ESTs derived from
CC mRNAs encoding secreted proteins. No ORF has yet been conclusively
CC identified within the present sequence. The 5' ESTs were prepared from
CC total human RNAs or polyA+ RNAs derived from 30 different tissues. EST
CC sequences usually correspond mainly to the 3' untranslated region (UTR)
CC of the mRNA because they are often obtained from oligo-dT primed cDNA
CC libraries. Such ESTs are not well suited for isolating cDNA sequences
CC derived from the 5' ends of mRNAs and even in those cases where longer
CC cDNA sequences have been obtained, the full 5' UTR is rarely included.
CC 5' ESTs are derived from mRNAs with intact 5' ends and can therefore be
CC used to obtain full length cDNAs and genomic DNAs. 5' ESTs are also used
CC in diagnostic, forensic, gene therapy and chromosome mapping procedures.
CC They are used to obtain upstream regulatory sequences and to design
CC expression and secretion vectors.
XX
XX Sequence 158 BP; 20 A; 54 C; 47 G; 37 T; 0 other;

alignment_scores:
Quality: 8.00 Length: 8
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AAC30375/rev ..

Align seg 1/1 to reverse of: AAC30375 from: 1 to: 158

470 GlyProAlaProAlaGluLysArg 477
|||||
72 GGTCCAGCTCCTGCTGAGAGCGC 49

seq_name: /SIDS2/gcgdata/geneseq/geneseq/NA1996.DAT:AAT18675

seq_documentation_block:
ID AAT18675 standard; cDNA; 216 BP.

XX AAT18675;

XX 03-JUL-1996 (first entry)

XX Human trophinin external domain 2 cDNA.

XX Trophinin; trophinin-assisting protein; tastin; bystin; lastin;
KW embryo implantation; infertility; cell adhesion; therapy; diagnosis;
KW ss.

XX Homo sapiens.

XX Key Location/Qualifiers

XX repeat_unit 1..30

XX repeat_unit 31..60

XX repeat_unit 61..90

XX repeat_unit 91..120

XX repeat_unit 121..150

XX repeat_unit 151..180

XX repeat_unit 181..210

XX repeat_unit 211..240

XX repeat_unit 241..270

FT repeat_unit 91..120
FT repeat_unit 121..150
FT repeat_unit 151..180
FT repeat_unit 181..210
FT repeat_unit 211..240
FT repeat_unit 241..270
XX W09610414-AL.
PN
XX 11-APR-1996.
PD
XX 04-OCT-1995; 95WO-US13259.
PF
XX 12-MAY-1995; 95US-0439818.
PR
XX 04-OCT-1994; 94US-0317522.
PR
XX (LJOL-) LA JOLLA CANCER RES FOUND.
PA
XX Fukuda MN;
PI
XX WPI; 1996-209192/21.
DR
XX P-PSDB; AAR94898.
DR
XX Mammalian trophinin and trophinin-assisting protein - used in
XX inhibiting or enhancing embryo implantation, diagnosis of
XX infertility and treatment of cancer
XX Claim 21; Fig 3; 106pp; English.
XX
XX 3 Fragments (AAT18674-76) of a human trophinin cDNA clone (AAT18673)
XX code for active, exposed cell surface domains (AAR94897-99,
XX respectively), of trophinin. These domains contain regions of
XX hydrophilic decapeptide repeats. Protein secondary structure
XX algorithms predict that the decapeptide repeats conform to a
XX repeated beta-turn structure, which may be involved in homophilic
XX adhesion.
XX
XX Sequence 216 BP; 36 A; 66 C; 54 G; 60 T; 0 other;

alignment_scores:
Quality: 8.00 Length: 8
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AAT18675 ..

Align seg 1/1 to: AAT18675 from: 1 to: 216

343 MetalProAlaSerValLeuVal 350
|||||
62 ATGGCACCAGCTCTGTTTGGTG 85

seq_name: /SIDS2/gcgdata/geneseq/geneseq/NA1999.DAT:AA41495

seq_documentation_block:
ID AA41495 standard; cDNA; 384 BP.

XX AA41495;

XX 22-JUN-1999 (first entry)

XX Human secreted protein 5' EST SEQ ID NO: 154 from WO 9906553.

XX Human; secreted protein; EST; expressed sequence tag; diagnosis;
XX forensic; gene therapy; chromosome mapping; signal peptide;
KW upstream regulatory sequence; cytokine activity; cell proliferation;
KW differentiation; haematopoiesis regulation; tissue growth regulation;
KW reproductive hormone regulation; chemotactic; chemokinetic; haemostatic;
KW thrombolytic; antiinflammatory; tumour inhibition; antitumour; ds.


```

XX OS Homo sapiens.
XX PN W0906553-A2.
XX PD 11-FEB-1999.
XX PF 31-JUL-1998; 98WO-IB01237.
XX PR 01-AUG-1997; 97US-0905051.
XX PA (GEST ) GENSET.
XX PI Duclert A, Dumas Milne Edwards J, Lacroix B;
XX PI WPI; 1999-153783/13.
XX DR P-PSDB; AAY12637.
XX DR
XX XX New nucleic acids encoding human secreted proteins - obtained from
XX PT cDNA libraries derived from umbilical cord, lymph ganglia,
XX PT lymphocytes and placental tissue
XX XX
XX PS Claim 1; Page 271; 411pp; English.
XX CC
XX CC AAX41379 to AAX41526 represent 5' expressed sequence tags (ESTs) for
XX CC human secreted proteins, and encode the proteins given in AAY12521 to
XX CC AAY12668, respectively. The proteins given represent the signal peptide
XX CC and an N-terminal fragment of a secreted protein. The nucleic acid
XX CC sequences can be used for producing secreted human gene products. They
XX CC can also be used to develop products for diagnosis and therapy. The
XX CC proteins obtained may have cytokine activity, cell
XX CC proliferation/differentiation activity, haematopoiesis regulating
XX CC activity, tissue growth regulating activity, chemotactic/chemokinetic activity, haemostatic and
XX CC thrombolytic activity, receptor/ligand activity, antiinflammatory
XX CC activity, tumour inhibition activity or other activities. The products
XX CC The sequences can also be used for obtaining corresponding promoter
XX CC sequences. The nucleic acids encoding the signal peptide can be used for
XX CC directing extracellular secretion of a polypeptide or the insertion of a
XX CC polypeptide into a membrane, or importing a polypeptide into a cell.
XX SQ
SQ Sequence 384 BP; 76 A; 112 C; 105 G; 85 T; 6 other;

alignment_scores:
    Quality: 8.00      Length: 8
    Ratio: 1.000      Gaps: 0
    Percent Similarity: 100.000    Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AAX41495/rev ..

Align seg 1/1 to reverse of: AAX41495 from: 1 to: 384

      8 LeuArgSerAlaAlaGlyArgThr 15
      |||||
358 TTGAGTGCACCGCAGGAAGAACT 335

seq_name: /SIDS2/gcgdata/geneseq/geneseqn/NA2000.DAT:AAC27730

seq_documentation_block:
ID AAC27730 standard; cDNA; 425 BP.
XX
XX AAC27730;
XX
XX 06-OCT-2000 (first entry)
XX
XX Human secreted protein 5' EST, SEQ ID NO: 31805.
XX
XX Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
XX KW gene therapy; chromosome mapping; ss.
XX

```


OM of: US-09-988-687-2 to: GenEmbl.* out_format : pfs

Date: Mar 29, 2002 6:33 PM

About: Results were produced by the GenCore software, version 4.5,
Copyright (c) 1993-2000 CompuGen Ltd.

Command line parameters:

-MODEL=framet.p2n.model -DEV=xlh
-O=/cgn2_1/USPTO.spool/US09988687/runat_29032002_092149_570/app_query.fasta_1.895
-DB=GenEmbl -QFMT=fastap -SUFFIX=olip2n.rge -GAPOP=4.500
-GAPEXT=0.050 -MINMATCH=0.100 -LOOPCL=0.000 -LOOPEXT=0.000
-GAPOP=4.050 -QGAPEXT=0.050 -XGAPOP=60.000 -XGAPEXT=60.000
-FAPOP=6.000 -FGAPEXT=7.000 -YGAPOP=60.000 -YGAPEXT=60.000
-DELOP=6.000 -DELEXT=7.000 -START=1 -MATRIX=oligo
-TRANS=human40.cdi -LIST=45 -DOCALIGN=200 -THR_SCORE=quality
-THR_MIN=1 -ALIGN=15 -MODE=LOCAL -OUTFMT=pfs -NORM=ext
-HEAPSIZ=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09988687_@CGN1_17060 -NCPU=6 -ICPU=3 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPXY -WAIT -THREADS=1

Search information block:

Query: US-09-988-687-2

Query length: 826

Database: GenEmbl.*

Database sequences: 1472140

Database length: -341344837

Search time (sec): 1563.220000

WARN: XGAPOP and YGAPOP must be equal. Assuming YGAPOP=XGAPOP=60.000

WARN: XGAPEXT and YGAPEXT must be equal. Assuming YGAPEXT=XGAPEXT=60.000

score_list:

Sequence	Strd Orig	ZScore	EScore	Len	Documentation
gb_pr:AF304370	+ 826.00	16166.98	0.0	2908	! AF304370 Homo sapiens putative
gb_pr:BC001939	+ 725.00	14184.43	0.0	2997	! BC001939 Homo sapiens, putative
gb_pr:AC000415	+ 725.00	14184.41	0.0	3006	! BC000415 Homo sapiens, putative
gb_pr:AC001392	+ 430.00	8394.51	0.0	2976	! AK001392 Homo sapiens, putative
gb_pr:AF308698	+ 254.00	4940.31	6.7e-267	2908	! AF308698 Pan troglodytes ELAC2
gb_pr:AF308694	+ 157.00	3036.53	7.4e-161	2893	! AF308694 Gorilla gorilla ELAC2
gb_pr:AC005277	+ 82.00	1538.16	2.1e-77	118708	! AF308694 Homo sapiens chrom
gb_pr:AF308696	+ 51.00	956.52	3.3e-45	2712	! AF308696 Mus musculus ELAC2
gb_pr:AF304371	+ 47.00	887.22	3.8e-41	740	! AF304371 Homo sapiens putative
gb_pr:AF304371	+ 40.00	750.02	1.7e-33	721	! AF304371 Homo sapiens putative
gb_pr:AF348157	+ 26.00	447.79	1.1e-16	34593	! AF348157 Mus musculus putative
gb_pl:SPAC104	+ 11.00	154.12	2.62	31201	! Z692339 S.pombe chromosome I
gb_htg:AC036490	+ 10.00	159.78	1.27	881	! AC036490 Giardia intestinalis
gb_htg:AC031419	+ 10.00	159.34	1.34	938	! AC031419 Giardia intestinalis
gb_pl:AC022354	- 10.00	131.69	46.47	46335	! AC022354 Arabidopsis thaliana
gb_pr:AL158046	+ 10.00	124.99	109.77	119265	! AL158046 Human DNA sequence
gb_pl:AF001550	+ 10.00	123.69	129.64	143209	! AF001550 Oryza sativa genom
gb_pr:AC055736	+ 10.00	123.32	135.96	150902	! AC055736 Homo sapiens 12 BAC
gb_ro:AC003694	+ 10.00	121.82	164.69	186314	! AC003694 Mus musculus chrom
gb_ba:RME603644	+ 10.00	118.10	265.49	315000	! AL603644 Rhizobium meliloti
gb_sts:G26261	- 9.00	150.71	4.06	199	! G26261 human STS TIGR-A002J17,
gb_htg:AC029747	- 9.00	141.02	14.04	780	! AC029747 Giardia intestinalis
gb_htg:AC032553	- 9.00	140.84	14.37	800	! AC032553 Giardia intestinalis
gb_htg:AC088618	- 9.00	140.84	14.37	800	! AC088618 Giardia intestinalis
gb_htg:AC082071	- 9.00	140.80	14.45	805	! AC082071 Giardia intestinalis
gb_htg:AC046748	- 9.00	140.48	15.05	842	! AC046748 Giardia intestinalis
gb_htg:AC063132	- 9.00	140.01	15.99	900	! AC063132 Giardia intestinalis
gb_htg:AC030275	- 9.00	139.94	16.14	909	! AC030275 Giardia intestinalis
gb_htg:AC040707	- 9.00	139.88	16.25	916	! AC040707 Giardia intestinalis
gb_htg:AC070405	- 9.00	139.86	16.30	919	! AC070405 Giardia intestinalis
gb_htg:AC033678	- 9.00	139.85	16.32	920	! AC033678 Giardia intestinalis
gb_htg:AC037172	- 9.00	139.83	16.37	923	! AC037172 Giardia intestinalis
gb_htg:AC040050	- 9.00	139.77	16.48	930	! AC040050 Giardia intestinalis
gb_sts:CNS06JSP	- 9.00	139.72	16.59	937	! AL401999 T7 end of clone XAS0A
gb_htg:AC051575	- 9.00	139.70	16.62	940	! AC051575 Giardia intestinalis
gb_sts:CNS06HXX	- 9.00	139.62	16.82	951	! AL399595 T3 end of clone AS0A
gb_htg:AC084975	- 9.00	139.51	17.04	965	! AC084975 Giardia intestinalis
gb_htg:AC064766	- 9.00	138.89	18.45	1053	! AC064766 Giardia intestinalis

gb_pr:BC007619 - 9.00 138.10 20.43 1178 ! BC007619 Homo sapiens, clon
gb_htg:AC049359 + 9.00 138.01 20.67 1193 ! AC049359 Giardia intestinal
gb_ba:AF038408 - 9.00 137.87 21.04 1217 ! AF038408 Streptococcus
gb_pr:BC008146 - 9.00 136.30 25.71 1517 ! BC008146 Homo sapiens, clon
gb_pr:AF053070 - 9.00 136.08 26.47 1566 ! AF053070 Homo sapiens, NADH:
gb_pr:HSY17383 - 9.00 135.74 27.63 1642 ! Y17383 Homo sapiens NDUVF1
gb_pat:AR137565 + 9.00 132.71 40.75 2517 ! AR137565 Sequence 51 from p

seq_name: gb_pr:AF304370

seq_documentation_block:
LOCUS AF304370 2908 bp mRNA PRI 23-FEB-2001
DEFINITION Homo sapiens putative prostate cancer susceptibility protein
HPC2/ELAC2 mRNA, complete cds.
ACCESSION AF304370
VERSION AF304370.1 GI:10880932
KEYWORDS
SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 2908)

Tavtigian,S.V., Simard,J., Teng,D.H.F., Abtin,V., Baumgard,M.,

Beck,A., Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P.,

Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C.,

Ghaffari,S., Gupta,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N.,

Laity,K.E., Leavitt,A., Leblanc,G., McArthur-Morrison,J.,

Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S.,

Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J.,

Thomas,A., Tranchant,M., Woodland,A.M., Labrie,F., Skolnick,M.H.,

Neuhausen,S., Rommens,J., and Cannon-Albright,L.A.

A candidate prostate cancer susceptibility gene at chromosome 17p

Nat. Genet. 27 (2), 172-180 (2001)

11175785

2 (bases 1 to 2908)

Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,

Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,

Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,

Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K.E.,

Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,

Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,

Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,

Woodland,A.M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.,

and Cannon-Albright,L.A.

Direct Submission

Submitted (12-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt

Lake City, UT 84108, USA

Location/Qualifiers

1. .2908

/organism="Homo sapiens"

/db_xref="taxon:9606"

/map="17p"

1. .2481

/codon_start=1

/product="putative prostate cancer susceptibility protein

HPC2/ELAC2

/protein_id="AAG24441.1"

/db_xref="GI:10880933"

/translation="MVALCSLLRSAAAGRTMSQGRITSQAPARRPRKDLRLHLRTRE

KRGPSGGSGGNTVTVLVVAAAGSRLVDFSEFNRYLFCGEGVORLMQEHKLKV

AKDKGSIHTEGRILAEELCPDPAAFVYVCEPDESFTQICENATFYQYQKAL

APVALVHMSPASVLPVQVQWMEFGPDTHLVNENACASVNLNRSHKQTQNLKI

HPDIFPLTSPCKKEGTLSPVMVQGLLKYOLRRPREQWDAITTCNPEEPTVEA

LQLPNFQSVQVEYRRSADQAPAEKRSQYPELIFLGTGSAIPMKIRVNSATLNLSP

DTLLDCCGTFGTCRHYGDQVDRVLGTLAAVFSHLHADHTGLPSILILQERAL

ISLLKRLDLEEFQTCVLRHCKHAFGCVLTHHNMIPAKLQEGAEITSSPAVRL

LIHGAETLDEGEAEVETHTTSQATISVGMNAEFTMLNHFQRYAKVPLFSPNFS

EKGVAFDPMKVCFGDFTMPKLIPLKALFAGDIEEMERREKRELQVRAALLSRE

701	TCAGGGACTCTTCCTCGCTGCTAGCTTTCATCTGTGAAGCTTCAC	TTAAAG	750
251	ArgGlyAsnPheLeuValLeuLysAlaLysGluMetGlyLeuProValG	1	267
751	AGAGAAACTTCTTGGTGCTCAAGACAAAGAGATGGCCCTCCAGTTGG	800	
267	yThrAlaAlaIleLeuProIleIleAlaValLysAspGlyLysSerI	284	
801	GACAGCTGCCATCGCTCCCATCTGCTGTCAAGACGGGAAAGCA	850	
284	IeThrHisGluGlyArgGluIleLeuAlaGluLeuCysThrProPro	300	
851	TCACATCAAGAGGAGAGATTTGGCTGAAGAGCTGTGTACTCTCCCA	900	
301	AspProGlyAlaAlaPheValValGluCysProAspGluSerPheII	317	
901	GATCTGTGCTGCTTTTGTGGTGAATGTCCAGATGAAGCTTCAT	950	
317	eGlnProIleCysGluAsnAlaThrPheGlnArgTyrglnGlyLysAla	334	
951	TCAACCATCTGTGAGAAATGCCACTTTCAGAGGTCAACAGGAAGGCAG	1000	
334	spAlaProValAlaLeuValValHisMetAlaProAlaSerValLeuVal	350	
1001	ATGCCCCCGTGGCTTGGTGTTCACATGCCCCCAGCATCTGCTGTGTG	1050	
351	AspSerArgTyrglnGlnTTPMetGluArgPheGlyProAspThrGlnHi	367	
1051	GACAGCAGGTACCAGCAGTGGATGGACAGAGTTGGGCTCACAACCAGCA	1100	
367	sLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgSerHisL	384	
1101	CTTGTCTCGAATCAGAACTGTGCCTCAGTTCACACTTCGACGCCACA	1150	
384	ysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProLeuLeu	400	
1151	AGATTCAACCCAGCTCAACCTCATCCACCCGGAATCTTCCCCCTGCTC	1200	
401	ThrSerPheArgCysLysLysGluGlyProThrLeuSerValProMetVa	417	
1201	ACCAGTTTCCGCTGTAGAAGGAGGGCCCCACCCTCAGTGTGCCCATGGT	1250	
417	IglnGlyGluCysLeuLeuLysTyrglnLeuArgProArgArgGluTrpG	434	
1251	TCAGGGTGAATGCCTCCTCAAGTACCAGTCCGCTCCAGCAGGAGGTGGC	1300	
434	InArgAspAlaIleIleThrCysAsnProGluGluPheIleValGluAla	450	
1301	AGAGGGATGCCATTATTACTTGCAATCCTCAGGAATTCATAGTTAGGCG	1350	
451	LeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrgArgArgSerAl	467	
1351	CTGCAGCTTCCCACTTCCAGCAGAGCGCTGCAGAGTACAGAGGAGTGC	1400	
467	acInAspGlyProAlaProAlaGluLysArgSerGlnTyrgProGluIleI	484	
1401	CGAGACGGCCCCAGCCCCAGCAGAGAAAGAGTCAGTACCCAGAAATCA	1450	
484	IePheLeuGlyThrGlySerAlaIleProMetIysIleArgAsnValSer	500	
1451	TCTTCTTGGAAACAGGCTCTGCCATCCGATGAAGATTCGAAATGTCAGT	1500	
501	AlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeuAspCysG	517	
1501	GCCACACTGTGCACATTAAGCCCGACGCTCTGTGCTACTGCACGTGGG	1550	
517	yGluGlyThrPheGlyGlnLeuCysArgHisTyrgIyAspGlnValAspA	534	
1551	TCAGGGCACATTTGGGCGAGCTGTGCCGTCTATTACGGAGACCAGGTGCACA	1600	
534	rgValLeuGlyThrLeuAlaAlaValPheValSerHisLeuHisAlaAsp	550	
1601	GGGTCTCTGGGCACCTCGCTGTGTGTCTGTCTGTCTCCACCTGCACACGAT	1650	

```
551 HisHisThrGlyLeuProSerIleLeuLeuGlnArgGluArgAlaLeuAl 567
|||||
1651 CACCACCGGCTTGCAGATATCTTGTCTGCAGAGAGACGCCCTTGGC 1700
|||||
567 aSerLeuGlyLysProLeuHisProLeuLeuValAlaProAsnGlnL 584
|||||
1701 ATCTTTGGGAAAGCGCTTCAACCTTGTCTGTGTGGTTGCCCCCAACG 1750
|||||
584 euLysAlaTrpLeuGlnGlnTyrHisAsnGlnCysGlnGluValLeuHis 600
|||||
1751 TCAAGCGCTTGCAGCAGTACCAACAGTGCAGGAGGTCCTGCAC 1800
|||||
601 HisIleSerMetIleProAlaLysCysLeuGlnGluGlyAlaGluIleSe 617
|||||
1801 CACATCAGTATGATCTCTGCAATGCTTCAGGAGGGCTGAGATCTC 1850
|||||
617 rSerProAlaValGluArgLeuIleSerSerLeuLeuArgThrCysAspL 634
|||||
1851 CAGTCTGCAGTGGAAAGATGATCAGTTCGCTGTTCGGAACATGTGATT 1900
|||||
634 euGluGluPheGlnThrCysLeuValArgHisCysLysHisAlaPheGly 650
|||||
1901 TGAAGAGTTTCAGACCTGTCTGGTGGCAGCTGCAAGCATGGCTTGGC 1950
|||||
651 CysAlaLeuValHisThrSerGlyTyrLysValValTyrSerGlyAspTh 667
|||||
1951 TGTGGCTGTGGCAGACCTCTGTGCTGGAAGTGTCTATTCCGGGGACAC 2000
|||||
667 rMetProCysGluAlaLeuValArgMetGlyLysAspAlaThrLeuLeuI 684
|||||
2001 CATGCCCTGGAGGCTCTGTGCTGGATGGGAAAGATGCCACCTCCTGA 2050
|||||
684 leHisGluAlaThrLeuGluAspGlyLeuGluGluAlaValGluLys 700
|||||
2051 TACATGAAGCCACCTCGAAGATGGTTTGAAGAGGAAGCAGTGGAAAG 2100
|||||
701 ThrHisSerThrThrSerGlnAlaIleSerValGlyMetArgMetAsnAl 717
|||||
2101 ACACACAGCACACGTCCTCCAGCCATCAGCTGGGATGCGGATGAACGC 2150
|||||
717 aGluPheIleMetLeuAsnHisPheSerGlnArgTyrAlaLysValProL 734
|||||
2151 GGAGTTTATTATGCTGAACCACTTCAGCCAGCGCTATGCCAAGTCCCC 2200
|||||
734 euPheSerProAsnPheSerGluLysValGlyValAlaPheAspHisMet 750
|||||
2201 TCTTCAGCCCCAACTTCAGCGAGAAAGTGGGAGTTGCTTTTGACCATG 2250
|||||
751 LysValCysPheGlyAspPheProThrMetProLysLeuIleProProLe 767
|||||
2251 AAGTCTGTCTTGGAGACTTTCACACATGCCCAAGCTGATTCCTCCACT 2300
|||||
767 uLysAlaLeuPheAlaGlyAspIleGluGluMetGluArgArgGluL 784
|||||
2301 GAAAGCCCTTGTCTGCGCACATCGAGGAGATGGAGAGCGCAGGAGGA 2350
|||||
784 ysArgGluLeuArgGlnValArgAlaAlaLeuLeuSerArgGluLeuAla 800
|||||
2351 AGCGGGAGCTGCGGCGAGGTGCGGGCGGCCCTCTCTGTCCAGGGAGCTG 2400
|||||
801 GlyClyLeuGluAspGlyGluProGlnGlnLysArgAlaHisThrGluG 817
|||||
2401 GCGGCGCTGGAGATGGGGAGCTTCAGCAGAGCGGGGCCACACAGAGGA 2450
|||||
817 uProGlnAlaLysLysValArgAlaGln 826
|||||
2451 GCCACAGGCCCAAGAGTTCAGAGCCCAAG 2478
|||||
```

seq_name: gb_pr:BC001939

seq_documentation_block:

LOCUS

BC001939

2997 bp

mRNA

PRI

12-JUL-2001

```
DEFINITION Homo sapiens, putative prostate cancer susceptibility protein,
clone MGC:4102 IMAGE:2820640, mRNA, complete cds.
ACCESSION BC001939
VERSION BC001939.1 GI:12804972
KEYWORDS MGC.
SOURCE human.
ORGANISM Homo sapiens
Mammalia; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 2997)
AUTHORS Strausberg, R.
TITLE Direct Submission
JOURNAL Submitted (29-JAN-2001) National Institutes of Health, Mammalian
Gene Collection (MGC), Cancer Genomics Office, National Cancer
Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
USA
REMARK NIH-MGC Project URL: http://mgc.nci.nih.gov
COMMENT Contact: MGC help desk
Email: cgapbs-r@mail.nih.gov
Tissue procurement: DCTD/DP
CDNA Library Preparation: Rubin Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Genome Sequence Centre,
BC Cancer Agency, Vancouver, BC, Canada
info@bcqsc.bc.ca
Steven Jones, Jennifer Asano, Ian Bosdet, Yaron Butterfield,
Susanna Chan, Readman Chiu, Chris Fjell, Erin Garland, Ran Guin,
Leticia Hsiao, Martin Krzywinski, Reta Kutsche, Oliver Lee, Soo
Sen Lee, Victor Ling, Carrie Mathewson, Candice McLeavy, Steven
Ness, Pawan Pandoh, Anna-Liisa Prabhu, Parvaneh Saeedi, Jacqueline
Schein, Duane Smailus, Michael Smith, Lorraine Spence, Jeff Stott,
Michael Thorne, Miranda Tsai, Natasja van den Bosch, Jill Vardy,
George Yang, Scott Zuyderduyn, Marco Marra.
Clone distribution: MGC clone distribution information can be found
through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
Series: IRAL PMate: 9 Row: 1 Column: 17
This clone was selected for full length sequencing because it
passed the following selection criteria: matched mRNA gi: 7022621.
Location/Qualifiers
1..2997
/organism="Homo sapiens"
/db_xref="LocusID:60528"
/db_xref="taxon:9606"
/clone="MGC:4102 IMAGE:2820640"
/tissue_type="Lung, small cell carcinoma"
/clone_lib="NIH_MGC_7"
/lab_host="DH10B-R"
/note="Vector: pOTB7"
61..2541
/codon_start=1
/product="putative prostate cancer susceptibility protein"
/protein_id="AAH01939.1"
/db_xref="GI:12804973"
/translation="MWALCSLLRSAAAGTMSQGRITISQAPARRPRKDPRLRLRTRE
KRPGSCSGGPNVTYLOVVAAGSRDGAALYVSEFNRYLFNCGEGVORLMOEHLKV
ARLDNIFLTRHWSNVGSLGMLTKETGLPKVLSGPPQLEKYLEATKIFSGPLKG
TELAVRHPASPEYEDMTVYQIPIHSQRRKHQWPQSPERLRLSPERSDSELN
ENEPHGHVSQRRDSSLVAFICHLKRRGNFLYLKAKEMGLPVGTAAAIPIIA
AVKDGKSIHTEGREITAELETCPPDGAFFVVEGPDSEFIQICENATFORYQKAD
APVALVHMAPASVLVDSRYQQMERFQPDTHLVNENCASVHNLRSKHQIQTQNLII
HPDIFPLTSPRCKEGPTLSVPMVQGECLLYQLRPREWORDAIITCNPEFTVEA
LQLPNFSQVEYRBSAQDGPAPAKRSQYPELIFLGTGSAIPKIRNVAIYLVNISP
DTSLLLDCGEGTGQCRHYGDVDRVLTAAVFSHLHADHHHGLPGLPSILLQRRERL
ASLGLPLHLPLVAVPNOLKAWLQYHNOCEVLLHISIMIPAKLCGABEISSPAVERL
ISSLLRTDLEEFQCLVRHCKHAFGKCVTSWGWVYSGDTMCECLVLRMGKDALI
LIHEATLEGLDEEAEVKTSTSOAISVGMRMNAEFIMLNHFSORYAKVPLFSNFS
EKVGVAFDHMKVCFDFTMPKLIPLKALFAGDIEMEEREREKRELQVRAALLSRE
LAGGLEDEPQOKRAHTEPEQAKKVRAG"
740 a 806 c 853 g 598 t
BASE COUNT
ORIGIN
```

alignment_scores:

Quality: 725.00 Length: 826
Ratio: 0.879 Gaps: 0
Percent Similarity: 99.879 Percent Identity: 99.879

alignment_block:

US-09-988-687-2 x BC001939 ..

Align seg 1/1 to: BC001939 from: 1 to: 2997

```
1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgThrMetSe 17
61 ATGTGGGCGCTTGTCTGCTGCTGGGTCGCGCGCGGACGACCATGTC 110
17 rGlnGlyArgThrIleSerGlnAlaProAlaArgArgGluArgProArgL 34
111 GCAGGAGCGCACCATATCGCAGGACCGCGCGCGCGGCGCGCGCA 160
34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
161 AGGACCGCGTCGCGCACCTGCGCGACCGCGGAGAGAGCGGACCGTCG 210
51 CysSerGlyGlyProAsnThrValTyrLeuGlnValAlaAlaGlySe 67
211 TGCTCCGGCGGCGCCAAACACCGGTGTACCTGCAGGTGGTGGCAGCG 260
67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
261 CCGGACTCGGGCGCGCGCTACGTCTTCTCCGAGTTCAACCGGTATC 310
84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGlnHisLysLeu 100
311 TCTTCAACTGTGGAGAGCGGTTGAGAGACTCATGACGAGGACACAAGT 360
101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
361 AAGGTGTCTCGCTGGACAAATATTCCTGACAGCAATGCACCTGGCT 410
117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeuP 134
411 TGTGGGGGCTTAAGTGAATGATCTTACTTTAAAGGAACCGGGCTTC 460
134 roLysCysValLeuSerGlyProProGlnLeuGluLysTyrLeuGluAla 150
461 CAAAGTGTGTACTTCTGGACTCTCCAACTGGAAAAATACCTCGAAGCA 510
151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
511 ATCAAAATATTTCTGGTCCATTGAAGGAATAGAACTGGGTGTGGGCC 560
167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
561 CCACCTCTCCCCAGANATACGAGGATGAACCATGACAGTTTACCAGATCC 610
184 roIleHisSerGluGlnArgArgGlyLysHisGlnProTrpGlnSerPro 200
611 CCATACACAGTGAACAGAGGAGGGAAGACCAACCATGTCAGAGTCCA 660
201 GluArgProLeuSerArgLeuSerProGluArgSerSerAspSerGluSe 217
661 GAAAGGCCCTCTCAGAGGCTCAGTCCAGAGCGATCTTCAGACTCCGAG 710
217 rAsnGluAsnGlnProHisLeuProHisGlyValSerGlnArgArgGlyV 234
711 GAATGAAATGAGCCACACCTTCCACATGGTGTAGCCAGAGAAAGGGG 760
234 alArgAspSerSerLeuValValAlaPheIleCysLysLeuHisLeuLys 250
761 TCAGGACTCTTCCCTGGTGTGCTGATCTTCACTGTAACTTCACTTAA 810
251 ArgGlyAsnPheLeuValLeuLysAlaLysGluMetGlyLeuProValGI 267
811 AGAGGAACTTTCTTGGTGTCTCAAGAAAGAGAGATGGGCGCTCCAGTT 860
```

```
267 yThrAlaAlaIleAlaProIleIleAlaAlaValLysAspGlyLysSerI 284
861 GACAGCTGCCATCGCTCCCATCATGTGCTGCTCAAGGACGGGAAAGCA 910
284 leThrHisGluGlyArgGluIleLeuAlaGluLeuCysThrProPro 300
911 TCACTCATGAAGAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCCA 960
301 AspProGlyAlaAlaPheValValGluCysProAspGluSerPheIl 317
961 GATCCTGGTGTCTGCTTTTGTGGTGAATGTCCAGATGAAGCTTCAT 1010
317 eGlnProIleCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysAla 334
1011 TCAACCCATCTGTGAGATGCCACCTTTCAGAGGTACCAAGAAAGGCG 1060
334 spAlaProValAlaLeuValValHisMetAlaProAlaSerValLeuVal 350
1061 ATGCCCGCTGGCTTGGTGTGTTTCCATGTGCCCGCCAGCATCTGTG 1110
351 AspSerArgTyrGlnGlnTrpMetGluArgPheGlyProAspThrGlnHi 367
1111 GACAGCAGGTACCGAGCTGGATGGAGGTTTGGGCTGACACCCAGCA 1160
367 sLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgSerHisL 384
1161 CTGTGCTCTGAATGAGAACTGTGCTCAGTTCACAACTTCGACGCCACA 1210
384 ysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProLeuLeu 400
1211 AGATTCAAAACCCAGCTCAACCTCATCCACCGGACATCTTCCCGCTG 1260
401 ThrSerPheArgCysLysLysGluGlyProThrLeuSerValProMetVa 417
1261 ACCAGTTTCCGCTGTAAAGAGGAGGCCCCACCTCAGTGTGCCATGGT 1310
417 lGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgArgGluTrpG 434
1311 TCAGSGTGAATGCCTCCTCAAGTACCAGCTCCGTCGCCAGGAGGTGGC 1360
434 lnArgAspAlaIleIleThrCysAsnProGluGluPheIleValGluAla 450
1361 AGAGGGATGCCATTATTACTTTGCAATCTCGAGGAATTCATAGTTGAG 1410
451 LeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrArgArgSerAl 467
1411 CTGACGCTTCCCACTTCCAGCAGAGCGTGCAGGAGTACAGGAGGTGC 1460
467 aGlnAspGlyProAlaProAlaGluLysArgSerGlnTyrProGluIleI 484
1461 GCAGGACGGCCCGCCCGCCAGCAGAGAAAGAAAGTCACTACCCAGAA 1510
484 lePheLeuGlyThrGlySerAlaIleProMetLysIleArgAsnValSer 500
1511 TCTTCTTGGAAACAGGGTCTGCCATCCGATCCGATGAAGATTGCAAT 1560
501 AlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeuAspCysGl 517
1561 GCCACACTTGTCAACATAAGCCCGACACGCTCTGTCTACTGGAGTGTGG 1610
517 yGluGlyThrPheGlyGlnLeuCysArgHisTyrGlyAspGlnValAsp 534
1611 TGAGGGCAGCTTTGGGCGAGCTGTCCGCTCATTCGAGAGACCGAGTGA 1660
534 rgValLeuGlyThrLeuAlaAlaValPheValSerHisLeuHisAlaAsp 550
1661 GGGTCTTGGGCACTTGGCTGTGTTGTTGTGCCACCTCGCCACCTGCAC 1710
551 HisHisThrGlyLeuProSerIleLeuLeuGlnArgGluArgAlaLeuAl 567
1711 CACCACACGGGCTTGCCTCAAGTATCTTCTGCGAGAGAAACCGCCTTGG 1760
```


|||||
70 ATGTGGCGCTTTCGCTCGCTCGGTCCGCGCGGACGCACCATGTC 119
17 rGlnGlyArgThrIleSerGlnAlaProAlaAlaArgGluArgProArgL 34
120 GCAGGGACGCACCATATCGCAGGACCGCGCGCGCGGCGCGCGCA 169
34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
170 AGGACCGCTCGCGCACTCGCCACCGCAGGAGAGAGCGCGGACCGTCGGGG 219
51 CysSerGlyGlyProAsnThrValTyrLeuGlnValValAlaAlaGlyse 67
220 TGCTCCGGCGCGCCAAACACCGCTACTCGCAGGTGTGGCAGCGGTAG 269
67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
270 CCGGACTCGGGCGCGCGCTTCTACGTCTTCCGAGTTCAACGGGTATC 319
84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGluHisLysLeu 100
320 TCTTCACTGTGGAGAGCGGTTCAGAGACTCATGCGAGACACAAGTTA 369
101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTrpSerAs 117
370 AAGGTGCTCGCTGGACAACATATTCCTGACACGAATGCACGTGCTTAA 419
117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeup 134
420 TGTGGGGGCTTAAAGTGAATGATTCTTACTTTAAAGGAAACCGGGCTTC 469
134 roLysCysValLeuSerGlyProGlnLeuGluLysTyrLeuGluAla 150
470 CAAGTGTGTACTTCTGGACCTCCAACTCGGAAATATCTCGAAGCA 519
151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
520 ATCAAAATATTTCTGGTCCATTGAAAGGAATAGAAGTGGCTGTGGCGCC 569
167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
570 CCACTCTCCCGCAGAAATACGAGAGTGAACCATGACAGTTTACCAGATCC 619
184 roIleHisSerGluGlnArgArgGlyLysHisGlnProTrpGlnSerPro 200
620 CCATACAGTGAACAGAGGAGGGAAGACCAACCATGGCAGAGTCCA 669
201 GluArgProLeuSerArgLeuSerProGluArgSerSerAspSerGluSe 217
670 GAAAGGCGCTCTCAGCAGGCTCAGTCCAGAGCGATCTTCAGACTCCGAGTT 719
217 rAsnGluAsnGluProHisLeuProHisGlyValSerGlnArgArgGlyV 234
720 GAATGAAATAGCGCCACACCTTCCACATGGTGTAGCCAGAGAAAGGGG 769
234 alArgAspSerSerLeuValValAlaPheIleCysLysLeuHisLeuLys 250
770 TCAGGAGCTCTTCCCTGGTGTGTAGCTTTCATCTGTAAAGCTTCACTTAAAG 819
251 ArgGlyAsnPheLeuValLeuLysAlaLysGluMetGlyLeuProValGL 267
820 AGAGGAAACTTCTGGTGCTCAAGCAAGAGAGATGGGCCCTCCAGTTGG 869
267 yThrAlaAlaIleAlaProIleIleAlaAlaValLysAspGlyLysSerI 284
870 GACAGCTCCCATCGCTCCCATATGCTGCTGTCAAGGACGCGGAAAGCA 919
284 leThrHisGluGlyArgGluIleLeuAlaGluGluLeuCysThrProPro 300
920 TCACCTCATGAGGAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCTCCA 969
301 AspProGlyAlaAlaPheValValValGluCysProAspGluSerPheIL 317
|||||

970 GATCCTGGTGTCTGCTTTTGTGGTGAATGTCCAGATGAAAGCTTCAT 1019
317 eGlnProIleCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysAlaA 334
1020 TCACACCATCTGTGAGATGCCACCTTTCAGAGGTACCAAGAAAGGCAG 1069
334 spAlaProValAlaLeuValIValHisMetAlaProAlaSerValLeuVal 350
1070 ATGCCCGCGTGGCCTTGGTGTTCACATGGCCCCCAGCATCTGTGCTTGTG 1119
351 AspSerArgTyrGlnGlnTrpMetGluArgPheGlyProAspThrGlnHi 367
1120 GACAGCAGGTACCCAGCAGTGGATGGAGAGGTTTGGGCTGACACCCAGCA 1169
367 sLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgSerHisL 384
1170 CTTGGTCTGAATGAGAACTGTGCTCAGTTTCACACCTTCGCAGCCACA 1219
384 ysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProLeuLeu 400
1220 AGATTCAAAACCCAGCTCAACCTCATCCACCGGACATCTTCCCCCTGCTC 1269
401 ThrSerPheArgCysLysLysGluGlyProThrLeuSerValProMetVa 417
1270 ACCAGTTTCCGCTGTAAGAGAGGAGGCGCCACCCCTCAGTGTGCCCATGGT 1319
417 lGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgArgGluTrpG 434
1320 TCAGGGTGAATGCTCCTCAAGTACCAGCTCCGTCGCCAGGAGGAGTGCG 1369
434 lNArgAspAlaIleIleThrCysAsnProGluGluPheIleValGluAla 450
1370 AGAGGGATGCCATTATTACTTGCAATCCTGAGGAATTCATAGTTGAGCGG 1419
451 LeuGlnLeuProAsnPheGlnGlnSerValGlnGluTyrArgArgSerAl 467
1420 CTGCAGCTTCCCAACTTCCAGCAGAGCGTGCAGGAGTACAGGAGGAGTGC 1469
467 aGlnAspGlyProAlaProAlaGluLysArgSerGlnTyrProGluIleI 484
1470 GCAGGACGGCGCCAGCCCCCAGCAGAGAAAGAAAGTCACTACCCAGAAATCA 1519
484 lePheLeuGlyThrGlySerAlaIleProMetLysIleArgAsnValSer 500
1520 TCTTCTCTGGACAGGCTCTGCCATCCCGATGAAGATTCGAAATGTCACT 1569
501 AlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeuAspCysGL 517
1570 GCCACACTTGTCAACATAAGCCCGACACGCTCTCTGCTACTGGACTGTGG 1619
517 yGluGlyThrPheGlyGlnLeuCysArgHisTyrGlyAspGlnValAspA 534
1620 TGAGGGCAGCGTTTGGGCGAGCTGTGCCGTCAATTACGGAGACCCAGGTGGACA 1669
534 rGValLeuGlyThrLeuAlaAlaValPheValSerHisLeuHisAlaAsp 550
1670 GGGTCTCTGGGACCCCTGGCTGTGTGTGTGTCCTCCACCTGCACGCAGAT 1719
551 HisHisThrGlyLeuProSerIleLeuLeuGlnArgGluArgAlaLeuAl 567
1720 CACCACAGGGCTTGCACCAAGTATCTTGTGTCAGAGAGAAACGCGCTTGGC 1769
567 aSerLeuGlyLysProLeuHisProLeuValValAlaProAsnGlnL 584
1770 ATCTTTGGGAAGCCGCTTACCCCTTGTGCTGCTGCTGCTGCTGCTGCTGCTG 1819
584 euLysAlaTrpLeuGlnGlnTyrHisAsnGlnCysGlnGluValLeuHis 600
1820 TCAAAGCCTGGCTCCAGCAGTATCCACACCAACAGTCCAGGAGGTCTCTGCAC 1869
601 HisIleSerMetIleProAlaLysCysLeuGlnGluGlyAlaGluIleSe 617
1870 CACATCAGTATGATTCTCTGCCAAATGCTTTCAGGAAGGGGCTGAGATCTC 1919


```

617 rSerProAlaValGluArgLeuIleSerSerIleuLeuArgThrCysAspL 634
|||||
1920 CAGTCTGCACTGGAAGATGATGATGCTGCTGCTGCGAATGATGATT 1969
|||||
634 euGluGluPheGlnThrCysLeuValArgHisCysLysHisAlaPheGly 650
|||||
1970 TGAAGAGTTTACAGACTGCTGCTGCTGCGGCACTGCAAGCATGCTTTGGC 2019
|||||
651 CysAlaLeuValHisThrSerGlyTrpLysValValValTyrSerGlyAspTh 667
|||||
2020 TGTGCGCTGCTGACACCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2069
|||||
667 rMetProCysGluAlaLeuValArgMetGlyLysAspAlaThrLeuLeuI 684
|||||
2070 CATGCCCTGCGAGCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2119
|||||
684 leHisGluAlaThrLeuGluAspGlyLeuGluGluAlaValGluLys 700
|||||
2120 TACATGAAGCACCTCGAAGATGCTTGAAGAGAGAGAGAGAGAGAGAGAG 2169
|||||
701 ThrHisSerThrThrSerGlnAlaIleSerValGlyMetArgMetAsnAl 717
|||||
2170 ACACAGACGACACCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2219
|||||
717 aGluPheIleMetLeuAsnHisPheSerGlnArgTyrAlaLysValProL 734
|||||
2220 GGAGTTTCAATGCTGACACCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2269
|||||
734 euPheSerProAsnPheSerGluLysValGlyValAlaPheAspHisMet 750
|||||
2270 TCTTCAGCCCCAACTTCAGCGAGAAAGTGGGAGTTGCTTTTGACCATG 2319
|||||
751 LysValCysPheGlyAspPheProThrMetProLysLeuIleProProLe 767
|||||
2320 AAGTCTGCTTTGGAGACTTTCACCAATGCCCAAGCTGATTCCTCCCACT 2369
|||||
767 uLysAlaLeuPheAlaGlyAspIleGluGluMetGluGluArgGluL 784
|||||
2370 GAAAGCCCTGTTGCTGCGCACATCGAGGAGATGGAGAGCGGAGGAGA 2419
|||||
784 ysArgGluLeuArgGlnValArgAlaLeuLeuSerArgGluLeuAla 800
|||||
2420 AGCGGAGCTGCGGAGGCTGCGGCGGCGGCTCTGCTGCTGCTGCTGCTG 2469
|||||
801 GlyGlyLeuGluAspGlyGluProGlnGlnLysArgAlaHisThrGluG 817
|||||
2470 GCGGCTGAGGAGTGGGAGGCTCAGCAGAGAGCGGCGGCGGCGGCGGAG 2519
|||||
817 uProGlnAlaLysLysValArgAlaGln 826
|||||
2520 GCCACAGCCCAAGAGGTCAGAGCCAG 2547
|||||

```

seq_name: gb_pr:AK001392

seq_documentation_block:

```

LOCUS AK001392 2976 bp mRNA PRI 22-FEB-2000
DEFINITION Homo sapiens cDNA FLJ10530 fis, clone NT2RP2000985.
ACCESSION AK001392
VERSION AK001392.1 GI:7022621

```

KEYWORDS oligo capping; fis (full insert sequence).

```

SOURCE Homo sapiens
clone_lib: NT2RP2 clone: NT2RP2000985.

```

ORGANISM

```

Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

```

REFERENCE

```

AUTHORS Isogai,T., Ota,T., Hayashi,K., Sugiyama,T., Otsuki,T., Suzuki,Y.,
Nishikawa,T., Nagai,K., Sugano,S., Shiratori,A., Sudo,H.,
Wagatsuma,M., Hosoiri,T., Raku,Y., Kodaira,H., Kondo,H.,
Sugawara,M., Takahashi,M., Chiba,Y., Ishida,S., Murakawa,K.,
Ono,Y., Takiguchi,S., Watanabe,S., Kimura,K., Murakami,K.,
Ishii,S., Kawai,Y., Saito,K., Yamamoto,J., Wakamatsu,A.,

```

Nakamura, Y., Nagahari, K., Masuho, Y., Ninomiya, K. and Iwayanagi, T.
 NEDO human cDNA sequencing project
 Unpublished (2000)
 2 (bases 1 to 2976)
 Isogai, T. and Otsuki, T.
 Direct Submission
 Submitted (16-FEB-2000) to the DDBJ/EMBL/GenBank databases. Takao
 Isogai, Helix Research Institute, Genomics Laboratory; 1532-3 Yana,
 Kisarazu, Chiba 292-0812, Japan (E-mail: genomics@hri.co.jp,
 Tel: 81-438-52-3951, Fax: 81-438-52-3952)
 NEDO human cDNA sequencing project supported by Ministry of
 International Trade and Industry of Japan; cDNA full insert
 sequencing; Research Association for Biotechnology; cDNA library
 construction, 5'- & 3'-end one pass sequencing and clone selection;
 Helix Research Institute (supported by Japan Key Technology Center
 etc.) and Department of Virology, Institute of Medical Science,
 University of Tokyo.

FEATURES

source

```

1..2976
/organism="Homo sapiens"
/db_xref="taxon:9606"
/cell_line="NT2"
/cell_type="teratocarcinoma"
/clone_lib="NT2RP2000985"
/clone_lib="NT2RP2"
/note="cloning vector: pME18SFL3; mRNA from NT2 neuronal
precursor cells after 2-weeks retinoic acid (RA)
induction."
75..2639
/note="unnamed protein product"
/codon_start=1
/protein_id="BAA91666.1"
/db_xref="GI:7022622"
/translation="MWALCSLLRSAGRTMSQGTISOAPRRERPRKDPRLRLTRE
KRGSCSGGPNVYLVQVAGSRDGAALYFSENFYLFNCGCVQRLMQEHLKV
AKLDNIFLRHWSNVGSLMILTKETGLPKVLSGPPQLEKYLEAKIFSGPLKG
TELAMRHSAPYEDETWTYQIPIHSQRKQKQWSPERPLSLSPERSDSESN
ENEPHLGHVSQRGRDSSLVAFVICKHLKRNFLVLRKAKEMGLPVGTAAIPIIA
AVKDGKSTHGREILAELELCTPPDGAFFVVECPDESFIQICENATFORQYQKAD
APVALVHMAPASVLVRSYQOMERFQDTHLVNENCASVHNLRSKHQIQOLNLI
HPDIFPLTISFRCKEGPLSVPMVQEGCLLKQLRPREWRDAILITCNPEFIVEAL
QLPNFQSVQYERRSAQDGPAPARRSQTEIFLIGTSAIPMKIRNVSATLVNISPD
TSLDLCGGTGFVGLQGRHYGDQVDRVLGTAAAFVSHLHADHTGLPSILLQRLALA
SLGKPLHPLVAVNQLKAWQQYVQVQVLEHHSIMPAKLCQGAETSSPAVERLI
SSLRTCLDEEPOTCLVRKCHAFCAVHTSGWKVYSGDTPMCEALVVMCKDNTLL
THEATLEDGLEEEAVEKTHSTSQAI SYGMNRNAEFIMLNHP SQRYAKVPLFSPNFE
KGVAFDHMKVCLGDFPTMPKLIPLPKALFAGDIEMERREKRELQVRAALLSREL
AGGLEDDGSLSRSGPTQRSHRPRRSPSEDLGDPFLRLUCVFCPTHAPVALLAGRS"

```

CDS

```

75..2639
/note="unnamed protein product"
/codon_start=1
/protein_id="BAA91666.1"
/db_xref="GI:7022622"
/translation="MWALCSLLRSAGRTMSQGTISOAPRRERPRKDPRLRLTRE
KRGSCSGGPNVYLVQVAGSRDGAALYFSENFYLFNCGCVQRLMQEHLKV
AKLDNIFLRHWSNVGSLMILTKETGLPKVLSGPPQLEKYLEAKIFSGPLKG
TELAMRHSAPYEDETWTYQIPIHSQRKQKQWSPERPLSLSPERSDSESN
ENEPHLGHVSQRGRDSSLVAFVICKHLKRNFLVLRKAKEMGLPVGTAAIPIIA
AVKDGKSTHGREILAELELCTPPDGAFFVVECPDESFIQICENATFORQYQKAD
APVALVHMAPASVLVRSYQOMERFQDTHLVNENCASVHNLRSKHQIQOLNLI
HPDIFPLTISFRCKEGPLSVPMVQEGCLLKQLRPREWRDAILITCNPEFIVEAL
QLPNFQSVQYERRSAQDGPAPARRSQTEIFLIGTSAIPMKIRNVSATLVNISPD
TSLDLCGGTGFVGLQGRHYGDQVDRVLGTAAAFVSHLHADHTGLPSILLQRLALA
SLGKPLHPLVAVNQLKAWQQYVQVQVLEHHSIMPAKLCQGAETSSPAVERLI
SSLRTCLDEEPOTCLVRKCHAFCAVHTSGWKVYSGDTPMCEALVVMCKDNTLL
THEATLEDGLEEEAVEKTHSTSQAI SYGMNRNAEFIMLNHP SQRYAKVPLFSPNFE
KGVAFDHMKVCLGDFPTMPKLIPLPKALFAGDIEMERREKRELQVRAALLSREL
AGGLEDDGSLSRSGPTQRSHRPRRSPSEDLGDPFLRLUCVFCPTHAPVALLAGRS"

```

BASE COUNT 712 a 807 c 856 g 601 t
 ORIGIN

alignment_scores:

Quality: 430.00 Length: 753
 Ratio: 0.573 Gaps: 1
 Percent Similarity: 99.602 Percent Identity: 99.602

alignment_block:

US-09-988-687-2 x AK001392 ..

Align seg 1/1 to: AK001392 from: 1 to: 2976

```

1 MetTrpAlaLeuCysSerLeuArgSerAlaAlaGlyArgThrMetSe 17
|||||
75 ATGTGGCGGCTTTCTCGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 124
|||||
17 rGlnGlyArgThrIleSerGlnAlaProAlaArgGluArgProArgL 34
|||||
125 GCAGGAGCGACCATATCGCAGGACCCGCCGCCGCGGAGCGCGCGCA 174
|||||
34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50
|||||
175 AGGACCGGCTCGGCGACCTGCGCAGCGAGAGAAAGCGCGGACCGCGGG 224
|||||

```

51 CysSerGlyGlyProAsnThrValTyrLeuGlnValValAlaAlaGlySe 67
|||||
225 TGCTCCGGCGCCNACACCGGTACCTGCAGGTGGTGGCAGCGGTAG 274

67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArgTyrL 84
|||||
275 CCGGACATCGGGCGCGCGCTACGTCTTCCGAGTTCAACCGGTATC 324

84 euPheAsnCysGlyGluGlyValGlnArgLeuMetGlnGlnHisLysLeu 100
|||||
325 TCCTCAACTGTGGAGAGCGGTTTCAGAGACTCATGCAGGACACAAGTTA 374

101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMetHisTyrSerAs 117
|||||
375 AAGGTGTCTCCCTGGACACAATATCTCTGACACGAATGCACGTGCTCAA 424

117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeuP 134
|||||
425 TGTGGGGGCTTAAGTGAATGATTCTTACTTTAAAGGAAACCGGGCTTC 474

134 roLysCysValLeuSerGlyProGlnLeuGluLysTyrLeuGluAla 150
|||||
475 CAAGTGTGTACTTCTGGACCTCCACAACCTGGAAAAATACCTCGAAGCA 524

151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
|||||
525 ATCAAAATATTTCTGGTCCATTGAAAGGAATAGACTGGGTATGCGGCC 574

167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
|||||
575 CCACCTCTCCCCCAAGTAACGAGGATGAACCATGACAGCTTTACCATCC 624

184 roIleHisSerGluGlnArgArgGlyLysHisGlnProTyrGlnSerPro 200
|||||
625 CCATACACAGTGAACAGAGAGGGGAAAGCACCAACCATGGCAGAGTCCA 674

201 GluArgProLeuSerArgLeuSerProGluArgSerSerAspSerGluse 217
|||||
675 GAAAGGCTCTTCAGAGGCTCAGTCCAGAGCGATCTTCAGACTCCGAGTC 724

217 rAsnGluAsnGluProHisLeuProHisGlyValSerGlnArgArgGlyV 234
|||||
725 GAATGAATAATCAGCCACACCTTCACATGTTTACATGTTAGCCAGAGAGGG 774

234 alArgAspSerSerLeuValValAlaPheIleCysLysLeuHisLeuLys 250
|||||
775 TCAGGACTCTTCCTGTGTGTAGCTTTTCACTGTAAAGCTTCACTTAAAG 824

251 ArgGlyAsnPheLeuValLeuLysAlaLysGluMetGlyLeuProValGl 267
|||||
825 AGAGAAACTTCTTGGTGTCTCAAGCAAGAGAGATGGGCTCCCAAGTTGG 874

267 yThrAlaAlaIleAlaProIleIleAlaAlaValLysAspGlyLysSerI 284
|||||
875 GACAGCTCCCATCGCTCCCATCATGTGCTGTCTCAAGGACGGGAAAGCA 924

284 leThrHisGluGlyArgGluIleLeuAlaGluLeuLysCysThrProPro 300
|||||
925 TCACATCATGAAGAGAGAGATTTTGGCTGAAGAGCTGTGTACTCCTCCA 974

301 AspProGlyAlaAlaPheValValValGluCysProAspGluSerPheIl 317
|||||
975 GATCCTGTGTGCTTTTGTGGTAGAATGTCAGATGAAGCTTCAT 1024

317 eGlnProIleCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysAlaA 334
|||||
1025 TCAACCCATCTGTGAGAAATGCCACCTTTTCAGAGGTACCAAGGAAAGGCAG 1074

334 spAlaProValAlaLeuValHisMetAlaProAlaSerValLeuVal 350
|||||
1075 ATGCCCCCTGGCTTGTGGTTTACATGGCCGCCAGCATCTGTGCTTGTG 1124

351 AspSerArgTyrGlnGlnTrpMetGluArgPheGlyProAspThrGlnHi 367
|||||
1125 CACAGCAGGTACACAGCAGTGTGATGAGAGGTTTGGCCTGACACCCACCA 1174

367 sLeuValLeuAsnGluAsnCysAlaSerValHisAsnLeuArgSerHisL 384
|||||
1175 CTGTGCTCTGAATGAGAACTGTGCTCAGTTCAACAACCTTCGACGCCACA 1224

384 ysIleGlnThrGlnLeuAsnLeuIleHisProAspIlePheProLeuLeu 400
|||||
1225 AGATTCAAAACCCAGCTCAACCTCATCCACCCGGACATCTTCCCTCGCTC 1274

401 ThrSerPheArgCysLysLysGluGlyProThrLeuSerValPrometVa 417
|||||
1275 ACCAGTTTCCGCTGT...AAGGAGGGCCCCACCTCAGTGTGCCATGTT 1321

417 lGlnGlyGluCysLeuLeuLysTyrGlnLeuArgProArgArgGluTyrPg 434
|||||
1322 TCAGGGTGAATGCTCTCAAGTACCAGTCCGTCGCCAGGAGGAGTGGC 1371

434 lArqAspAlaIleIleThrCysAsnProGluGluPheIleValGluAla 450
|||||
1372 AGAGGGATGCCATTATTACTTGCATCTGAGGAATTCATAGTTGAGGCG 1421

451 LeuGlnLeuProAsnPheGlnSerValGlnGluTyrArgArgSerAl 467
|||||
1422 CTGCAGCTTCCCAACTTCCACGACAGCGTGCAGGAGTACAGGAGGAGTGC 1471

467 aGlnAspGlyProAlaProAlaGluLysArgSerGlnTyrProGluIleI 484
|||||
1472 GCAGGAGCGGCCAGCCCGCAGCAGAGAAAGTCACTACCCAGAAATCA 1521

484 lePheLeuGlyThrGlySerAlaIleProMetLysIleArgAsnValSer 500
|||||
1522 TCTTCCCTTGGAAACAGGGTCTGCCATCCCGATGAAGATTTCGAAATGTCA 1571

501 AlaThrLeuValAsnIleSerProAspThrSerLeuLeuLeuAspCysGl 517
|||||
1572 GCCACACTTGTCAACATAAGCCCCGACACAGTCTCTGCTACTGGAGTGG 1621

517 yGluGlyThrPheGlyGlnLeuCysArgHisTyrGlyAspGlnValAsp 534
|||||
1622 TGAGGGCACATTTGGCAGCTGTGCTGCTCATTTAGCGAGACCCAGGTGGACA 1671

534 rGvalLeuGlyThrLeuAlaAlaValPheValSerHisLeuHisAlaAsp 550
|||||
1672 GGGTCTGGGCACCTGGCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1721

551 HisHisThrGlyLeuProSerIleLeuLeuGlnArgGluArgAlaLeuAl 567
|||||
1722 CACCACAGGGCTTGGCAAGTATCTTGTGTGCAGAGAGAACCGCTTGGC 1771

567 aSerLeuGlyLysProLeuHisProLeuLeuValValAlaProAsnGlnL 584
|||||
1772 ATCTTTGGAAAGCGCTTACCTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1821

584 euLysAlaTrpLeuGlnGlnTyrHisAsnGlnCysGlnGluValLeuHis 600
|||||
1822 TCAAGGCTGGCTCCAGCAGTACTACACCACTGCCAGGAGGTCTCTGCAC 1871

601 HisIleSerMetIleProAlaLysCysLeuGlnGluGlyAlaGluIleSe 617
|||||
1872 CACATCAGTATGATTCTCTGCCAAATGCCTTCAGGAAGGGGCTGAGATCTC 1921

617 rSerProAlaValGluArgLeuIleSerSerLeuLeuArgThrCysAspL 634
|||||
1922 CAGTCTTCAGTGGAAAGATTGATCAGTTCGCTGTGTGTGTGTGTGTGTGTGT 1971

634 euGluGluPheGlnThrCysLeuValArgHisCysLysHisAlaPheGly 650
|||||
1972 TGGAAAGAGTTTACACCTGTCTGTGTGGCGCACTGCAAGCATGCGTTGGC 2021

651 CysAlaLeuValHisThrSerGlyTrpLysValValTyrSerGlyAspTh 667

|||||
2022 TGTGCGCTGGTGCACACCTCTGCTGGAAGTGGTATATTCGGGGACAC 2071
667 rMetProCysGluAlaLeuValArgMetGlyLysAspAlaThrLeuLeuI 684
2072 CATGCCCTCGAGGCTCTGGTCCGATGGGAAAGATGCCACCTCCTGA 2121
684 leHisGluAlaThrLeuGluAspGlyLeuGluGluAlaValGluLys 700
2122 TACATGAAGCCACCTCGGAAGATGTTTGGAGAGAGACAGTGGAAAG 2171
701 ThrHisSerThrThrSerGlnAlaIleSerValGlyMetArgMetAsnAl 717
2172 ACACACAGCACACAGCTCCCAAGCATCAGCTGGGATCGGATGAACGC 2221
717 aGluPheIleMetLeuAsnHisPheSerGlnArgTyrAlaLysValProL 734
2222 GGAGTTTCATTATGCTGAACCACTTCAGCAGCGCTATGCAAGGTCCTCC 2271
734 euPheSerProAsnPheSerGluLysValGlyValAlaPheAspHisMet 750
2272 TCTTCAGCCCCAACCTTCAGCAGAGAGTGGAGTTCCTTTGACCACATG 2321
751 LysValCys 753
2322 AAGGTCTGC 2330
seq_name: gb_pr:AF308698

seq_documentation_block:
LOCUS AF308698 2908 bp mRNA PRI 27-FEB-2001
DEFINITION Pan troglodytes ELAC2 mRNA, complete cds.
ACCESSION AF308698
VERSION AF308698.1 GI:10946496
KEYWORDS
SOURCE chimpanzee.
ORGANISM Pan troglodytes
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
1 (bases 1 to 2908)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Abtin,V., Baumgard,M.,
Beck,A., Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P.,
Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C.,
Gaffari,S., Gupte,J.S., Hu,R., Iliev,D., Janecki,T., Kort,E.N.,
Laity,K.E., Leavitt,A., Leblanc,G., McArthur-Morrison,J.,
Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S.,
Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J.,
Thomas,A., Tranchant,M., Woodland,A.M., Labrie,F., Skolnick,M.H.,
Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
A candidate prostate cancer susceptibility gene at chromosome 17p
Nat. Genet. 27 (2), 172-180 (2001)
11175785

2 (bases 1 to 2908)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Dayananth,P.,
Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C.,
Gaffari,S., Gupte,J.S., Hu,R., Iliev,D., Janecki,T., Kort,E.N.,
Laity,K., Leavitt,A., Leblanc,G., McArthur-Morrison,J.,
Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S.,
Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J.,
Thomas,A., Tranchant,M., Woodland,A.M., Labrie,F., Skolnick,M.H.,
Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
Pan troglodytes ortholog of human HPC2/ELAC2
Unpublished

3 (bases 1 to 2908)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Dayananth,P.,
Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C.,
Gaffari,S., Gupte,J.S., Hu,R., Iliev,D., Janecki,T., Kort,E.N.,
Laity,K., Leavitt,A., Leblanc,G., McArthur-Morrison,J.,
Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S.,
Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J.,
Thomas,A., Tranchant,M., Woodland,A.M., Labrie,F., Skolnick,M.H.,
Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
Direct Submission

JOURNAL Submitted (27-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt Lake City, UT 84103, USA
FEATURES
source Location/Qualifiers
1..2908
/organism="Pan troglodytes"
/db_xref="taxon:9598"
1..2481
/codon_start=1
/product="ELAC2"
/protein_id="AAG24920.1"
/db_xref="GI:10946497"
/translation="MWALCSLLRSAAAGTMSQGRITISQAPARRRPRKDPURHLRLTRE KRGPSGSGGPNVTYLVQVVAAGSRDGAALYVSEFNRYLFCGEGQRLMQEHLKV ARLDNIFLTRHWNVGLSGMILTLETGPKVLSGPPOLKYLEAKIFSGPLKG IELAVRPHSAPEYEDETWVYQIPIHSEORRGKHPQWSPERPLSRSLSPSSDSSEN ENEPHLPBGYSORRGVRSLSLVAFICKHLKRGFLVLYKAKENGLPVTAAIPIA AVDGKSIITHEGREILAEELCTPPDGAAFVYVCEPDESFTQICENATFORYGKAD APVALVHMAPESVLDSRYOQWMEFPGDTHLVNENSCASVHNLRSKRLTQTLNLI HPDIFPLTSPCKKEGTLSPVNVQGECLLYQLRPRRQWDAITTCNPEEFITIEA DTSLLDCGEGTFCGLCRHYGDQVDRVLGTAAVFSVSHLHADHTGLNLILQERALL ASLCKPHEPLLVAPNOLKAWLQVHNOCQEVLHHISMPAKCLQEGAEISSPAVERL ISSLLRTCDLEEFOTCLVRHCKHAFGALVHTSKVYVSGDTMPCEALVRMGDATL LIHEATLEDGLEEEAVEKTHSTTSOATSVGRMNAEFIMLNHF SORYAKVPLFSPNFN EKVGFADFHMKVCFGDFATMPKLIPLKALFAGDIEEMEERERREKREUROVRAALLSRE LAGGLEDEGEPOQKRAHTEEPOAKKVRQA"
BASE COUNT 712 a 788 c 819 g 589 t
ORIGIN

alignment_scores:
Quality: 254.00 Length: 254
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000
alignment_block:
US-09-988-687-2 x AF308698 ..
Align seg 1/1 to: AF308698 from: 1 to: 2908
92 GlnArgLeuMetGlnGluHisLysLeuLysValAlaArgLeuAspAsnI 108
|||||
274 CAGAGACTCATGCAGGAGCACAAAGTTAAAGGTTGCTCGCCTGGACACAT 323
108 ePheLeuThrArgMetHisTrpSerAsnValGlyGlyLeuSerGlyMetI 125
|||||
324 ATTCCTGACACGAATGCATGGTCTAATGTTGGGGCTTAAGTGGGAATGA 373
125 leLeuThrLeuLysGluThrGlyLeuProLysCysValLeuSerGlyPro 141
|||||
374 TTTCTTACTTTAAAGGAACCGGGCTTCCAAAGTGTGTACTTTCTGGACCT 423
142 ProGlnLeuGluLysTyrLeuGluAlaIleLysIlePheSerGlyProLe 158
|||||
424 CCACAACTGGMAAATACCTCGAAGCAATCAAAATATTTTCTGGTCATT 473
158 uLysGlyIleGluLeuAlaValArgProHisSerAlaProGluTyrGluA 175
|||||
474 GAAAGAAATAGAACTGGCTGTGCGGGCCCCACTCTGCCCCAGAAATACGAGG 523
175 spGluThrMetThrValTyrGlnIleProIleHisSerGluGlnArgArg 191
|||||
524 ATGAAACCATGACAGTTTACCAGATCCCATACACAGTGNACAGAGAGGAGG 573
192 GlyLysHisGlnProTrpGlnSerProGluArgProLeuSerArgLeuSe 208
|||||
574 GGAAGACCAACCATGCGAGAGTCCAGAAAGGCCCTCTCAGCAGGCTCAG 623
208 rProGluArgSerSerAspSerGluSerAsnGluAsnGluProHisLeuP 225
|||||
624 TCCAGAGCGCATCTTCAGACTCCGAGTCAAATGAAATAGACCCACCTTC 673
225 roHisGlyValSerGlnArgArgGlyValArgAspSerSerLeuValVal 241


```
101 LysValAlaArgLeuAspAsnIlePheLeuThrArgMethIstTpSerAs 117
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
301 AAGGTTCTCGCTGGACACATATTCTGACAGCAATGCACTGGTCTAA 350
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
117 nValGlyGlyLeuSerGlyMetIleLeuThrLeuLysGluThrGlyLeuP 134
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
351 TGTGGGGGCTTAAGTGAATGATTCTTACTTTAAAGGAAACCGGGCTTC 400
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
134 rOlyCysValLeuSerGlyProGluLeuGluLysTyrLeuGluAla 150
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
401 CAAAGTGTGTACTTCTGGACCTCCACAGCTGGAAAAAATACCTCGAAGCA 450
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
151 IleLysIlePheSerGlyProLeuLysGlyIleGluLeuAlaValArgPr 167
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
451 ATCAAAATATTCTGTGCTCATTGAAGGAATAGAACTGGCTGGCGGCC 500
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
167 oHisSerAlaProGluTyrGluAspGluThrMetThrValTyrGlnIleP 184
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
501 CCACCTCGCCCAATACGAGGATGAACCATGACAGTTTACCAGATCC 550
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
184 rOleHisSerGluGlnArgGlyLys.HisGlnProTrpGlnSerPr 200
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
551 CCATACACAGTGACACAGAGGAG.GGGGAAGGCACCAACCATGGCAGATCC 599
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
200 oGluArgProLeuSerArgLeuSerProGluArgSerSerAspSerGluS 217
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
600 AGAAGGCCCTCTAGCAGGCTCAGTCACAGAGCGATCTTCAGACTCCAGT 649
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
217 eAsnGluAsnGluProHisLeuProHisGlyValSerGlnArgArgGly 233
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
650 CGAATGAAATAGCCACACCTCCACATGGTGTAGCCAGAGAAGAGGG 699
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
234 ValArgAspSerSerLeuValValAlaPheIleCysLysLeuHisLeuLy 250
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
700 GTCAGGAGACTCTCCCTGGTGGTACGCTTTCATCTGTAAAGCTTCACTTAA 749
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
250 sArgGlyAsnPheLeuValLeuLysAlaLysGluMetGlyLeuProValG 267
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
750 GAGAGAAACTCTGTGTCTCAAGCAAGAGATGGGCTCCAGCTTG 799
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
267 lyThrAlaAlaIleAlaProIleIleAlaAlaValLysAspGlyLysSer 283
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
800 GGACAGCTGCCATCGCTCCCATCATCTGCTGTCTCAAGGAGCGGAAAGC 849
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
284 IleThrHisGluGlyArgGluIleLeuAlaGluLeuCysThrProPr 300
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
850 ATCACTCATGAAGGAAGAGAGATTTGGCTGAAGAGCTGTGTACTCTCCTC 899
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
300 oAspProGlyAlaAlaPheValValValGluCysProAspGluSerPheI 317
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
900 AGATCCTGTGTGCTGCTTTTGTGGGTGTAGATGTCCAGATGAAGCTTCA 949
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
317 leGlnProIleCysGluAsnAlaThrPheGlnArgTyrGlnGlyLysAla 333
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
950 TTCAACCCATCTGTGTGAGAAATGCCACCTTTCAGAGGTACCAAGGAAGCA 999
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
334 AspAlaProValAlaLeuValValHisMetAlaPro 345
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
1000 GATGCCCGCGGGCTTGGTGGTTCATCATGGGCCCA 1035
||||| ||||||| ||||||| ||||||| ||||||| ||||||| |||||||
seq_name: gb_pr:AC005277
seq documentation_block:
LOCUS AC005277 118788 bp DNA PRI 23-JUL-1998
DEFINITION Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.
ACCESSION AC005277
VERSION AC005277.1 GI:3337311
KEYWORDS HTG.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
```

REFERENCE
AUTHORS
TITLE
JOURNAL
REFERENCE
AUTHORS

1 (bases 1 to 118788)
Birren,B., Fasman,K., Linton,L., Nusbaum,C. and Lander,E.
Homo sapiens chromosome 17, clone hRPK.597_M_12
Unpublished
2 (bases 1 to 118788)
Birren,B., Fasman,K., Linton,L., Nusbaum,C., Lander,E., Allen,N.,
Baker,J., Baldwin,J., Barna,N., Beckerly,R., Benn,J., Boatman,C.,
Boutwell,C., Brown,A., Castle,A., Cerny,J., Cooke,P., Depayre,E.,
Devon,K., Dewar,K., Donelan,L., Etemadi,S., Ferreira,P.,
FitzHugh,W., Forrest,C., Funke,R., Gage,D., Gardyna,S.,
Gensheimer,S., Geraigery,K., Gilmartin,T., Grant,G., Hagos,B.,
Harris,K., Horton,L., Howland,J.C., Hui,L., Jacotot,L., Kann,L.,
Macdonald,P., Marquis,N., McEwan,P., McGurk,A., McKernan,K.,
Meldrim,J., Molla,M., Morris,W., Morrow,J., Mychaleckyj,J.,
Nachman,A., Nahf,R., Naylor,J., Niloff,M., O'Connor,T., Pavlin,B.,
Peterson,K., Riley,R., Roberts,D., Rossello,R., Roy,A., Shyam,R.,
Stange-Thomann,N., Stilwell,J., Stojanovic,N., Stone,C.,
Strickland,C., Subramanian,A., Torruella-Miller,I., Vassiliev,H.,
Vo,A., Wagner,A., Wang,B., Wheeler,J., Wu,Y., Ye,W.J., Zhao,J. and
Zody,M.

TITLE
JOURNAL
REFERENCE
AUTHORS

Direct Submission
Submitted (10-JUL-1998) Whitehead Institute/MIT Center for Genome
Research, 320 Charles Street, Cambridge, MA 02141, USA
3 (bases 1 to 118788)
Birren,B., Fasman,K., Linton,L., Nusbaum,C., Lander,E., Allen,N.,
Baker,J., Baldwin,J., Barna,N., Beckerly,R., Benn,J., Boatman,C.,
Boutwell,C., Brown,A., Castle,A., Cerny,J., Cooke,P., Depayre,E.,
Devon,K., Dewar,K., Donelan,L., Etemadi,S., Ferreira,P.,
FitzHugh,W., Forrest,C., Funke,R., Gage,D., Gardyna,S.,
Gensheimer,S., Geraigery,K., Gilmartin,T., Grant,G., Hagos,B.,
Harris,K., Horton,L., Howland,J.C., Hui,L., Jacotot,L., Kann,L.,
Macdonald,P., Marquis,N., McEwan,P., McGurk,A., McKernan,K.,
Meldrim,J., Molla,M., Morris,W., Morrow,J., Mychaleckyj,J.,
Nachman,A., Nahf,R., Naylor,J., Niloff,M., O'Connor,T., Pavlin,B.,
Peterson,K., Riley,R., Roberts,D., Rossello,R., Roy,A., Shyam,R.,
Stange-Thomann,N., Stilwell,J., Stojanovic,N., Stone,C.,
Strickland,C., Subramanian,A., Torruella-Miller,I., Vassiliev,H.,
Vo,A., Wagner,A., Wang,B., Wheeler,J., Wu,Y., Ye,W.J., Zhao,J. and
Zody,M.

TITLE
JOURNAL
COMMENT

Direct Submission
Submitted (23-JUL-1998) Whitehead Institute/MIT Center for Genome
Research, 320 Charles Street, Cambridge, MA 02141, USA
On Jul 23, 1998 this sequence version replaced gi:3335015.
All repeats were identified using RepeatMasker: Smit, A.F.A. &
Green, P. (1996-1997)
http://ftp.genome.washington.edu/RM/RepeatMasker.html

FEATURES
source

Location/Qualifiers
1. .118788
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="hRPK.597_M_12"
/map="17"
/map="17"
/chromosome="17"
795. .884
/rpt_family="MIR"
complement(932. .1000)
/rpt_family="MIR"
2044. .2076
/rpt_family="AT_rich"
2237. .2713
/rpt_family="MER34"
2718. .3477
/rpt_family="L2"
complement(3478. .3821)
/rpt_family="MLT1A1"
3822. .4007
/rpt_family="L2"
complement(4015. .4281)

repeat_region

repeat_region

repeat_region

repeat_region

repeat_region

repeat_region

repeat_region

repeat_region

```
repeat_region /rpt_family="MER89"  
complement(4282..4321)  
repeat_region /rpt_family="(TAA)n"  
complement(4328..4608)  
repeat_region /rpt_family="AluSx"  
complement(4609..4895)  
repeat_region /rpt_family="MER89"  
complement(4896..5186)  
repeat_region /rpt_family="AluSp"  
5219..5479  
repeat_region /rpt_family="L2"  
complement(5481..5740)  
repeat_region /rpt_family="MER34"  
complement(5963..6275)  
repeat_region /rpt_family="AluSp"  
complement(6411..6494)  
repeat_region /rpt_family="MER5A"  
6830..7013  
repeat_region /rpt_family="MLT1C"  
7014..7318  
repeat_region /rpt_family="AluYb8"  
7319..7581  
repeat_region /rpt_family="MLT1C"  
7721..8032  
repeat_region /rpt_family="AluJb"  
8039..8333  
repeat_region /rpt_family="AluSg"  
9431..9460  
repeat_region /rpt_family="AT_rich"  
9682..9829  
repeat_region /rpt_family="MIR"  
complement(11302..11728)  
repeat_region /rpt_family="MER39"  
complement(11824..11884)  
repeat_region /rpt_family="LTR16C"  
complement(11928..12108)  
repeat_region /rpt_family="LTR16C"  
12453..12725  
repeat_region /rpt_family="AluJb"  
13377..13785  
repeat_region /rpt_family="MSTB"  
14118..14153  
repeat_region /rpt_family="(CA)n"  
complement(15320..15620)  
repeat_region /rpt_family="AluJo"  
15683..15759  
repeat_region /rpt_family="(CA)n"  
complement(15838..15893)  
repeat_region /rpt_family="MER91A"  
complement(15915..16080)  
repeat_region /rpt_family="MER91A"  
complement(16474..16544)  
repeat_region /rpt_family="L2"  
17907..17920  
repeat_region /rpt_family="LIME"  
18271..18311  
repeat_region /rpt_family="L2"  
complement(18368..18529)  
repeat_region /rpt_family="AluJb"  
complement(18530..18560)  
repeat_region /rpt_family="(CA)n"  
complement(18561..18681)  
repeat_region /rpt_family="AluJb"  
18760..19065  
repeat_region /rpt_family="AluSg"  
complement(19638..19896)  
repeat_region /rpt_family="MIR"  
complement(19971..20260)  
repeat_region /rpt_family="LIME3A"  
20263..20552  
repeat_region /rpt_family="MER58B"  
complement(20553..20816)  
repeat_region /rpt_family="LIME3A"
```

```
repeat_region complement(20821..21069)  
/rpt_family="LIM4"  
repeat_region complement(21071..21100)  
/rpt_family="(TAAA)n"  
repeat_region complement(21101..21338)  
/rpt_family="AluSx"  
repeat_region complement(21348..21598)  
/rpt_family="LIM4"  
21799..22104  
repeat_region /rpt_family="AluJo"  
22151..22562  
repeat_region /rpt_family="MSTA"  
23978..24287  
repeat_region /rpt_family="AluSg"  
24852..25199  
repeat_region /rpt_family="L2"  
complement(25697..25985)  
repeat_region /rpt_family="MLT1D"  
25816..25895  
unsure /note="Single-stranded coverage."  
repeat_region complement(25994..26099)  
/rpt_family="purine-rich"  
repeat_region complement(26122..26291)  
/rpt_family="MLT1D"  
26312..26337  
repeat_region /rpt_family="(CAAAA)n"  
26456..26480  
repeat_region /rpt_family="(GGGAA)n"  
complement(26576..26781)  
repeat_region /rpt_family="MER6B"  
complement(26912..26990)  
/rpt_family="MER21B"  
26991..27290  
repeat_region /rpt_family="AluSx"  
complement(27291..27975)  
repeat_region /rpt_family="MER21B"  
28034..28197  
repeat_region /rpt_family="LTR28"  
28266..28795  
repeat_region /rpt_family="LTR28"  
28843..28916  
repeat_region /rpt_family="LFR28"  
28920..29005  
repeat_region /rpt_family="MIR"  
29140..29233  
alignment_scores:  
Quality: 82.00 Length: 82  
Ratio: 1.000 Gaps: 0  
Percent Similarity: 100.000 Percent Identity: 100.000  
alignment_block:  
US-09-988-687-2 x AC005277 ..  
Align seg 1/1 to: AC005277 from: 1 to: 118788  
1 MetTrpAlaLeuCysSerLeuLeuArgSerAlaAlaGlyArgThrMetSe 17  
78562 ATGTGGCGCTTTCCTCCTCCTCGCTCCGCCGCCGCCGCCCATGTC 78611  
17 rGlnGlyArgThrIleSerGlnAlaProAlaArgGluArgProArgL 34  
78612 GCAGGAGCGCACCATATCGCAGGACCCGCCGCCGCCGCCGCCGCA 78661  
34 ysAspProLeuArgHisLeuArgThrArgGluLysArgGlyProSerGly 50  
78662 AGGACCGCTCGGCACCTGCGCACGAGAGAGCGCGGCGCGCGGG 78711  
51 CysSerGlyGlyProAsnThrValTyrLeuGlnValValAlaAlaGlySe 67  
78712 TGCTCCGCGCGGCCCAACACCGCTGTACTGCGAGGTGGTGGCAGCGGTAG 78761  
67 rArgAspSerGlyAlaAlaLeuTyrValPheSerGluPheAsnArg 82
```

```
|||||
78762 CCGGACTCGGCGCGCTCTAGCTTCTCCGAGTTCAACCGG 78807
seq_name: gb_ro:AF308696

seq_documentation_block:
LOCUS AF308696 2712 bp mRNA ROD 27-FEB-2001
DEFINITION Mus musculus ELAC2 mRNA, complete cds.
ACCESSION AF308696
VERSION AF308696.2 GI:11992378
KEYWORDS
SOURCE house mouse.
ORGANISM Mus musculus
REFERENCE
AUTHORS
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 2112)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Abtin,V., Baumgard,M.,
Beck,A., Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P.,
Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C.,
Ghaffari,S., Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N.,
Laity,K.E., Leavitt,A., Leblanc,G., McArthur-Morrison,J.,
Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S.,
Schroeder,M., Smith,R., Snyder,K.T., Swedlund,B., Swensen,J.,
Thomas,A., Tranchant,M., Woodland,A.M., Labrie,F., Skolnick,M.H.,
Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
A candidate prostate cancer susceptibility gene at chromosome 17p
Nat. Genet. 27 (2), 172-180 (2001)
11175785
2 (bases 1 to 2112)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,
Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,
Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,
Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K.E.,
Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,
Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,
Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,
Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.
and Cannon-Albright,L.A.
Mouse ortholog of human HPC2/ELAC2
Unpublished
3 (bases 1 to 2112)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,
Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,
Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,
Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K.E.,
Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,
Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,
Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,
Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.
and Cannon-Albright,L.A.
Direct Submission
Submitted (27-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt
Lake City, UT 84103, USA
4 (bases 1 to 2112)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,
Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,
Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,
Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K.E.,
Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,
Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,
Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,
Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.
and Cannon-Albright,L.A.
Direct Submission
Submitted (26-DEC-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt
Lake City, UT 84103, USA
Sequence update by submitter
On Dec 26, 2000 this sequence version replaced gi:10946492.
Location/Qualifiers
1..2712
/organism="Mus musculus"
/db_xref="taxon:10090"
/dev_stage="fetus"
source

|||||
15. .2510
/note="similar to Homo sapiens HPC2/ELAC2"
/codon_start=1
/product="ELAC2"
/protein_id="AA24918.2"
/db_xref="GI:11992379"
/translation="MWALRSLLRLPLGLRTMSQGSARRPRPSKDPRLRLHRLTRKRGPGP
GGPNTVYLQVVAAGRDAGAAALYVFSEYNRYLFNCGEGVQRLQMGHKLKVARLDNIFL
TRHWSNVGGLCGMILTLETGCLPKCVLGGPPOLSEKYLEAIFSPGLKGIELAVRPH
SAPEYKDETMVYQVPIHISERCGKQSQSPRTSPNRLSPKQSSDSSGAENGQCPPE
DSSAGANKRAGDPSPVLVAFVCKLHRLKGNFLVLAKEGLPVGTAATAPIIAAVKD
KSTITYEGREIAAEELCTPPDPGLVIVVECPDEGFIIPCENDDTFKRYQAADAPVA
LVWHIAPELVSLIDRSYQQOMERFGPDTHLILNENCPSHVNLRSKHIOQLSLIHDPDI
PPLTSTFYSKKEGSLVSYPTVRGECCLKVQLRPGKQWQDTPDCNTDEFIAEALPL
SFOESVEYRKVNQENPAPAKRSQYPELVGTGSAIPMKIRNYSSTLVNLSPKSV
LDCGEGTFGLCRHYGQOQIDRVLCSTLAVFVSHLHADHHHGLLMLILQREHALASLG
KFPQPLLVAPTQLRAWLQOYHNCQEIHLHVMIPAKCLQKGAESVNTLRLRLSLL
LETDLLEFQTLVRHCKHAFGALVSHSGMKVYSGDTPCEALVQMGKDATLHIE
ATLDGMEEAVEKTHSTTQAINVGMNAGFIMLNHFSQRYAKIPLFSPDFNEKVG
IAFDHMKVCFGDFPTVPKLIPLPKALFAGDIEEMVERREKRELRLVRAALLTQQADSP
EDREPQOKRAHTDEPHSPQSKKESVANTLGARV"
BASE COUNT 659 a 741 c 748 g 564 t
ORIGIN

alignment_scores:
Quality: 51.00 Length: 51
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AF308696 ..
Align seg 1/1 to: AF308696 from: 1 to: 2712
123 GlyMetIleLeuThrLeuLysGluThrGlyLeuProLysCysValLeuSe 139
|||||
357 GGAATGATTTTAACTTTAAAGAAACCGGCTTCCCAATATGTTCTGTC 406
|||||
139 rGlyProGlnLeuGluLysTyrLeuGluAlaIleLysIlePheSerG 156
|||||
407 TGGACCAACCAACAGCTGGAGAAATATCTAGAACCAATCAAAATATTTTCTG 456
|||||
156 LyrProLeuLysGlyIleGluLeuAlaValArgProHisSerAlaProGlu 172
|||||
457 GTCCATTGAAGGAATAGAACTGCGCGCTCCTACTCTGCACCAGAA 506
|||||
173 Tyr 173
507 TAC 509

seq_name: gb_pr:AF304371S2

seq_documentation_block:
LOCUS AF304371S2 740 bp DNA PRI 19-OCT-2000
DEFINITION Homo sapiens putative prostate cancer susceptibility protein
HPC2/ELAC2 gene, exon 17 and partial cds.
ACCESSION AF304369
VERSION AF304369.1 GI:10880929
KEYWORDS
SEGMENT 2 of 2
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 740)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,
Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,
Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,
Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K.E.,
Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,
Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,
Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,
```

Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.
and Cannon-Albright,L.A.
A strong candidate prostate cancer susceptibility gene at
chromosome 17p
Unpublished
2 (bases 1 to 740)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,
Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,
Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,
Gupte,J.S., Hu,R., Iliev,D., Janecki,T., Kort,E.N., Laity,K.E.,
Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,
Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,
Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,
Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.
and Cannon-Albright,L.A.
Direct Submission
Submitted (12-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt
Lake City, UT 84108, USA
Location/Qualifiers
1..740
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosomes="17"
/map="17p"
301..439
/number=17
<301..>439
/product="putative prostate cancer susceptibility protein
HPC2/ELAC2"
/codon_start=2
/product="putative prostate cancer susceptibility protein
HPC2/ELAC2"
/protein_id="AAC24440.1"
/db_xref="GI:10880931"
/translation="PDTSLLLDCGEGTFGQLCRHYGDQVRLVLTGLAIVFVSHLHADH
Hr"
BASE COUNT 154 a 188 c 173 g 225 t
ORIGIN
alignment_scores:
Quality: 47.00 Length: 47
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000
alignment_block:
US-09-988-687-2 x AF304371S2 ..
Align seg 1/1 to: AF304371S2 from: 1 to: 740
507 SerProAspThrSerLeuLeuAspCysGlyGluGlyThrPheGlyG1 523
|||||
299 AGCCCGACACGTCCTGCTACTGGACTGTGTTGAGGCACATTTGGGCA 348
|||||
523 nLeuCysArgHisTyrglyAspGlnValAspArgValLeuGlyThrLeuA 540
|||||
349 GCTGTGCGTCATTACGAGACACAGGTGGACAGGTCCTGGGACCCCTGG 398
|||||
540 laAlaValPheValSerHisLeuHisAlaAspHisHisThr 553
|||||
399 CTGCTGTGTTGTGTCACCTGCACGACGATCACCACACG 439
seq_name: gb_pr:AF304371S1
seq_documentation_block:
LOCUS AF304371S1 721 bp DNA PRI 19-OCT-2000
DEFINITION Homo sapiens putative prostate cancer susceptibility protein
HPC2/ELAC2 gene, exon 7 and partial cds.
ACCESSION AF304371
VERSION AF304371.1 GI:10880928
KEYWORDS
SEGMENT 1 of 2

human.
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 721)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,
Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,
Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,
Gupte,J.S., Hu,R., Iliev,D., Janecki,T., Kort,E.N., Laity,K.E.,
Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,
Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,
Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,
Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.
and Cannon-Albright,L.A.
A strong candidate prostate cancer susceptibility gene at
chromosome 17p
Unpublished
2 (bases 1 to 721)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A.,
Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M.,
Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S.,
Gupte,J.S., Hu,R., Iliev,D., Janecki,T., Kort,E.N., Laity,K.E.,
Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B.,
Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R.,
Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M.,
Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J.
and Cannon-Albright,L.A.
Direct Submission
Submitted (12-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt
Lake City, UT 84108, USA
Location/Qualifiers
1..721
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosomes="17"
/map="17p"
301..420
/number=7
<301..>420
/product="putative prostate cancer susceptibility protein
HPC2/ELAC2"
/codon_start=3
/product="putative prostate cancer susceptibility protein
HPC2/ELAC2"
/protein_id="AAC24439.1"
/db_xref="GI:10880930"
/translation="EORRGKHQWPQSPERPLRLSPERSSDSESNENEPHLPH"
BASE COUNT 201 a 143 c 184 g 193 t
ORIGIN
alignment_scores:
Quality: 40.00 Length: 40
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000
alignment_block:
US-09-988-687-2 x AF304371S1 ..
Align seg 1/1 to: AF304371S1 from: 1 to: 721
188 GluGlnArgArgGlyLySHisGlnProTropGlnSerProGluArgProLe 204
|||||
303 GAACAGAGAGGGGAAAGACCAACCATGGCAGAGTCCAGAAAGCGCTCT 352
|||||
204 uSerArgLeuSerProGluArgSerSerAspSerGluSerGluSerGluAsnG 221
|||||
353 CAGCAGGCTCAGTCCAGCAGCGATCTTCAGACTCCGAGTCGAATCAAAATG 402
|||||
221 luProHisLeuProHisGly 227
|||||
403 AGCCACACCTTCCACATGGT 422


```

269239
269239.1 GI:1177333
byr1; cct2; CDP-alcohol phosphatidyltransferase; chaperonin;
conjugation and sporulation; csk1; cyclin suppressing protein
kinase; DNA repair helicase; golgi peripheral membrane protein;
protein kinase; rad15; rhp3; serine threonine protein kinase; stel;
TCPI beta subunit homologue; tf2 ITR.
SOURCE
Schizosaccharomyces pombe
ORGANISM
Eukaryota; Fungi; Ascomycota; Schizosaccharomycetes;
Schizosaccharomycetales; Schizosaccharomycetaceae;
Schizosaccharomycetes.
REFERENCE
1 (bases 1 to 31201)
AUTHORS
Lye G., Churcher C.M., Barrell B.G., Rajandream M.A. and Walsh S.V.
TITLE
Direct Submision
JOURNAL
Submitted (01-FEB-1995) Schizosaccharomycetes pombe chromosome I
sequencing project, Sanger Centre, Hinxton Hall, Hinxton, Cambridge
CB10 1RQ E-mail: barrell@sanger.ac.uk
COMMENT
Notes:
Details of yeast sequencing at the Sanger Centre are available on
the World Wide Web.
(URL, http://www.sanger.ac.uk/Projects/S.pombe)
protein coding regions (CDS) have been predicted with the help of
computer analysis using the Genefinder program in Pombase (an ACEDB
database) with additional predictions for the branch-acceptor sites
supplied by the program Sp3splice. CAUTION: It is possible that for
any individual CDS we may have underestimated or overestimated the
number of introns/exons or we may not have chosen the correct
splice donor/acceptor sites.
CDS are numbered using the following system eg SPAC5H10.01c. SP (S.
pombe), A (chromosome 1), c5H10 (cosmid name), .01 (first CDS), c
(complementary strand).
The more significant matches with motifs in the PROSITE database
are also included but some of these may be fortuitous.
The length in codons is given for each CDS.
IMPORTANT: This sequence MAY NOT be the entire insert of the
sequenced clone. It may be shorter because we only sequence
overlapping sections once, or longer, because we arrange for a
small overlap between neighbouring submissions.
Cosmid c1d4 is overlapped at the 5' end by cosmid c1f3 and at the
3' end by cosmid c22f3
FEATURES
source
Location/Qualifiers
1. .31201
/organism="Schizosaccharomycetes pombe"
/strain="972h-"
/db_xref="taxon:4896"
/chromosome="I"
/clone="cosmid c1d4"
/map="IL"
misc_feature
1. .133
/note="the sequence of this region is derived from cosmid
c1f3, the true end of c1d4 is at position 134, while the
true end of c1f3 is at position 4137 in this sequence"
7. .864
/gene="SPAC1f3.11"
/note="SPAC1d4.01"
7. .864
/gene="SPAC1f3.11"
/note="SPAC1d4.01, len:285"
/codon_start=1
/product="hypothetical 33.0 kd protein"
/protein_id="CAB56125.1"
/db_xref="GI:5912524"
/translation="MRQIFCTCTGMNGIYFQGLLEIPTTKSIRNNSHIKKSNRS
FRKRVFGNEKFDLELDNDIRLEALEATKRRKIRNSIIGINAEKLNQETKEK
OLNTANPEANDOTSQSSKLEIACLPVEDPEFAKOTNEVDINTHLNFEVKLKQE
RLAONYSENGETNALNTKNESTVONIKSLHNEHSFIKDAALGAIRVEDLGIIST
VDNLKRRQRKRRKMKELDSKALRTSEDAARDFIEKMLKPSIQDESGIYRRF
RVYKGTQD"
complement(join(1088. .1636,1686. .1873,1970. .2090,
2137. .2316))
/gene="SPAC1d4.02c"
complement(join(1088. .1636,1686. .1873,1970. .2090,
2137. .2316))
/genes="SPAC1d4.02c", len:345, SIMILARITY:Rattus norvegicus,
035254, golgi peripheral membrane protein p65., (451 aa),
fasta scores: opt: 493, E():4.7e-20, (34.4% identity in
305 aa)
/codon_start=1
/label="SPAC1d4.02c"
/product="putative golgi peripheral membrane protein"
/protein_id="CAB56126.1"
/db_xref="GI:5912525"
/translation="MFGGLKNIKEKSEALAGIHRESDESCGFRVLKVNDSKAYNAR
IESYDFITAVNGILLGDPFSMFALLRDSPEVTLEFSLAQITRKVNINISDEK
ICMVLQASIAPAVDAILHNLVDDSPVARSLVPEYIVGTGPGMWTGKALSIDL
IESHLNRRLRLYLXHYRDSRQVITVPRNRHGNGAICGCGVGHVLRPLAPLSGPP
PQGDIVSNPMLGDPDVKYSPSEFENLPTPEPKIASANAGSSNEISIPHYQRHK
KSHKGAIQDSSIOSYLDDEBKUSRELDRKTDASSTNDSTQTLPLPPPPVAVNSTNDE
SAPQNEELVKN"
complement(1637. .1651)
/note="splice branch and acceptor sequence,
ctaacaaatttaacag"
complement(1680. .1685)
/note="splice donor sequence, gtatgt"
complement(1874. .1886)
/note="splice branch and acceptor sequence, ctaacgactacag"
complement(1964. .1969)
/note="splice donor sequence, gtaagt"
complement(2091. .2108)
/note="ctaaagtgtttttcag, splice branch and acceptor"
complement(2131. .2136)
/note="gtatga, splice donor sequence"
complement(join(2574. .2820,2907. .4201))
/gene="SPAC1d4.03c"
complement(join(2574. .2820,2907. .4201))
/gene="SPAC1d4.03c"
/note="SPAC1d4.03c, len:513, SIMILARITY:Fugu rubripes,
Q9YGN1, sand protein., (520 aa), fasta scores: opt: 609,
E():7.2e-32, (28.5% identity in 407 aa)"
/codon_start=1
/label="SPAC1d4.03c"
/product="hypothetical protein"
/protein_id="CAA93212.1"
/db_xref="GI:1177336"
/translation="MEPTSEHSIKKEVDNVRHSESCGSLINLPGNVLMAAPSV
SEDDQEVSRSTPELRSNVNVEQLLSIDLHNSPLNVTYSTSSSSNNTAVDEIKLL
SLISFDLAKQKTYLIFSSGKPFVSNIVDDSIESTYCALQALISSFVSKELTSF
STFSNVIVLSKNPLYLVGVSPSTLSAAAYLLSELNLYCQILTGVTAKAMQLTLSNR
PNFDLRLIGSNEQFLKELDQNDYELVPTLNAISPLPSRFSRDQLSOLLRLTPK
SLLTFTIAGRGLCMVKAKLLHLLHANDLYLLFLSLFRTQSFNDSMEHWVPVCFPLN
PDATYIVSYFLCKDVTLMSSGSEGVFEMQSKVQAEIQDHGWLKLLYCEMD
RTTPRNPSPCISHLYFSKYSQFTPGYSPSTNFTNRTLYATYASHDQAFHKKN
SPSINNTVHESLLLTWSTASPDFHCIAATTSQLLIANVKNILRWIRRENRFLIQ
TNLSF"
complement(2821. .2836)
/note="splice branch and acceptor sequence,
ctaaactatgtttta g"
complement(2901. .2906)
/note="splice donor sequence, gtacgt"
join(5400. .5402,5439. .5570,5618. .7066)
/gene="SPAC1d4.04"
/note="cct2"
join(5400. .5402,5439. .5570,5618. .7066)
/gene="SPAC1d4.04"
complement(join(5400. .5402,5439. .5570,5618. .7066)
/note="SPAC1d4.04"
/codon_start=1
/product="probable t-complex protein 1, beta subunit"
/protein_id="CAA93213.1"
/db_xref="GI:1177337"
/translation="MSLNPHQIFNESGQIQRGENARLSFVGAIAGVDLVKSTLGPKG
MDKILQSSNGDVIIVTNDGATILKSLDNLNAAKVLNISKVQDDVGDTGTVSVCVFA
ABELLRQAEIMVNAKTHPQVIIDGRIATKTDALRASSIDNSSDPKPRSDENIAR

```

```
TTLSKILSONKHFQAQLAVDAVLRKLGSTNLDNIQIKILGKLDPSFLDEGFIILNK
TIGVCPKNVMEINLIANTMDTKVKVFCARVRVDTTGKLALEAERERKMAKVE
KIKSHNTNCFENROLIYNWPEQLFADAGINSIEHADFDGIERLSVITGCTASTFDHP
ELVKLGHCKIEELIIGEDKNKIKFSGVEAGACTVILRGATHQLLDESERAIHDLAV
LSQVAVSRVTLGGCGEMLMKAKAVEERAPGKAVAVSAFALKUSQLPTIILADNA
GFDSESELVQAKAAHYDNGDNTMGLOMDEGEIADMRAGILEALKLQAVVSSGSEGAQ
LLLRVDYILKAPRPRERM"
misc_feature
5425..5438
/note="splice branch and acceptor sequence,
tactaacgatatag"
misc_feature
join(5529..5570,5618..7045)
/gene="SPAC1D4.04"
/note="Match to PF00118 cpn60_TCP1, TCP-1/cpn60 chaperonin
family Score 590.77"
misc_feature
5571..5576
/note="splice donor sequence, gtaagg"
misc_feature
5604..5617
/note="splice branch and acceptor sequence,
ttaaagatttatag"
misc_feature
5741..5767
/gene="SPAC1D4.04"
/note="PS00995 Chaperonins TCP-1 signature 3"
complement(join(7282..8366,8419..8497))
/gene="SPAC1D4.05c"
complement(join(7282..8366,8419..8497))
/gene="SPAC1D4.05c"
/note="SPAC1D4.05c, len:387, LOW SIMILARITY:Mus musculus,
Q92000, polytropic murine leukemia virus receptor sygl.,
(695 aa), fasta scores: opt: 261, E():1.5e-10, (25.1%
identity in 398 aa) also shows low similarity to,
Saccharomyces cerevisiae, ERD1 YEAST, ERD1 protein., (362
aa), fasta scores: opt: 187, E(): 1e-05, (23.6% identity
in 382 aa)
SPAC1D4.05c, len:387, SIMILARITY:Mus musculus, Q92000,
polytropic murine leukemia virus receptor sygl., (695 aa),
fasta scores: opt: 261, E():1.5e-10, (25.1% identity in
398 aa)"
/codon_start=1
/label=SPAC1D4.05c
/product="hypothetical protein"
/protein_id="CAA93214.1"
/db_xref="GI:1177338"
/db_xref="SWISS-PROT:Q10151"
/translation="MDLEVEFEPPLHKLALPRIGLIVIVGTWLSVCSYHLIYILNRY
QPISPNPGSLNSWYHLLQIPLNSNRHTDLENTFEKANLYSPVDFHAGYCFALISI
SWATGFILFKKTQDGLGSHFIYPLWITAFILVIFPPWIRSRQGLRKSII
RVFLFQADFRSPKDFIVSEIFTSYAKALGDFYIFGCVLQGHSHSKFTLRPLDKDGT
FVPLAMAYPFIVAILQCLHYGLSRKHTFKINLSKALKHATAPLVIVISAIHAKQT
KFTLTSGHYLFWLWLSALLSSAYTFLWDVFIIDWIRIFPFPHKSIHNRKRFPMFIVAIG
CFINFLRVTSMKLHPRLHOFHEYENGISFEMLEILRLRFLWLFHFLDAISS"
complement(8367..8389)
misc_feature
/note="splice branch and acceptor sequence,

alignment_scores:
  Quality: 11.00      Length: 11
  Ratio: 1.000      Gaps: 0
Percent Similarity: 100.000  Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x SPAC1D4
..
Align seg 1/1 to: SPAC1D4 from: 1 to: 31201

681 ThrLeuLeulleHisGluAlaThrLeuGluasp 691
|||||
16609 ACTTTATTAATTCACGAAGCTACTTTTGAAGAC 16641

seq_name: gb_htg:AC036490

seq_documentation_block:
LOCUS AC036490 881 bp DNA HTG 07-APR-2000
DEFINITION Giardia intestinalis clone EJ0814 strain WB-C6, LOW-PASS SEQUENCE
SAMPLING.

seq_name: gb_htg:AC036490
seq_documentation_block:
LOCUS AC036490 881 bp DNA HTG 02-APR-2000
DEFINITION Giardia intestinalis clone EII1687 strain WB-C6, LOW-PASS SEQUENCE
SAMPLING.
```

```
AC036490
AC036490.1 GI:7524276
HTG: HTGS_PHASE0
KEYWORDS Giardia intestinalis.
SOURCE Giardia intestinalis.
ORGANISM Eukaryota; Diplomonadida; Hexamitidae; Giardiinae; Giardia.
REFERENCE 1 (bases 1 to 881)
AUTHORS Morrison,H.G., Hinkle,G., Holder,M.E. and Sogin,M.L.
Crockier,M.C., Hinkle,G., Holder,M.E. and Sogin,M.L.
Morrison,H.G., McArthur,A.G., Nixon,J., Eakin,N.Q., Kim,U.,
Crocker,M.C., Hinkle,G., Holder,M.E. and Sogin,M.L.
Giardia: a model for ancient eukaryotic genome analysis
Unpublished
TITLE Giardia: a model for ancient eukaryotic genome analysis
JOURNAL 2 (bases 1 to 881)
AUTHORS Eakin,N.Q., Morrison,H.G., McArthur,A.G., Nixon,J., Kim,U.,
Crockier,M.C., Hinkle,G., Holder,M.E. and Sogin,M.L.
Direct Submission
TITLE Submitted (07-APR-2000) Josephine Bay Paul Center for Comparative
JOURNAL Molecular Biology and Evolution, Marine Biological Laboratory, 7
Molecular Biology and Evolution, Marine Biological Laboratory, 7
MBL Street, Woods Hole, MA 02543-1015, USA
* NOTE: This record contains 1 individual
* sequencing reads that have not been assembled into
* contigs. Runs of N are used to separate the reads
* and the order in which they appear is completely
* arbitrary. Low-pass sequence sampling is useful for
* identifying clones that may be gene-rich and allows
* overlap relationships among clones to be deduced.
* However, it should not be assumed that this clone
* will be sequenced to completion. In the event that
* the record is updated, the accession number will
* be preserved.
* 1 881: contig of 881 bp in length.
FEATURES
Location/Qualifiers
source
1..881
/organism="Giardia intestinalis"
/strain="WB-C6"
/db_xref="taxon:5741"
/cclone="EJ0814"
BASE COUNT 217 a 238 c 189 g 237 t
ORIGIN

alignment_scores:
  Quality: 10.00      Length: 10
  Ratio: 1.000      Gaps: 0
Percent Similarity: 100.000  Percent Identity: 100.000

alignment_block:
US-09-988-687-2 x AC036490
..
Align seg 1/1 to: AC036490 from: 1 to: 881

223 HisLeuProHisGlyValSerGlnArgArg 232
|||||
433 CATTTACCTCATGGAGTCTCTCAGAGAAGG 462

seq_name: gb_htg:AC031419
seq_documentation_block:
LOCUS AC031419 938 bp DNA HTG 02-APR-2000
DEFINITION Giardia intestinalis clone EII1687 strain WB-C6, LOW-PASS SEQUENCE
SAMPLING.
AC031419
AC031419.1 GI:7386746
HTG: HTGS_PHASE0.
KEYWORDS Giardia intestinalis.
SOURCE Giardia intestinalis.
ORGANISM Eukaryota; Diplomonadida; Hexamitidae; Giardiinae; Giardia.
REFERENCE 1 (bases 1 to 938)
AUTHORS Morrison,H.G., McArthur,A.G., Nixon,J., Eakin,N.Q., Kim,U.,
Crocker,M.C., Hinkle,G., Holder,M.E. and Sogin,M.L.
Giardia: a model for ancient eukaryotic genome analysis
Unpublished
TITLE Giardia: a model for ancient eukaryotic genome analysis
JOURNAL 2 (bases 1 to 938)
AUTHORS Eakin,N.Q., Morrison,H.G., McArthur,A.G., Nixon,J., Kim,U.,
```

Crocker,M.C., Hinkle,G., Holder,M.E. and Sogin,M.L.

Direct Submission
Submitted (02-APR-2000) Josephine Bay Paul Center for Comparative
Molecular Biology and Evolution, Marine Biological Laboratory, 7
MBL Street, Woods Hole, MA 02543-1015, USA

COMMENT
* NOTE: This record contains 1 individual
* sequencing reads that have not been assembled into
* contigs. Runs of N are used to separate the reads
* and the order in which they appear is completely
* arbitrary. Low-pass sequence sampling is useful for
* identifying clones that may be gene-rich and allows
* overlap relationships among clones to be deduced.
* However, it should not be assumed that this clone
* will be sequenced to completion. In the event that
* the record is updated, the accession number will
* be preserved.

1 938: contig of 938 bp in length.

FEATURES

Location/Qualifiers
1..938
/organism="Giardia intestinalis"
/strain="WB-C6"
/db_xref="taxon:5741"
/clone="E11087"

BASE COUNT 246 a 244 c 198 g 250 t
ORIGIN

alignment_scores:

Quality: 10.00 Length: 10
Ratio: 1.000 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-988-687-2 x AC031419 ..
Align seg 1/1 to: AC031419 from: 1 to: 938

223 HisLeuProHisGlyValSerGlnArgArg 232

|||||

363 CATTACTCATGGAGTCTCTCAGAGAAGG 392

seq_name: gb_pl:AC022354

seq_documentation_block:

LOCUS AC022354 46335 bp DNA PLN 25-OCT-2000
DEFINITION Arabidopsis thaliana chromosome 1 BAC F915 genomic sequence,
complete sequence.

ACCESSION AC022354

VERSION AC022354.1 GI:6850338

KEYWORDS HTG.

SOURCE

ORGANISM

Arabidopsis thaliana
Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
Rosidae; eurosids II; Brassicales; Brassicaceae; Arabidopsis.

1 (bases 1 to 46335)

Lin,X., Kaul,S., Town,C.D., Benito,M.-I., Creasy,T.H., Haas,B.J.,
Wu,D., Maiti,R., Ronning,C.M., Koo,H., Fujii,C.Y., Utterback,T.R.,
Barnstead,M.E., Bowman,C.L., White,O., Nierman,W.C. and Fraser,C.M.
Arabidopsis thaliana chromosome 1 BAC F915 genomic sequence

Unpublished

2 (bases 1 to 46335)

Lin,X.

Direct Submission

Submitted (01-FEB-2000) The Institute for Genomic Research, 9712
Medical Center Dr., Rockville, MD 20850, USA

3 (bases 1 to 46335)

Town,C.D. and Kaul,S.

Direct Submission

Submitted (25-OCT-2000) The Institute for Genomic Research, 9712
Medical Center Dr., Rockville, MD 20850, USA, cdtown@tigr.org

Address all correspondence to:at@tigr.org

COMMENT

BAC clone F915 is from Arabidopsis thaliana chromosome 1
The orientation of the sequence is from SP6 to T7 end of the BAC
clone.

Genes were identified by a combination of several methods: Gene
prediction programs including Genscan+ (Chris Burge,
http://CCR-081.mit.edu/GENSCAN.html), GeneMarkHM (Mark Borodovsky,
http://genemark.biology.gatech.edu/GeneMark/), GlimmerA (a variant
of GlimmerM, see Mihaela Pertea,
http://www.tigr.org/softlab/glimmerm.htm/glimmerm.html, and
GeneSplicer (Mihaela Pertea and Steven Salzberg, contact
mpertea@tigr.org), searches of the complete sequence against a
peptide database and the plant EST database at TIGR
(http://www.tigr.org/tdb/tgi.shtml). Annotated genes are named to
indicate the level of evidence for their annotation. Genes with
similarity to other proteins are named after the database hits.
Genes without significant peptide similarity but with EST
similarity are named as unknown proteins. Genes without protein
or EST similarity, that are predicted by more than two gene
prediction programs over most of their length are annotated as
hypothetical proteins. Genes encoding tRNAs are predicted by
tRNAscan-SE (Sean Eddy, http://genome.wustl.edu/eddy/tRNAscan-SE/).
Simple repeats are identified by repeatmasker (Arian Smit,
http://ftp.genome.washington.edu/RM/repeatMasker.html).

FEATURES

Location/Qualifiers

1..46335

/organism="Arabidopsis thaliana"

/cultivar="Columbia"

/db_xref="taxon:3702"

/chromosome="1"

/clone="F915"

/complement(<126..>334)

/gene="F915.18"

/complement(126..334)

/gene="F915.18"

/note="similar to HD-zip (Arabidopsis thaliana)

GI:1149569"

/complement(<128..334)

/gene="F915.18"

/codon_start=1

/product="HD-zip-like protein, 3' partial"

/protein_id="AAG26011.1"

/db_xref="GI:10998865"

/translation="MAMSKDKGKGLDNGKRVYRTPQEVALERLYHDCPKPSIRR

QQLIRECPILSNIEPKQIKVWFQNR"

1002..1048

/rpt_family="(GAGAA)n"

/complement(1169..1195)

/rpt_family="AT_rich"

/complement(1562..1608)

/rpt_family="AT_rich"

/complement(2125..2154)

/rpt_family="(GAAA)n"

/complement(3622..3728)

/rpt_family="AT_rich"

6914..6989

/rpt_family="(TTAAA)n"

/complement(join(<7284..7610,7681..8652,8869..9016,

9063..9373,9467..9826,9904..9947,10041..10095,

10177..10221,10306..10395,10478..>10639))

/gene="F915.1"

/complement(7284..10639)

/gene="F915.1"

/complement(join(7284..7610,7681..8652,8869..9016,

9063..9373,9467..9826,9904..9947,10041..10095,

10177..10221,10306..10395,10478..10639))

/gene="F915.1"

/codon_start=1

/product="unknown protein"

/protein_id="AAF29402.1"

/db_xref="GI:6850339"

/translation="MENNEATNGSKSSNSFVNKRRAEGEIDTKKRNLRKRSQKL
NPTNTIAYAILGTGMDTQDTSSVLLFDKORFTFNAGEGLQRCTPHKIKLSIDH
VFLSRVCSETAGGLPGLLLTLAGIGEGLSVNVWGPSDLNVLVDAMKSFIPRAAMVHT

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 29, 2002, 10:20:53 ; Search time 14.18 seconds
(without alignments)
1310.841 Million cell updates/sec

Title: US-09-988-687-2
Perfect score: 826
Sequence: 1 MWALSLRLSRAAGRTMSQGR.....EPOKRAHTEEPOAKKVRQA 836

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 212252 seqs, 22503292 residues

Word size : 0

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	9	1.1	838	4	US-09-315-794-52
2	9	1.1	838	4	US-09-389-341-52
3	8	1.0	138	3	US-08-930-894-5
4	7	0.8	40	4	US-08-981-392-33
5	7	0.8	250	2	US-08-685-992-7
6	7	0.8	250	2	US-09-144-925-7
7	7	0.8	289	1	US-08-036-210-13
8	7	0.8	289	2	US-08-449-609-13
9	7	0.8	328	4	US-08-878-989-7
10	7	0.8	328	4	US-09-272-796-7
11	7	0.8	432	2	US-08-677-049-8
12	7	0.8	460	2	US-08-677-049-10
13	7	0.8	559	1	US-08-320-559-31
14	7	0.8	559	3	US-08-545-860D-31
15	7	0.8	559	5	PCT-US94-04496-31
16	7	0.8	872	1	US-08-451-715A-8
17	7	0.8	928	2	US-08-841-483-4
18	7	0.8	928	4	US-09-382-911-4
19	7	0.8	1248	2	US-08-348-353-17
20	7	0.8	1248	2	US-08-465-965-17
21	7	0.8	1248	3	US-08-465-966-17
22	7	0.8	1261	4	US-09-208-742-4
23	7	0.8	1261	4	US-09-332-295-2
24	6	0.7	6	1	US-08-093-741-80
25	6	0.7	6	1	US-08-720-012-80
26	6	0.7	9	5	PCT-US93-01901-17
27	6	0.7	10	2	US-08-595-043A-73

ALIGNMENTS

RESULT 1

US-09-315-794-52
; Sequence 52, Application US/09315794
; Patent No. 6197517
; GENERAL INFORMATION:
; APPLICANT: Roberts, Christopher J.
; TITLE OF INVENTION: ESSENTIAL GENES OF YEAST AS TARGETS FOR ANTIFUNGAL
; TITLE OF INVENTION: AGENTS, HERBICIDES, INSECTICIDES AND ANTI-PROLIFERATION
; TITLE OF INVENTION: DRUGS
; FILE REFERENCE: 9301-053
; CURRENT APPLICATION NUMBER: US/09/315,794
; CURRENT FILING DATE: 1999-05-21
; NUMBER OF SEQ ID NOS: 64
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 52
; LENGTH: 838
; TYPE: PRT
; ORGANISM: Saccharomyces cerevisiae
US-09-315-794-52

Query Match 1.1%; Score 9; DB 4; Length 838;
Best Local Similarity 100.0%; Pred. No. 2.2;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 682 LLTHEATLE 690

Db 717 LLTHEATLE 725

RESULT 2

US-09-389-341-52
; Sequence 52, Application US/09389341
; Patent No. 6200803
; GENERAL INFORMATION:
; APPLICANT: Roberts, Christopher J.
; TITLE OF INVENTION: ESSENTIAL GENES OF YEAST AS TARGETS FOR ANTIFUNGAL
; TITLE OF INVENTION: AGENTS, HERBICIDES, INSECTICIDES AND ANTI-PROLIFERATION
; TITLE OF INVENTION: DRUGS
; FILE REFERENCE: 9301-057
; CURRENT APPLICATION NUMBER: US/09/389,341
; CURRENT FILING DATE: 1999-09-02
; EARLIER APPLICATION NUMBER: 09/315,794
; EARLIER FILING DATE: 1999-05-21
; NUMBER OF SEQ ID NOS: 72
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 52
; LENGTH: 838
; TYPE: PRT
; ORGANISM: Saccharomyces cerevisiae

US-09-389-341-52

Query Match 1.1%; Score 9; DB 4; Length 838;
Best Local Similarity 100.0%; Pred. No. 2.2;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 682 LLIHTEATLE 690
|||||
DB 717 LLIHTEATLE 725

RESULT 3

US-08-930-894-5
; Sequence 5, Application US/08930894
; Patent No. 6037524
; GENERAL INFORMATION:
; APPLICANT: GREENLAND, Andrew James
; APPLICANT: DRAPER, John
; APPLICANT: SKIPSEY, Marc
; APPLICANT: WARNER, Simon
; TITLE OF INVENTION: S-ADENOSYL-L-HOMOCYSTEIN HYDROLASE PROMOTER
; NUMBER OF SEQUENCES: 10
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pillsbury Madison & Sutro
; STREET: 1100 New York Avenue, N.W.
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005-3918
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: MS word
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/930,894
; FILING DATE: 09-OCT-1997
; CLASSIFICATION: 800
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/GB96/00882
; FILING DATE: 10-APR-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: GB 9507381.3
; FILING DATE: 10-APR-1995
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 138 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; ORGANISM: TOBACCO SHH PROTEIN
US-08-930-894-5

Query Match 1.0%; Score 8; DB 3; Length 138;
Best Local Similarity 100.0%; Pred. No. 4.4;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
|||||
DB 49 DATLLIHE 56

RESULT 4

US-08-981-392-33
; Sequence 33, Application US/08981392
; Patent No. 6262025
; GENERAL INFORMATION:
; APPLICANT: Ish-Horowicz, David
; APPLICANT: Henrique, Domingos Manuel Pinto

; APPLICANT: Lewis, Julian Hart
; APPLICANT: Artavanis-Tsakonas, Spyridon
; APPLICANT: Gray, Grace
; TITLE OF INVENTION: NUCLEOTIDE AND PROTEIN SEQUENCES
; TITLE OF INVENTION: OF VERTEBRATE DELTA GENES AND METHODS BASED THEREON
; NUMBER OF SEQUENCES: 94
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds LLP
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10036/2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/981,392
; FILING DATE: 22-DEC-1997
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Antler, Adriane M.
; REGISTRATION NUMBER: 32,605
; REFERENCE/DOCKET NUMBER: 7326-038
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-790-9090
; TELEFAX: 212-869-8864
; TELEX: 66141 PENNIE
; INFORMATION FOR SEQ ID NO: 33:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 40 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
US-08-981-392-33

Query Match 0.8%; Score 7; DB 4; Length 40;
Best Local Similarity 100.0%; Pred. No. 14;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 203 PLSRLSP 209
|||||
DB 4 PLSRLSP 10

RESULT 5
US-08-685-992-7
; Sequence 7, Application US/08685992
; Patent No. 5912138
; GENERAL INFORMATION:
; APPLICANT: Tonks, Nicholas
; APPLICANT: Flint, Andrew J.
; TITLE OF INVENTION: SUBSTRATE TRAPPING PROTEIN
; TITLE OF INVENTION: TYROSINE PHOSPHATASES
; NUMBER OF SEQUENCES: 36
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: HAMILTON, BROOK, SMITH & REYNOLDS, P.C.
; STREET: Two Militia Drive
; CITY: Lexington
; STATE: MA
; COUNTRY: USA
; ZIP: 02173
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows 95
; SOFTWARE: FastSEQ for Windows Version 2.0b
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/685,992

;
; FILING DATE: 25-JUL-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Granahan, Patricia
; REGISTRATION NUMBER: 32,227
; REFERENCE/DOCKET NUMBER: CSHL96-03
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 781-861-6240
; TELEFAX: 781-861-9540
; TELEX:
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 250 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-685-992-7

Query Match 0.8%; Score 7; DB 2; Length 250;
Best Local Similarity 100.0%; Pred. No. 77;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 783 EKRELQ 789
Db 137 EKRELQ 143

RESULT 6
US-09-144-925-7
; Sequence 7, Application US/09144925
; Patent No. 5951979
; GENERAL INFORMATION:
; APPLICANT: Tonks, Nicholas
; APPLICANT: Flint, Andrew J.
; TITLE OF INVENTION: SUBSTRATE TRAPPING PROTEIN
; TITLE OF INVENTION: TYROSINE PHOSPHATASES
; NUMBER OF SEQUENCES: 36
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: HAMILTON, BROOK, SMITH & REYNOLDS, P.C.
; STREET: Two Millia Drive
; CITY: Lexington
; STATE: MA
; COUNTRY: USA
; ZIP: 02421-4799
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows 95
; SOFTWARE: FastSeq for Windows Version 2.0b
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/144,925
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/685,992
; FILING DATE: July 25, 1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Granahan, Patricia
; REGISTRATION NUMBER: 32,227
; REFERENCE/DOCKET NUMBER: CSHL96-032
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 781-861-6240
; TELEFAX: 781-861-9540
; TELEX:
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 250 amino acids
; TYPE: amino acid

;
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-144-925-7

Query Match 0.8%; Score 7; DB 2; Length 250;
Best Local Similarity 100.0%; Pred. No. 77;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 783 EKRELQ 789
Db 137 EKRELQ 143

RESULT 7
US-08-036-210-13
; Sequence 13, Application US/08036210
; Patent No. 5585233
; GENERAL INFORMATION:
; APPLICANT: Moller, Niels P.H.
; APPLICANT: Moller, Karin B.
; APPLICANT: Ullrich, Axel
; TITLE OF INVENTION: PTP-S31: A NOVEL PROTEIN TYROSINE
; TITLE OF INVENTION: PHOSPHATASE
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: PENNIE & EDMONDS
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: U.S.A.
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/036,210
; FILING DATE: 23-MAR-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Mistrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 7683-025
; TELEPHONE: 212-790-9090
; TELEFAX: 212-869-8864/9741
; TELEX: 66141 PENNIE
; INFORMATION FOR SEQ ID NO: 13:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 289 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
US-08-036-210-13

Query Match 0.8%; Score 7; DB 1; Length 289;
Best Local Similarity 100.0%; Pred. No. 88;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 783 EKRELQ 789
Db 177 EKRELQ 183

RESULT 8
US-08-449-609-13
; Sequence 13, Application US/08449609
; Patent No. 5952212

GENERAL INFORMATION:
APPLICANT: Moller, Niels P.H.
APPLICANT: Moller, Karin B.
APPLICANT: Ullrich, Axel
TITLE OF INVENTION: PTP-S31: A NOVEL PROTEIN TYROSINE
PHOSPHATASE
NUMBER OF SEQUENCES: 45
CORRESPONDENCE ADDRESS:
ADDRESSEE: PENNIE & EDMONDS
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: U.S.A.
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICANT: Ullrich, Axel
FILING DATE: 24-MAY-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/036,210
FILING DATE: 23-MAR-1993
ATTORNEY/AGENT INFORMATION:
NAME: Mirock, S. Leslie
REGISTRATION NUMBER: 18,872
REFERENCE/DOCKET NUMBER: 7683-025
TELECOMMUNICATION INFORMATION:
TELEPHONE: 212-790-9090
TELEFAX: 212-869-8864/9741
TELEX: 66141 PENNIE
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:
LENGTH: 289 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: unknown
MOLECULE TYPE: protein
US-08-449-609-13

Query Match 0.8%; Score 7; DB 2; Length 289;
Best Local Similarity 100.0%; Pred. No. 88;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 783 EKRELQ 789
Db 177 EKRELQ 183

RESULT 9
US-08-878-989-7
Sequence 7, Application US/08878989
Patent No. 5885803
GENERAL INFORMATION:
APPLICANT: Bandman, Olga
APPLICANT: Hillman, Jennifer L.
APPLICANT: Corley, Neil C.
APPLICANT: Guegler, Karl G.
APPLICANT: Lal, Preeti
APPLICANT: Goli, Surya K.
APPLICANT: Shah, Purvi
TITLE OF INVENTION: DISEASE ASSOCIATED PROTEIN
TITLE OF INVENTION: KINASES
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: Incyte Pharmaceuticals, Inc.
STREET: 3174 Porter Drive
CITY: Palo Alto
STATE: CA

COUNTRY: USA
ZIP: 94304
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICANT: Ullrich, Axel
FILING DATE: 24-MAY-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/036,210
FILING DATE: 23-MAR-1993
ATTORNEY/AGENT INFORMATION:
NAME: Mirock, S. Leslie
REGISTRATION NUMBER: 18,872
REFERENCE/DOCKET NUMBER: 7683-025
TELECOMMUNICATION INFORMATION:
TELEPHONE: 212-790-9090
TELEFAX: 212-869-8864/9741
TELEX: 66141 PENNIE
INFORMATION FOR SEQ ID NO: 7:
SEQUENCE CHARACTERISTICS:
LENGTH: 328 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
IMMEDIATE SOURCE:
LIBRARY: PENITUT01
CLONE: 1452972
US-08-878-989-7

Query Match 0.8%; Score 7; DB 2; Length 328;
Best Local Similarity 100.0%; Pred. No. 99;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 503 LVNISP 509
Db 120 LVNISP 126

RESULT 10
US-09-272-796-7
Sequence 7, Application US/09272796
Patent No. 6207148
GENERAL INFORMATION:
APPLICANT: Bandman, Olga
APPLICANT: Hillman, Jennifer L.
APPLICANT: Corley, Neil C.
APPLICANT: Guegler, Karl G.
APPLICANT: Lal, Preeti
APPLICANT: Goli, Surya K.
APPLICANT: Shah, Purvi
TITLE OF INVENTION: DISEASE ASSOCIATED PROTEIN
TITLE OF INVENTION: KINASES
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: Incyte Pharmaceuticals, Inc.
STREET: 3174 Porter Drive
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94304
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICANT: Ullrich, Axel
FILING DATE: 24-MAY-1995

CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/878,989
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Billings, Lucy J J
REGISTRATION NUMBER: 36,749
REFERENCE/DOCKET NUMBER: PP-0321 US
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-855-0555
TELEFAX: 415-845-4166
TELEX:
INFORMATION FOR SEQ ID NO: 7:
SEQUENCE CHARACTERISTICS:
LENGTH: 328 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
IMMEDIATE SOURCE:
LIBRARY: PENITUT01
CLONE: 1452972
US-09-272-796-7

Query Match 0.8%; Score 7; DB 4; Length 328;
Best Local Similarity 100.0%; Pred. No. 99;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 503 LVNISP 509
Db 120 LVNISP 126

RESULT 11
US-08-677-049-8
Sequence 8, Application US/08677049
Patent No. 5858707
GENERAL INFORMATION:
APPLICANT: Guimaraes, M. Jorge
APPLICANT: Bazan, J. Fernando
APPLICANT: McClanahan, Terrill K.
APPLICANT: Zlotnik, Albert
TITLE OF INVENTION: PURIFIED MAMMALIAN NUCLEOBASE PERMEASES;
TITLE OF INVENTION: NUCLEIC ACIDS; ANTIBODIES
NUMBER OF SEQUENCES: 12
CORRESPONDENCE ADDRESS:
ADDRESSEE: DNAX Research Institute
STREET: 901 California Avenue
CITY: Palo Alto
STATE: California
COUNTRY: USA
ZIP: 94304-1104
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/677,049
FILING DATE: 03-JUL-1996
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/000,788
FILING DATE: 03-JUL-1996
ATTORNEY/AGENT INFORMATION:
NAME: Ching, Edwin P.
REGISTRATION NUMBER: 34,090
REFERENCE/DOCKET NUMBER: DX0511
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-852-9196
TELEFAX: 415-496-1200
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:

LENGTH: 432 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Region
LOCATION: 115..144
OTHER INFORMATION: /note= "Encompasses TM 4 of Figure 4"
OTHER INFORMATION: 4"
FEATURE:
NAME/KEY: Region
LOCATION: 325..359
OTHER INFORMATION: /note= "Encompasses TM 9 of Figure 4"
OTHER INFORMATION: 4"
FEATURE:
NAME/KEY: Region
LOCATION: 363..390
OTHER INFORMATION: /note= "Encompasses TM 10 of Figure 4"
OTHER INFORMATION: 4"
US-08-677-049-8

Query Match 0.8%; Score 7; DB 2; Length 432;
Best Local Similarity 100.0%; Pred. No. 1.3e+02;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 271 IAPIIAA 277
Db 76 IAPIIAA 82

RESULT 12
US-08-677-049-10
Sequence 10, Application US/08677049
Patent No. 5858707
GENERAL INFORMATION:
APPLICANT: Guimaraes, M. Jorge
APPLICANT: Bazan, J. Fernando
APPLICANT: McClanahan, Terrill K.
APPLICANT: Zlotnik, Albert
TITLE OF INVENTION: PURIFIED MAMMALIAN NUCLEOBASE PERMEASES;
TITLE OF INVENTION: NUCLEIC ACIDS; ANTIBODIES
NUMBER OF SEQUENCES: 12
CORRESPONDENCE ADDRESS:
ADDRESSEE: DNAX Research Institute
STREET: 901 California Avenue
CITY: Palo Alto
STATE: California
COUNTRY: USA
ZIP: 94304-1104
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/677,049
FILING DATE: 03-JUL-1996
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/000,788
FILING DATE: 03-JUL-1996
ATTORNEY/AGENT INFORMATION:
NAME: Ching, Edwin P.
REGISTRATION NUMBER: 34,090
REFERENCE/DOCKET NUMBER: DX0511
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-852-9196
TELEFAX: 415-496-1200
INFORMATION FOR SEQ ID NO: 10:
SEQUENCE CHARACTERISTICS:
LENGTH: 460 amino acids

TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Region
LOCATION: 117..149
OTHER INFORMATION: /note= "Encompasses TM 4 of Figure
OTHER INFORMATION: 4"
FEATURE:
NAME/KEY: Region
LOCATION: 328..362
OTHER INFORMATION: /note= "Encompasses TM 9 of Figure
OTHER INFORMATION: 4"
FEATURE:
NAME/KEY: Region
LOCATION: 365..392
OTHER INFORMATION: /note= "Encompasses TM 10 of Figure
OTHER INFORMATION: 4"
US-08-677-049-10

Query Match 0.8%; Score 7; DB 2; Length 460;
Best Local Similarity 100.0%; Pred. No. 1.3e+02;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 535 VLGTLAA 541
DB 410 VLGTLAA 416
|||||||

RESULT 13
US-08-320-559-31
Sequence 31, Application US/08320559
Patent No. 5633135
GENERAL INFORMATION:
APPLICANT: Croce, Carlo
APPLICANT: Canaani, Eli
TITLE OF INVENTION: Diagnostics, Therapeutics and Methods for
TITLE OF INVENTION: Detection and Treatment of Acute Leukemias
TITLE OF INVENTION: Resulting from Chromosome Abnormalities in the
TITLE OF INVENTION: All-1 Region
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: Woodcock Washburn Kurtz Mackiewicz & No. 5633135rls
STREET: One Liberty Place - 46th Floor
CITY: Philadelphia
STATE: PA
COUNTRY: USA
ZIP: 19103
COMPUTER READABLE FORM:
MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.44 Mb STORAGE
COMPUTER: IBM PS/2
OPERATING SYSTEM: PC-DOS
SOFTWARE: WORDPERFECT 5.1
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/320,559
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/062,443
FILING DATE: 14 MAY 1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/971,094
FILING DATE: 30-OCT-92
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/888,830
FILING DATE: 27-MAY-92
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/07/805,093
FILING DATE: 11-DEC-91
ATTORNEY/AGENT INFORMATION:
NAME: Deluca, Mark

REGISTRATION NUMBER: 33,229
REFERENCE/DOCKET NUMBER: TJU-0855
TELECOMMUNICATION INFORMATION:
TELEPHONE: (215) 568-3100
TELEFAX: (215) 568-3439
INFORMATION FOR SEQ ID NO: 31:
SEQUENCE CHARACTERISTICS:
LENGTH: 559 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-320-559-31

Query Match 0.8%; Score 7; DB 1; Length 559;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 29 RERPRKD 35
DB 202 RERPRKD 208
|||||||

RESULT 14
US-08-545-860D-31
Sequence 31, Application US/08545860D
Patent No. 6040140
GENERAL INFORMATION:
APPLICANT: Croce, Carlo
APPLICANT: Canaani, Eli
TITLE OF INVENTION: Diagnostics, Therapeutics and Methods
TITLE OF INVENTION: for Detection and Treatment of Acute Leukemias
TITLE OF INVENTION: Resulting from Chromosome Abnormalities in the All-1 Region
NUMBER OF SEQUENCES: 94
CORRESPONDENCE ADDRESS:
ADDRESSEE: Woodcock, Washburn, Kurtz, Mackiewicz &
ADDRESSER: No. 6040140rls
STREET: One Liberty Place, 46th floor
CITY: Philadelphia
STATE: Pennsylvania
COUNTRY: USA
ZIP: 19103
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/545,860D
FILING DATE: 07-MAR-1996
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US94/04496
FILING DATE: 22-APR-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US92/10930
FILING DATE: 09-DEC-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/327,392
FILING DATE: 19-OCT-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/320,559
FILING DATE: 11-OCT-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/062,443
FILING DATE: 14-MAY-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/971,094
FILING DATE: 30-OCT-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/888,839
FILING DATE: 27-MAY-1992

;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 07/805,093
;; FILING DATE: 11-DEC-1991
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Deluca Esq., Mark
;; REGISTRATION NUMBER: 33,229
;; REFERENCE/DOCKET NUMBER: TJU-1262
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (215) 568-3100
;; TELEFAX: (215) 568-3439
;; INFORMATION FOR SEQ ID NO: 31:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 559 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; US-08-545-860D-31

Query Match 0.8%; Score 7; DB 3; Length 559;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 29 RERPRKD 35
| | | | | | | |
Db 202 RERPRKD 208

RESULT 15
PCT-US94-04496-31
; Sequence 31, Application PC/TUS9404496
; GENERAL INFORMATION:
; APPLICANT: Croce, Carlo
; APPLICANT: Canaani, Eli
; TITLE OF INVENTION: Diagnostics, Therapeutics and Methods
; TITLE OF INVENTION: for Detection and Treatment of Acute Leukemias
; TITLE OF INVENTION: Resulting from Chromosome Abnormalities in the All-1
; NUMBER OF SEQUENCES: 86
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Woodcock, Washburn, Kurtz, Mackiewicz &
; ADDRESSEE: Norris
; STREET: One Liberty Place, 46th floor
; CITY: Philadelphia
; STATE: Pennsylvania
; COUNTRY: USA
; ZIP: 19103
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/04496
; FILING DATE:
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Deluca Esq., Mark
; REGISTRATION NUMBER: 33,229
; REFERENCE/DOCKET NUMBER: TJU-1242
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (215) 568-3100
; TELEFAX: (215) 568-3439
; INFORMATION FOR SEQ ID NO: 31:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 559 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US94-04496-31

Query Match 0.8%; Score 7; DB 5; Length 559;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 29 RERPRKD 35
| | | | | | | |
Db 202 RERPRKD 208

Search completed: March 29, 2002, 10:23:12
Job time: 139 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 29, 2002, 10:21:43 ; Search time 32.11 seconds
(without alignments)
3762.720 Million cell updates/sec

Title: US-09-988-687-2
Perfect score: 826
Sequence: 1 MWALCSLLRSAGRTMSQGR.....EPQOKRAHTEEPQAKKVRQA 826

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 473505 seqs, 146272329 residues

Word size : 0

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Listing first 45 summaries

Database : SPTREMBL_17.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phase.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_invertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	826	100.0	826	4 Q9HAS8	Q9has8 homo sapien
2	725	87.8	826	4 Q9Q52	Q9bq52 homo sapien
3	430	52.1	854	4 Q9NVT1	Q9nvt1 homo sapien
4	254	30.8	826	6 Q9GL72	Q9gl72 pan troglod
5	157	19.0	826	6 Q9GL73	Q9gl73 gorilla gor
6	51	6.2	824	11 Q99MF1	Q99mf1 mus musculus
7	51	6.2	831	11 Q9EP22	Q9ep22 mus musculus
8	51	6.2	831	11 Q99MF0	Q99mf0 mus musculus
9	46	5.6	46	4 Q9HAS9	Q9has9 homo sapien
10	39	4.7	39	4 Q9HAS7	Q9has7 homo sapien
11	34	4.1	225	11 Q9D1A8	Q9d1a8 mus musculus
12	34	4.1	435	11 Q9CTA2	Q9cta2 mus musculus
13	10	1.2	805	10 Q9LW04	Q9lwq4 oryza sativ
14	10	1.2	837	10 Q9M819	Q9m819 arabidopsis
15	9	1.1	743	5 Q9W5J4	Q9w5j4 drosophila
16	9	1.1	789	5 Q9GZ73	Q9gz73 drosophila
17	8	1.0	121	11 Q9CXB1	Q9cxb1 mus musculus
18	8	1.0	147	1 Q9V017	Q9v017 pyrococcus
19	8	1.0	171	10 Q9SP98	Q9sp98 solanum cha

20	8	1.0	216	5	Q21169	Q21169 caenorhabdi
21	8	1.0	255	2	O86707	O86707 streptomyce
22	8	1.0	260	1	Q9V0U5	Q9v0u5 pyrococcus
23	8	1.0	280	1	O59139	O59139 pyrococcus
24	8	1.0	307	1	O58883	O58883 pyrococcus
25	8	1.0	312	10	Q9SDP1	Q9sdpl allium cepa
26	8	1.0	360	4	Q9BUM1	Q9bum1 homo sapien
27	8	1.0	363	4	Q9NS99	Q9ns99 homo sapien
28	8	1.0	363	4	Q9H777	Q9h777 homo sapien
29	8	1.0	388	2	O31265	O31265 arthrobacte
30	8	1.0	445	5	Q9T226	Q9t226 trypanosoma
31	8	1.0	450	10	Q42939	Q42939 nicotiana s
32	8	1.0	473	2	Q9RB44	Q9rb44 clostridium
33	8	1.0	485	10	Q9SWF5	Q9swf5 lycopersico
34	8	1.0	485	10	Q9LK36	Q9lk36 arabidopsis
35	8	1.0	562	5	Q9BHH9	Q9bbh9 leishmania
36	8	1.0	643	2	Q9K6I7	Q9k6i7 bacillus ha
37	8	1.0	806	2	Q9XAD8	Q9xad8 streptomyce
38	8	1.0	863	4	Q9UPV4	Q9upv4 homo sapien
39	8	1.0	876	5	Q9VEA2	Q9vea2 drosophila
40	8	1.0	927	10	Q9LU20	Q9lu20 arabidopsis
41	8	1.0	989	2	Q9HUR6	Q9hur6 pseudomonas
42	8	1.0	1630	4	Q9Y4D8	Q9y4d8 homo sapien
43	7	0.8	54	3	Q00378	Q00378 coccidioid
44	7	0.8	63	2	Q50125	Q50125 mycobacteri
45	7	0.8	71	8	Q9MUR2	Q9mur2 mesostigma

ALIGNMENTS

RESULT 1
Q9HAS8 PRELIMINARY; PRT; 826 AA.
ID Q9HAS8:
AC Q9HAS8:
DT 01-MAR-2001 (TREMBlrel. 16, Created)
DT 01-MAR-2001 (TREMBlrel. 16, Last sequence update)
DT 01-MAR-2001 (TREMBlrel. 16, Last annotation update)
DE PUTATIVE PROSTATE CANCER SUSCEPTIBILITY PROTEIN HPC2/ELAC2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Tavtigian S.V., Simard J., Teng D.H.F., Baumgard M., Beck A.,
RA Camp N.J., Carillo A.R., Chen Y., Dayananth P., Desrochers M.,
RA Dumont M., Farnham J.M., Frank D., Frye C., Ghaffari S., Gupta J.S.,
RA Hu R., Iliev D., Janecki T., Kort E.N., Laity K.E., Leavitt A.,
RA Leblanc G., McArthur-Morrison J., Pederson A., Penn B., Peterson K.T.,
RA Reid J.E., Richards S., Schroeder M., Smith R., Snyder S.C., -M.,
RA Swedlund B., Swensen J., Thomas A., Tranchant M., Woodland A., -M.,
RA Labrie F., Skolnick M.H., Neuhausen S., Rommens J.,
RA Cannon-Albright L.A.;
RT "A strong candidate prostate cancer susceptibility gene at chromosome 17p."
RL Submitted (SEP-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF304370; AAG24441.1; -
SQ SEQUENCE 826 AA; 92218 MW; 4AE701C755EC7339 CRC64;

Query Match 100.0%; Score 826; DB 4; Length 826;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 826; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MWALCSLLRSAGRTMSQGRISQAPRRPRKDPDLRLRLTRKRGPCSGGPNVTYL	60
Db	1	MWALCSLLRSAGRTMSQGRISQAPRRPRKDPDLRLRLTRKRGPCSGGPNVTYL	60
Qy	61	QVVAAGSRDGAALYVFSEFNRYLFCNGEGVQRQMGEHLKVLARLDNIFLTRMHSNVGG	120
Db	61	QVVAAGSRDGAALYVFSEFNRYLFCNGEGVQRQMGEHLKVLARLDNIFLTRMHSNVGG	120

```
QY 121 LSGMILTAKETGLPKCVLSGPPOLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDETMTV 180
DB 121 LSGMILTAKETGLPKCVLSGPPOLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDETMTV 180
QY 181 YQIPHSEQRQKHQPWQSPERPLSLSPERSDSSENENEPHLPHGVQRRGVRDSSLV 240
DB 181 YQIPHSEQRQKHQPWQSPERPLSLSPERSDSSENENEPHLPHGVQRRGVRDSSLV 240
QY 241 VAFICKLHLKRGNFVLKAKEMGLPVGTAAIPIAAVKGDKSITHEGREILAEELCTPP 300
DB 241 VAFICKLHLKRGNFVLKAKEMGLPVGTAAIPIAAVKGDKSITHEGREILAEELCTPP 300
QY 301 DPGAAFPVVECDPESFIQIPICENATFQYQKADAPVALVWHPASVLVDSRYQOMMER 360
DB 301 DPGAAFPVVECDPESFIQIPICENATFQYQKADAPVALVWHPASVLVDSRYQOMMER 360
QY 361 FGPDTQHLVLNENCASVHNLRSKIQTLNLHPDIFPLTTSFRCKKEGPTLSVPMVQGE 420
DB 361 FGPDTQHLVLNENCASVHNLRSKIQTLNLHPDIFPLTTSFRCKKEGPTLSVPMVQGE 420
QY 421 CLKYQLRPRRQWRDAIITCNPEEFIVEALQLPNFQSQVQYRRSAQDGPAERKRSQY 480
DB 421 CLKYQLRPRRQWRDAIITCNPEEFIVEALQLPNFQSQVQYRRSAQDGPAERKRSQY 480
QY 481 PELIFLGTSATPMKIRNVSATLVNISPDTSLLDCEGTFGQLCRHYGDQVDRVLGTLA 540
DB 481 PELIFLGTSATPMKIRNVSATLVNISPDTSLLDCEGTFGQLCRHYGDQVDRVLGTLA 540
QY 541 AVFVSHLHADHTGLPSILLQRRERALSGLKPLHPLLVVAPNQLKAWLOOYHNCQEVHL 600
DB 541 AVFVSHLHADHTGLPSILLQRRERALSGLKPLHPLLVVAPNQLKAWLOOYHNCQEVHL 600
QY 601 HISMIPAKCLOEGAEISSPAVERLISLLRTCDLEEFQTCVLRHCKHAFGCALVHTSGWK 660
DB 601 HISMIPAKCLOEGAEISSPAVERLISLLRTCDLEEFQTCVLRHCKHAFGCALVHTSGWK 660
QY 661 VYSGDTMPCEALVRMGKDATLLIHEATLEDGLEEAEVETHTTSQAISVGMNMAEFI 720
DB 661 VYSGDTMPCEALVRMGKDATLLIHEATLEDGLEEAEVETHTTSQAISVGMNMAEFI 720
QY 721 MLNHSORYAKVPLPSPNFSEKGVAFDHMKVCFGDFPTMPKLIPLPKALFAGDIEEMEE 780
DB 721 MLNHSORYAKVPLPSPNFSEKGVAFDHMKVCFGDFPTMPKLIPLPKALFAGDIEEMEE 780
QY 781 RREKRELQVRAALLSRELAGGEDGEPOQKRAHTEEPOAKKVRQ 826
DB 781 RREKRELQVRAALLSRELAGGEDGEPOQKRAHTEEPOAKKVRQ 826
```

RESULT 2

```
Q9B052 PRELIMINARY; PRT; 826 AA.
AC Q9B052;
DT 01-JUN-2001 (Tremblrel. 17, Created)
DT 01-JUN-2001 (Tremblrel. 17, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE PUTATIVE PROSTATE CANCER SUSCEPTIBILITY PROTEIN.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominoidea; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=LUNG CARCINOMA;
RA Strausberg R.;
RL Submitted (MAR-2001) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=LUNG CARCINOMA;
RA Strausberg R.;
RL Submitted (JAN-2001) to the EMBL/GenBank/DBJ databases.
DR EMBL; BC004158; AAH04158.1; -.
DR EMBL; BC001939; AAH01939.1; -.
```

```
SQ SEQUENCE 826 AA; 92245 MW; 8B3A38C355757AAE CRC64;

Query Match 87.8%; Score 725; DB 4; Length 826;
Best Local Similarity 99.9%; Pred. No. 0;
Matches 825; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 MVALCSLLSAAGRIMSOGRTISQAPARRPRPKDPLRLHRTREKRGPSGCGPNTVYL 60
DB 1 MVALCSLLSAAGRIMSOGRTISQAPARRPRPKDPLRLHRTREKRGPSGCGPNTVYL 60
QY 61 QVVAAGSRDSGAALYVFSEFNRYLFCNCGEGVORLMOEHLKVARLDNIELTRMHWSNVGG 120
DB 61 QVVAAGSRDSGAALYVFSEFNRYLFCNCGEGVORLMOEHLKVARLDNIELTRMHWSNVGG 120
QY 121 LSGMILTAKETGLPKCVLSGPPOLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDTMTV 180
DB 121 LSGMILTAKETGLPKCVLSGPPOLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDTMTV 180
QY 181 YQIPHSEQRQKHQPWQSPERPLSLSPERSDSSENENEPHLPHGVQRRGVRDSSLV 240
DB 181 YQIPHSEQRQKHQPWQSPERPLSLSPERSDSSENENEPHLPHGVQRRGVRDSSLV 240
QY 241 VAFICKLHLKRGNFVLKAKEMGLPVGTAAIPIAAVKGDKSITHEGREILAEELCTPP 300
DB 241 VAFICKLHLKRGNFVLKAKEMGLPVGTAAIPIAAVKGDKSITHEGREILAEELCTPP 300
QY 301 DPGAAFPVVECDPESFIQIPICENATFQYQKADAPVALVWHPASVLVDSRYQOMMER 360
DB 301 DPGAAFPVVECDPESFIQIPICENATFQYQKADAPVALVWHPASVLVDSRYQOMMER 360
QY 361 FGPDTQHLVLNENCASVHNLRSKIQTLNLHPDIFPLTTSFRCKKEGPTLSVPMVQGE 420
DB 361 FGPDTQHLVLNENCASVHNLRSKIQTLNLHPDIFPLTTSFRCKKEGPTLSVPMVQGE 420
QY 421 CLKYQLRPRRQWRDAIITCNPEEFIVEALQLPNFQSQVQYRRSAQDGPAERKRSQY 480
DB 421 CLKYQLRPRRQWRDAIITCNPEEFIVEALQLPNFQSQVQYRRSAQDGPAERKRSQY 480
QY 481 PELIFLGTSATPMKIRNVSATLVNISPDTSLLDCEGTFGQLCRHYGDQVDRVLGTLA 540
DB 481 PELIFLGTSATPMKIRNVSATLVNISPDTSLLDCEGTFGQLCRHYGDQVDRVLGTLA 540
QY 541 AVFVSHLHADHTGLPSILLQRRERALSGLKPLHPLLVVAPNQLKAWLOOYHNCQEVHL 600
DB 541 AVFVSHLHADHTGLPSILLQRRERALSGLKPLHPLLVVAPNQLKAWLOOYHNCQEVHL 600
QY 601 HISMIPAKCLOEGAEISSPAVERLISLLRTCDLEEFQTCVLRHCKHAFGCALVHTSGWK 660
DB 601 HISMIPAKCLOEGAEISSPAVERLISLLRTCDLEEFQTCVLRHCKHAFGCALVHTSGWK 660
QY 661 VYSGDTMPCEALVRMGKDATLLIHEATLEDGLEEAEVETHTTSQAISVGMNMAEFI 720
DB 661 VYSGDTMPCEALVRMGKDATLLIHEATLEDGLEEAEVETHTTSQAISVGMNMAEFI 720
QY 721 MLNHSORYAKVPLPSPNFSEKGVAFDHMKVCFGDFPTMPKLIPLPKALFAGDIEEMEE 780
DB 721 MLNHSORYAKVPLPSPNFSEKGVAFDHMKVCFGDFPTMPKLIPLPKALFAGDIEEMEE 780
QY 781 RREKRELQVRAALLSRELAGGEDGEPOQKRAHTEEPOAKKVRQ 826
DB 781 RREKRELQVRAALLSRELAGGEDGEPOQKRAHTEEPOAKKVRQ 826
```

RESULT 3

```
Q9NVT1 PRELIMINARY; PRT; 854 AA.
AC Q9NVT1;
DT 01-OCT-2000 (Tremblrel. 15, Created)
DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)
DT 01-OCT-2000 (Tremblrel. 15, Last annotation update)
DE CDNA FLJ10530 FIS, CLONE NT2RP2000985.
OS Homo sapiens (Human).
```


OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.

RA Isogai T., Ota T., Hayashi K., Sugiyama T., Otsuki T., Suzuki Y.,
RA Nishikawa T., Nagai K., Sugano S., Shiratori A., Sudo H.,
RA Wagatsuma M., Hosoi T., Kaku Y., Kodaira H., Kondo H., Sugawara M.,
RA Takahashi M., Chiba Y., Ishida S., Murakawa K., Ono Y., Takiguchi S.,
RA Watanabe S., Kimura K., Murakami K., Ishii S., Kawai Y., Saito K.,
RA Yamamoto J., Wakamatsu A., Nakamura Y., Nagahari K., Masuno Y.,
RA Nishimura K., Iwayanagi T.;
RT "NEDO human cDNA sequencing project.";
RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AK001392; BAA91666.1; --
SQ SEQUENCE 854 AA; 95138 MW; DF9F32846C7166B1 CRC64;

Query Match 52.1%; Score 430; DB 4; Length 854;
Best Local Similarity 99.6%; Pred. No. 0;
Matches 750; Conservative 0; Mismatches 2; Indels 1; Gaps 1;
QY 1 MVALCSLLRSAGRTMSQGRRTISQAPARRPRKDPRLRLTRKRGPGSGGPNVTYL 60
Db 1 MVALCSLLRSAGRTMSQGRRTISQAPARRPRKDPRLRLTRKRGPGSGGPNVTYL 60
QY 61 QVVAAGSRDSGAALYVFSEFNRYLNCBEGVORLMOEHLKLVARLDNIFLTRHWSNVGG 120
Db 61 QVVAAGSRDSGAALYVFSEFNRYLNCBEGVORLMOEHLKLVARLDNIFLTRHWSNVGG 120
QY 121 LSGMILTLETGLPKCVLSPGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDTMTV 180
Db 121 LSGMILTLETGLPKCVLSPGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDTMTV 180
QY 181 YQIPTHSEQRKQHPQWPQSPERPLSRSPSSDSSENEPHLPHGVRSQRRGVRDSSLV 240
Db 181 YQIPTHSEQRKQHPQWPQSPERPLSRSPSSDSSENEPHLPHGVRSQRRGVRDSSLV 240
QY 241 VAFICKLHLKRGNFVLKAKEMGLPGVTAAIPIIAAVDKGKSIHTEGREILAEELCTPP 300
Db 241 VAFICKLHLKRGNFVLKAKEMGLPGVTAAIPIIAAVDKGKSIHTEGREILAEELCTPP 300
QY 301 DFGAATVVECPDESEFIQICENATFORQGRADAPVALVHMAPASVLVDSRYQOMMER 360
Db 301 DFGAATVVECPDESEFIQICENATFORQGRADAPVALVHMAPASVLVDSRYQOMMER 360
QY 361 FGPDTQHLVNLNENCASVHNLRSKHIQTQLNLHPDIFPLTSTFRCKKEGPTLSVPVQGE 420
Db 361 FGPDTQHLVNLNENCASVHNLRSKHIQTQLNLHPDIFPLTSTFRCKKEGPTLSVPVQGE 420
QY 421 CLIKYQLRPRERWORDAIITCNPEEPIVEALQLPNQFQSQVQYRRSAQDGPAPAEKRSQY 480
Db 420 CLIKYQLRPRERWORDAIITCNPEEPIVEALQLPNQFQSQVQYRRSAQDGPAPAEKRSQY 480
QY 481 PETIFLGTGSAIPMKIRNVSATLVNISPDTLSLLDCGEGTFFGOLCRHYGDQVDRVLGTLA 540
Db 480 PETIFLGTGSAIPMKIRNVSATLVNISPDTLSLLDCGEGTFFGOLCRHYGDQVDRVLGTLA 540
QY 541 AVFVSHLHADHHTGLPSILLQRLERASLSGLKPLHLLVVPAPNQLKAWLQYHNQCEVLH 600
Db 540 AVFVSHLHADHHTGLPSILLQRLERASLSGLKPLHLLVVPAPNQLKAWLQYHNQCEVLH 600
QY 601 HISMIAPKLOEAGAEISSPAVERLISLLRTCDLEEFQCLVRHCKHAFGCALVHTSGWK 660
Db 600 HISMIAPKLOEAGAEISSPAVERLISLLRTCDLEEFQCLVRHCKHAFGCALVHTSGWK 660
QY 661 VVYSGDTMPCALVRMGKDATLLIHEATLEDGLEEAEVETKSTTSQALSVGMRMAEFI 720
Db 660 VVYSGDTMPCALVRMGKDATLLIHEATLEDGLEEAEVETKSTTSQALSVGMRMAEFI 720
QY 721 MLNHSQRYAKVPLFPNFSSEKVGAFDHMKVC 753
Db 720 MLNHSQRYAKVPLFPNFSSEKVGAFDHMKVC 752

RESULT 4
Q9GL72
ID Q9GL72 PRELIMINARY; PRT; 826 AA.
AC Q9GL72;
DT 01-MAR-2001 (TREMBlrel. 16, Created)
DT 01-MAR-2001 (TREMBlrel. 16, Last sequence update)
DT 01-MAR-2001 (TREMBlrel. 16, Last annotation update)
DE ELAC2.
OS Pan troglodytes (Chimpanzee).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
OX NCBI_TaxID=9598;
RN [1]
RP SEQUENCE FROM N.A.
RA Tavtigian S.V., Simard J., Teng D.H.F., Baumgard M., Dayananth P.,
RA Desrochers M., Dumont M., Farnham J.M., Frank D., Frye C.,
RA Ghaffari S., Gupte J.S., Hu R., Iliev D., Janecki T., Kort E.N.,
RA Laity K., Leavitt A., Leblanc G., McArthur-Morrison J., Pederson A.,
RA Penn B., Peterson K.T., Reid J.E., Richards S., Schroeder M.,
RA Smith R., Snyder S.C., Swedlund B., Swensen J., Thomas A.,
RA Tranchant M., Woodland A.-M., Labrie F., Skolnick M.H., Neuhausen S.,
RA Rommens J., Cannon-Albright L.A.;
RT "Pan troglodytes ortholog of human HPC2/ELAC2.";
RL Submitted (SEP-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF308698; AAG24920.1; -- 51A62814155E7191 CRC64;
SQ SEQUENCE 826 AA; 92324 MW; 51A62814155E7191 CRC64;

Query Match 30.8%; Score 254; DB 6; Length 826;
Best Local Similarity 100.0%; Pred. No. 1.8e-253;
Matches 254; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 92 QRLMOEHLKLVARLDNIFLTRHWSNVGSLGMLTLKETGLPKCVLSPGPPQLEKYLEAI 151
Db 92 QRLMOEHLKLVARLDNIFLTRHWSNVGSLGMLTLKETGLPKCVLSPGPPQLEKYLEAI 151
QY 152 KIFSGPLKGIELAVRPHSAPEYEDTMTVYQIPHSEQRKQHPQWPQSPERPLSRSPER 211
Db 152 KIFSGPLKGIELAVRPHSAPEYEDTMTVYQIPHSEQRKQHPQWPQSPERPLSRSPER 211
QY 212 SDSSENEPHLPHGVRSQRRGVRDSSLVAVFICKLHLKRGNFVLKAKEMGLPGVTAAI 271
Db 212 SDSSENEPHLPHGVRSQRRGVRDSSLVAVFICKLHLKRGNFVLKAKEMGLPGVTAAI 271
QY 272 APIIAVKGKSIHTEGREILAEELCTPPDGAFAFVVECPDESEFIQICENATFORQYQ 331
Db 272 APIIAVKGKSIHTEGREILAEELCTPPDGAFAFVVECPDESEFIQICENATFORQYQ 331
QY 332 KADAPVALVHMAP 345
Db 332 KADAPVALVHMAP 345

RESULT 5
Q9GL73
ID Q9GL73 PRELIMINARY; PRT; 826 AA.
AC Q9GL73;
DT 01-MAR-2001 (TREMBlrel. 16, Created)
DT 01-MAR-2001 (TREMBlrel. 16, Last sequence update)
DT 01-MAR-2001 (TREMBlrel. 16, Last annotation update)
DE ELAC2.
OS Gorilla gorilla (gorilla).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Gorilla.
OX NCBI_TaxID=9593;
RN [1]
RP SEQUENCE FROM N.A.
RA Tavtigian S.V., Simard J., Teng D.H.F., Baumgard M., Beck A.,
RA Camp N.J., Carillo A.R., Chen Y., Dayananth P., Desrochers M.,
RA Dumont M., Farnham J.M., Frank D., Frye C., Ghaffari S., Gupte J.S.,

```
RA Hu R., Iliev D., Janecki T., Kort E.N., Laity K.E., Leavitt A.,
RA Leblanc G., McArthur-Morrison J., Pederson A., Penn B., Peterson K.T.,
RA Reid J.E., Richards S., Schroeder M., Smith R., Snyder S.C.,
RA Swedlund B., Swensen J., Thomas A., Tranchant M., Woodland A.-M.,
RA Labrie F., Skolnick M.H., Neuhausen S., Rommens J.,
RA Cannon-Albright L.A.;
RA "Gorilla gorilla ortholog of human HPC2/ELAC2.";
RT Submitted (SEP-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF308694; AAG24916.1; -
SQ SEQUENCE 826 AA; 92260 MW; D323B5F3D8B294A6 CRC64;

Query Match 19.0%; Score 157; DB 6; Length 826;
Best Local Similarity 100.0%; Pred. No. 4.3e-153;
Matches 157; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 583 QLKAWLQOYHNOCEVLHHISMIPAKCLQGAIEISSPAVERLISLLRTCDLEEFQTCVLV 642
DB 583 QLKAWLQOYHNOCEVLHHISMIPAKCLQGAIEISSPAVERLISLLRTCDLEEFQTCVLV 642
QY 643 RHCKHAFGCALVHTSGWKVYSGDTPCEALVRMGKDATLLIHEATLEDGLEBEAEVKTH 702
DB 643 RHCKHAFGCALVHTSGWKVYSGDTPCEALVRMGKDATLLIHEATLEDGLEBEAEVKTH 702
QY 703 STTSQAISVGMNNAEFIMLNHFESQRYAKVPLFSPNF 739
DB 703 STTSQAISVGMNNAEFIMLNHFESQRYAKVPLFSPNF 739

RESULT 6
Q99MF1 PRELIMINARY; PRT; 824 AA.
AC Q99MF1;
DT 01-JUN-2001 (T-EMBLrel. 17, Created)
DT 01-JUN-2001 (T-EMBLrel. 17, Last sequence update)
DT 01-JUN-2001 (T-EMBLrel. 17, Last annotation update)
DE PUTATIVE PROSTATE CANCER SUSCEPTIBILITY PROTEIN.
GN ELAC2.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Frank D.C., Swedlund B., Dumont M., Tavtigian S.V., Simard J.,
RA Teng D.H.F., Baumgard M., Beck A., Camp N.J., Carillo A.R., Chen Y.,
RA Dayananth P., Desrochers M., Farnham J.M., Frye C., Ghaffari S.,
RA Gupte J.S., Hu R., Iliev D., Janecki T., Kort E.N., Laity K.E.,
RA Leavitt A., Leblanc G., McArthur-Morrison J., Pederson A., Penn B.,
RA Peterson K.T., Reid J.E., Richards S., Schroeder M., Smith R.,
RA Snyder S.C., Swensen J., Thomas A., Tranchant M., Woodland A.-M.,
RA Labrie F., Skolnick M.H., Neuhausen S., Rommens J.,
RA Cannon-Albright L.A.;
RT "Mouse Elac2-containing genomic DNA.";
RL Submitted (FEB-2001) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF348157; AAK29421.1; -
SQ SEQUENCE 824 AA; 92085 MW; 77F870F0E2D76746 CRC64;

Query Match 6.2%; Score 51; DB 11; Length 824;
Best Local Similarity 100.0%; Pred. No. 2.1e-43;
Matches 51; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 123 GMILTKETGLPKCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEY 173
DB 115 GMILTKETGLPKCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEY 165

RESULT 7
Q9EP22 PRELIMINARY; PRT; 831 AA.
AC Q9EP22;
DT 01-MAR-2001 (T-EMBLrel. 16, Created)
```

```
DT 01-MAR-2001 (T-EMBLrel. 16, Last sequence update)
DT 01-JUN-2001 (T-EMBLrel. 17, Last annotation update)
DE ELAC2.
GN 1110017007RIK.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Tavtigian S.V., Simard J., Teng D.H.F., Baumgard M., Beck A.,
RA Camp N.J., Carillo A.R., Chen Y., Dayananth P., Desrochers M.,
RA Dumont M., Farnham J.M., Frank D., Frye C., Ghaffari S., Gupte J.S.,
RA Hu R., Iliev D., Janecki T., Kort E.N., Laity K.E., Leavitt A.,
RA Leblanc G., McArthur-Morrison J., Pederson A., Penn B., Peterson K.T.,
RA Reid J.E., Richards S., Schroeder M., Smith R., Snyder S.C., -M.,
RA Swedlund B., Swensen J., Thomas A., Tranchant M., Woodland A.-M.,
RA Labrie F., Skolnick M.H., Neuhausen S., Rommens J.,
RA Cannon-Albright L.A.;
RT "Mouse ortholog of human HPC2/ELAC2.";
RL Submitted (DEC-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF308696; AAG24918.2; -
DR MGD; MGI:1915876; 1110017007RIK.
SQ SEQUENCE 831 AA; 92631 MW; 4EA7DFAC292E2B32 CRC64;

Query Match 6.2%; Score 51; DB 11; Length 831;
Best Local Similarity 100.0%; Pred. No. 2.2e-43;
Matches 51; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 123 GMILTKETGLPKCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEY 173
DB 115 GMILTKETGLPKCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEY 165

RESULT 8
Q99MF0 PRELIMINARY; PRT; 831 AA.
AC Q99MF0;
DT 01-JUN-2001 (T-EMBLrel. 17, Created)
DT 01-JUN-2001 (T-EMBLrel. 17, Last sequence update)
DT 01-JUN-2001 (T-EMBLrel. 17, Last annotation update)
DE PUTATIVE PROSTATE CANCER SUSCEPTIBILITY PROTEIN.
GN ELAC2.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Frank D.C., Swedlund B., Dumont M., Tavtigian S.V., Simard J.,
RA Teng D.H.F., Baumgard M., Beck A., Camp N.J., Carillo A.R., Chen Y.,
RA Dayananth P., Desrochers M., Farnham J.M., Frye C., Ghaffari S.,
RA Gupte J.S., Hu R., Iliev D., Janecki T., Kort E.N., Laity K.E.,
RA Leavitt A., Leblanc G., McArthur-Morrison J., Pederson A., Penn B.,
RA Peterson K.T., Reid J.E., Richards S., Schroeder M., Smith R.,
RA Snyder S.C., Swensen J., Thomas A., Tranchant M., Woodland A.-M.,
RA Labrie F., Skolnick M.H., Neuhausen S., Rommens J.,
RA Cannon-Albright L.A.;
RT "Mouse Elac2-containing genomic DNA.";
RL Submitted (FEB-2001) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF348157; AAK29420.1; -
SQ SEQUENCE 831 AA; 92729 MW; F49FC6C6C9FDDEEC CRC64;

Query Match 6.2%; Score 51; DB 11; Length 831;
Best Local Similarity 100.0%; Pred. No. 2.2e-43;
Matches 51; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 123 GMILTKETGLPKCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEY 173
DB 115 GMILTKETGLPKCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEY 165
```

```
RESULT 9
Q9HAS9
ID Q9HAS9 PRELIMINARY; PRT; 46 AA.
AC Q9HAS9;
DT 01-MAR-2001 (Tremblrel. 16, Created)
DT 01-MAR-2001 (Tremblrel. 16, Last sequence update)
DT 01-MAR-2001 (Tremblrel. 16, Last annotation update)
DE PUTATIVE PROSTATE CANCER SUSCEPTIBILITY PROTEIN HPC2/ELAC2 (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Tavtigian S.V., Simard J., Teng D.H.F., Baumgard M., Beck A.,
RA Camp N.J., Carillo A.R., Chen Y., Dayananth P., Desrochers M.,
RA Dumont M., Farnham J.M., Frank D., Frye C., Ghaffari S., Gupta J.S.,
RA Hu R., Iliev D., Janacki T., Kort E.N., Laity K.E., Leavitt A.,
RA Leblanc G., McArthur-Morrison J., Pederson A., Penn B., Peterson K.T.,
RA Reid J.E., Richards S., Schroeder M., Smith R., Snyder S.C.,
RA Swedlund B., Swensen J., Thomas A., Tranchant M., Woodland A.-M.,
RA Labrie F., Skolnick M.H., Neuhausen S., Rommens J.,
RA Cannon-Albright L.A.;
RT "A strong candidate prostate cancer susceptibility gene at chromosome
RT 17p.";
RL Submitted (SEP-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF304369; AAG24440.1; -.
FT NON_TER 1
FT NON_TER 46
FT SEQUENCE 46 AA; 5004 MW; 59C8CDF4E5FDDBE CRC64;
```

```
Query Match 5.6%; Score 46; DB 4; Length 46;
Best Local Similarity 100.0%; Pred. No. 2.2e-39;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 508 PPTSLLDGCEGTGQLCRHYGDQVDRVLGTLAAVFSVHLHDHHT 553
DB 1 PPTSLLDGCEGTGQLCRHYGDQVDRVLGTLAAVFSVHLHDHHT 46
```

```
RESULT 10
Q9HAS7
ID Q9HAS7 PRELIMINARY; PRT; 39 AA.
AC Q9HAS7;
DT 01-MAR-2001 (Tremblrel. 16, Created)
DT 01-MAR-2001 (Tremblrel. 16, Last sequence update)
DT 01-MAR-2001 (Tremblrel. 16, Last annotation update)
DE PUTATIVE PROSTATE CANCER SUSCEPTIBILITY PROTEIN HPC2/ELAC2 (FRAGMENT).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Tavtigian S.V., Simard J., Teng D.H.F., Baumgard M., Beck A.,
RA Camp N.J., Carillo A.R., Chen Y., Dayananth P., Desrochers M.,
RA Dumont M., Farnham J.M., Frank D., Frye C., Ghaffari S., Gupta J.S.,
RA Hu R., Iliev D., Janacki T., Kort E.N., Laity K.E., Leavitt A.,
RA Leblanc G., McArthur-Morrison J., Pederson A., Penn B., Peterson K.T.,
RA Reid J.E., Richards S., Schroeder M., Smith R., Snyder S.C.,
RA Swedlund B., Swensen J., Thomas A., Tranchant M., Woodland A.-M.,
RA Labrie F., Skolnick M.H., Neuhausen S., Rommens J.,
RA Cannon-Albright L.A.;
RT "A strong candidate prostate cancer susceptibility gene at chromosome
RT 17p.";
RL Submitted (SEP-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF304371; AAG24439.1; -.
FT NON_TER 1
FT NON_TER 39
FT SEQUENCE 39 AA; 4616 MW; F275E87B34DB9688 CRC64;
```

```
Query Match 4.7%; Score 39; DB 4; Length 39;
Best Local Similarity 100.0%; Pred. No. 3.3e-32;
Matches 39; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 188 EQRRGKHQPQSPERPLSRSPSSDSSESNENEPHLP 226
DB 1 EQRRGKHQPQSPERPLSRSPSSDSSESNENEPHLP 39

RESULT 11
Q9DIA8
ID Q9DIA8 PRELIMINARY; PRT; 225 AA.
AC Q9DIA8;
DT 01-JUN-2001 (Tremblrel. 17, Created)
DT 01-JUN-2001 (Tremblrel. 17, Last sequence update)
DE 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE 110017007RIK PROTEIN.
GN 110017007RIK.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=EMBRYO;
RX MEDLINE=21085660; PubMed=11217851;
RA Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka I.,
RA Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
RA Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
RA Fleischmann W., Gaasterland T., Gissi C., King B., Kochiwa H.,
RA Kuehl P., Lewis S., Matsuo Y., Nikaudo I., Resole G., Quackenbush J.,
RA Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
RA Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
RA Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.F.,
RA Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA Guscinich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
RA Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA Suzuki H., Toyooka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohtsuki S.,
RA Hayashizaki Y.;
RT "Functional annotation of a full-length mouse cDNA collection.";
RL Nature 409:685-690(2001).
DR EMBL: AK003759; BAB22981.1; -.
DR MGD; MGI:1915876; 1110017007Rik.
SQ SEQUENCE 225 AA; 25346 MW; A82E61B36A57DC60 CRC64;
```

```
Query Match 4.1%; Score 34; DB 11; Length 225;
Best Local Similarity 100.0%; Pred. No. 2.5e-26;
Matches 34; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 676 MCKDATLLIHEATLEDGLEEEAVEKTHSTTSQAI 709
DB 73 MCKDATLLIHEATLEDGLEEEAVEKTHSTTSQAI 106
```

```
RESULT 12
Q9CTA2
ID Q9CTA2 PRELIMINARY; PRT; 435 AA.
AC Q9CTA2;
DT 01-JUN-2001 (Tremblrel. 17, Created)
DT 01-JUN-2001 (Tremblrel. 17, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE DNA SEGMENT, CHR 11, WAYNE STATE UNIVERSITY 80, EXPRESSED (FRAGMENT).
GN D11WSU80E.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
```

```

OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=C57BL/6J; TISSUE=EMBRYO;
RX MEDLINE=21085660; PubMed=11217851;
RA Kawai J., Shingawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaoka I.,
RA Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
RA Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
RA Fleischmann W., Gaasterland T., Gissi C., King B., Kochiwa H.,
RA Kuehl P., Lewis S., Matsuo Y., Nikaido I., Pesole G., Quackenbush J.,
RA Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
RA Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
RA Blake J., Boffelli D., Bojunga N., Carninci P., de Bernaldo M.F.,
RA Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA Gustincich S., Hill D., Hofmann M., Hume D.A., Kamly M., Lee N.H.,
RA Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA Suzuki H., Toyooka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohsaki S.,
RA Hayashizaki Y.;
RT "Functional annotation of a full-length mouse cDNA collection.";
RL Nature 409:685-690(2001).
DR EMBL; AK004136; BAB23185.1; -.
DR MGD; MGI:106352; D11Wsu80e.
FT NON_TER 1
SQ SEQUENCE 435 AA; 48949 MW; 4730D4D49524CB29 CRC64;

Query Match 4.1%; Score 34; DB 11; Length 435;
Best Local Similarity 100.0%; Pred. No. 4.6e-26;
Matches 34; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 676 MGKDATLLIHEATLDEGLEEEAVEKTHSTTSQAI 709
DB 276 MGKDATLLIHEATLDEGLEEEAVEKTHSTTSQAI 309
|||||
|||||

RESULT 13
Q9LWQ4
ID Q9LWQ4 PRELIMINARY; PRT; 805 AA.
AC Q9LWQ4;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE SIMILAR TO SCHIZOSACCHAROMYCES POMBE CHROMOSOME I COSMID C1D4.
OS Oryza sativa (Rice).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; Liliopsida; Poales; Poaceae;
OC Ehrhartoideae; Oryzeae; Oryza.
OX NCBI_TaxID=4530;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=CV, NIPPONBARE;
RA Sasaki T., Matsumoto T., Yamamoto K.;
RT "Oryza sativa nipponbare(GA3) genomic DNA, chromosome 1, PAC
clone:P0431F01.";
RL Submitted (MAR-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AP001550; BAA92999.1; -.
SQ SEQUENCE 805 AA; 89046 MW; 56F8366CB2FF7E0C CRC64;

Query Match 1.2%; Score 10; DB 10; Length 805;
Best Local Similarity 100.0%; Pred. No. 0.56;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 658 GWKVVYSGDT 667
DB 675 GWKVVYSGDT 684
|||||
|||||
```

```

RESULT 14
Q9M819
ID Q9M819 PRELIMINARY; PRT; 837 AA.
AC Q9M819;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-OCT-2000 (TrEMBLrel. 15, Last annotation update)
DE F9I5.1 PROTEIN.
GN F9I5.1.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; Rosidae;
OC eurosids II; Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=CV, COLUMBIA;
RA Lin X., Kaul S., Town C.D., Benito M., Creasy T.H., Haas B., Wu D.,
RA Ronning C.M., Koo H., Fujii C.Y., Utterback T.R., Barnstead M.E.,
RA Bowman C.L., White O., Nierman W.C., Fraser C.M.;
RT "Arabidopsis thaliana chromosome I BAC F9I5 genomic sequence.";
RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC023354; AAF29402.1; -.
SQ SEQUENCE 837 AA; 92978 MW; 4B5BFDF3F3B698CE CRC64;

Query Match 1.2%; Score 10; DB 10; Length 837;
Best Local Similarity 100.0%; Pred. No. 0.58;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 511 SLLLDGCGGT 520
DB 515 SLLLDGCGGT 524
|||||
|||||

RESULT 15
Q9V5J4
ID Q9V5J4 PRELIMINARY; PRT; 743 AA.
AC Q9V5J4;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-MAR-2001 (TrEMBLrel. 16, Last annotation update)
DE CG3298 PROTEIN.
GN JHI-1 OR CG3298.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN=BERKELEY;
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers J.-H.C., Blatej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Heit G., Nelson C.R., Miklos G.L.G.,
RA Abrial J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablo J.M., Decher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferreira S., Fleischmann W.,
RA Fosler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Correll J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
```

RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
RA Wang Z.-Y., Wassarman D.A., Weinstein G.M., Weissbach J.,
RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Smith H.O.,
RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.:
RT "The genome sequence of Drosophila melanogaster.";
RL Science 287:2185-2195(2000).
DR EMBL: AF003830; AAF58812.1; -.
DR FlyBase: FBgn0028426; JHI-1.
SQ SEQUENCE 743 AA; 82895 MW; 704327777345D01D CRC64;

Query Match 1.1%; Score 9; DB 5; Length 743;
Best Local Similarity 100.0%; Pred. No. 5.7;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 82 RYLFNCGE 90
| | | | | | | |
Db 60 RYLFNCGE 68

Search completed: March 29, 2002, 10:24:21
Job time: 158 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 29, 2002, 10:22:23 ; Search time 15.35 seconds
(without alignments)
1972.974 Million cell updates/sec

Title: US-09-988-687-2

Perfect score: 826

Sequence: 1 MWALCSLLRSAGRTWSQGR.....EPOOKRAHTEPQAKKVRQA 826

Scoring table:

Gapop 60.0 , Gapext 60.0

Searched: 100059 seqs, 36664827 residues

Word size : 0

Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	11	1.3	809	YATA_SCHPO	Q10155 schizosach
2	9	1.1	838	YK59_YEAST	P36159 saccharomyc
3	8	1.0	423	DCOR_TRYBB	P07805 trypanosoma
4	8	1.0	485	SAHH_ARATH	O23255 arabidopsis
5	8	1.0	485	SAHH_CATRO	P35007 catharanthu
6	8	1.0	485	SAHH_MESCR	P93253 mesembryant
7	8	1.0	485	SAHH_PETCR	Q01781 petroseelinu
8	8	1.0	485	SAHH_PHASS	P50249 phalaenopsi
9	8	1.0	485	SAHH_TOBAC	P50248 nicotiana t
10	8	1.0	485	SAHH_WHEAT	P32112 triticum ae
11	8	1.0	836	Y167_HUMAN	Q99490 homo sapien
12	8	1.0	1276	MDR2_CRIGR	P21449 cricetus
13	7	0.8	71	YX4_MESVI	Q9mur2 mesostigma
14	7	0.8	129	IR08_HCMVA	P16806 human cytom
15	7	0.8	129	VG42_HSV1	Q00101 ictaluriid h
16	7	0.8	211	LEF7_NPVOP	O10362 orgyia pseu
17	7	0.8	216	INRA_ECOLI	P27294 escherichia
18	7	0.8	220	TPIS_CHLAI	P96744 chloroflexu
19	7	0.8	241	KORA_STRLI	P22405 streptomyce
20	7	0.8	258	SN29_HUMAN	O95721 homo sapien
21	7	0.8	259	PNK_MYCPN	P75508 mycoplasma
22	7	0.8	264	RPOD_ARCFU	O28002 archaeoglob
23	7	0.8	264	SNAL_MOUSE	Q02085 mus musculu
24	7	0.8	264	YDCV_ECOLI	P77505 escherichia
25	7	0.8	273	YD39_MYCTU	Q10648 mycobacteri
26	7	0.8	281	YHIR_HAEIN	P31777 haemophilus
27	7	0.8	284	BCHO_RHOCA	P26174 rhodobacter
28	7	0.8	284	YD39_MYCLE	P50474 mycobacteri
29	7	0.8	287	YKFA_ECOLI	P75678 escherichia
30	7	0.8	297	YPGA_FORGI	Q51834 porphyromon
31	7	0.8	303	GDFP_RAT	Q9z0j6 rattus norv
32	7	0.8	326	LEU3_ARCFU	O29627 archaeoglob
33	7	0.8	338	G3P_SCHMA	P20287 schistosoma

34	7	0.8	343	1	GPDA_RHILO	P58142 rhizobium 1
35	7	0.8	394	1	FXD3_CHICK	P79772 gallus gall
36	7	0.8	427	1	AEC2_ARATH	P51567 arabidopsis
37	7	0.8	432	1	CXAB_HUMAN	P48165 homo sapien
38	7	0.8	432	1	PYRP_BACCL	P41006 bacillus ca
39	7	0.8	435	1	PROA_AQUAE	O67166 aquifex aeo
40	7	0.8	439	1	CXAB_MOUSE	P28236 mus musculu
41	7	0.8	439	1	CXAB_SHEEP	P55917 ovis aries
42	7	0.8	444	1	KRAC_DICDI	P54644 dictyosteli
43	7	0.8	460	1	YWDJ_BACSU	P39618 bacillus su
44	7	0.8	461	1	NORM_VIBCH	Q9kru4 vibrio chol
45	7	0.8	463	1	YDI4_SCHPO	Q92342 schizosach

ALIGNMENTS

```
RESULT 1
YATA_SCHPO
ID YATA_SCHPO STANDARD; PRT; 809 AA.
AC Q10155;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE HYPOTHETICAL 90.6 KDA PROTEIN C1D4.10 IN CHROMOSOME I.
GN SPAC1D4.10.
OS Schizosaccharomyces pombe (Fission yeast).
OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetes;
OC Schizosaccharomycetales; Schizosaccharomycetaceae;
OC Schizosaccharomycetes.
OX NCBI_TaxID=4896;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=972;
RA Lye G., Churcher C.M., Barrell B.G., Rajandream M.A., Walsh S.V.;
RL Submitted (FEB-1996) to the EMBL/GenBank/DDBJ databases.
CC -!- SIMILARITY: TO S.POMBE SPBC3D5.03C AND SOME, TO YEAST YKR079C.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; 269239; CAA93219.1; -
KW HSP; P15039; IPRV.
SQ SEQUENCE 809 AA; 90602 MW; 350FBE7B05FBF880 CRC64;

```

Query Match 1.3%; Score 11; DB 1; Length 809;
Best Local Similarity 100.0%; Pred. No. 0.011;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 681 TLLIHEATLED 691
DB 704 TLLIHEATLED 714

RESULT 2

```
YK59_YEAST
ID YK59_YEAST STANDARD; PRT; 838 AA.
AC P36159;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HYPOTHETICAL 96.8 KDA PROTEIN IN SIS2-MTD1 INTERGENIC REGION.
GN YKR079C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.

```

OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RA Pohl T.M., Pohl F.M.;
RL Submitted (MAR-1994) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: SOME, TO S.POMBE SPAC1D4.10.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Z28304; CAA82158.1; -;
DR PIR; S38156; S38156.
DR SGD; S0001787; YKR079C.
KW Hypothetical protein.
SQ SEQUENCE 838 AA; 96816 MW; 473A69D9C10167AB CRC64;

Query Match 1.1%; Score 9; DB 1; Length 838;
Best Local Similarity 100.0%; Pred. No. 1.3;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 682 LLHTEATLE 690
Db 717 LLHTEATLE 725

RESULT 3
DCOR_TRYBB STANDARD; PRT; 423 AA.
ID DCOR_TRYBB
AC P07805;
DT 01-AUG-1988 (Rel. 08, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE ORNITHINE DECARBOXYLASE (EC 4.1.1.17) (ODC).
OS Trypanosoma brucei brucei.
OC Eukaryota; Euglenozoa; Kinetoplastida; Trypanosomatidae; Trypanosoma.
OX NCBI_TaxID=5702;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=87250494; PubMed=3036823;
RA Phillips M.A., Coffino P., Wang C.C.;
RT "Cloning and sequencing of the ornithine decarboxylase gene from
RT Trypanosoma brucei. Implications for enzyme turnover and selective
RT difluoromethylornithine inhibition.";
RL J. Biol. Chem. 262:8721-8727(1987).
CC -!- CATALYTIC ACTIVITY: L-ORNITHINE = PUTRESCINE + CO(2).
CC -!- COFACTOR: PYRIDOXAL PHOSPHATE.
CC -!- PATHWAY: FIRST STEP AND ALSO THE RATE-LIMITING STEP IN THE PATHWAY
CC OF POLYAMINE BIOSYNTHESIS.
CC -!- SIMILARITY: BELONGS TO FAMILY 2 OF ORNITHINE, DAP, AND ARGININE
CC DECARBOXYLASES.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; J02771; AAA30218.1; ALT_INIT.
DR EMBL; J02771; AAA30219.1; -;
DR PIR; A29309; DCUTOB.
DR InterPro: IPR000183; Orn_DAP_Arg_decarbxyase.
DR Pfam: PF00278; Orn_DAP_Arg_dec; 2.
DR PRINTS; PR01179; ODACRBYLASE.
DR PRINTS; PR01182; ORNDCRBYLASE.
DR PROSITE; PS00878; ODR_DC_2_1; 1.

DR PROSITE; PS00879; ODR_DC_2_2; 2.
KW Lyase; Decarboxylase; Pyridoxal phosphate; Polyamine biosynthesis.
FT BINDING 67 67 PYRIDOXAL PHOSPHATE (BY SIMILARITY).
FT ACT_SITE 358 358 BY SIMILARITY.
SQ SEQUENCE 423 AA; 46881 MW; 924A5AA6C4CD2C36 CRC64;

Query Match 1.0%; Score 8; DB 1; Length 423;
Best Local Similarity 100.0%; Pred. No. 7.3;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 534 RVLGTLAA 541
Db 73 RVLGTLAA 80

RESULT 4
SAHL_ARATH STANDARD; PRT; 485 AA.
ID SAHL_ARATH
AC Q23255; O81847;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE ADENOSYLHOMOCYSTEINASE (EC 3.3.1.1) (S-ADENOSYL-L-HOMOCYSTEINE
DE HYDROLASE) (ADHCYASE).
GN SAHL OR AT4G13940 OR DL3010W.
OS Arabidopsis thaliana (Mouse-ear cress).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; Rosidae;
OC eurosids II; Brassicales; Brassicaceae; Arabidopsis.
OX NCBI_TaxID=3702;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. LANDSBERG ERCTA;
RA Belbahri L., Elleuch H., Villarroel R., Inze D., Thomas D.,
RA Thomasset B.;
RT "The isolation of an Arabidopsis thaliana cDNA clone encoding S-
RT adenosyl-L-homocysteine hydrolase.";
RL (In) Plant Gene Register PGR99-139.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RX MEDLINE=98121113; PubMed=9461215;
RA Bevan M., Bancroft I., Bent E., Love K., Goodman H., Dean C.,
RA Bergkamp R., Dirkse W., van Staveren M., Stiekema W., Drost L.,
RA Ridley P., Hudson S.A., Patel K., Murphy G., Piffanelli P.,
RA Wedler H., Wedler E., Wambutt R., Weltzenegger T., Pohl T.M.,
RA Terry N., Gieles J., Villarroel R., de Clerck R., van Montagu M.,
RA Lecharny A., Auborg S., Gy I., Kreis M., Lao N., Kavanagh T.,
RA Hempel S., Kottler P., Entian K.-D., Rieger M., Schaeffer M., Funk B.,
RA Mueller-Auer S., Silvey M., James R., Montfort A., Pons A.,
RA Puigdomenech P., Douka A., Voukelatou E., Milioni D., Hatzopoulos P.,
RA Piravandi E., Obermayer B., Hilbert H., Duesterhoeft A., Moores T.,
RA Jones J.D.G., Eneva T., Palme K., Benes V., Reckman S., Ansoorge W.,
RA Cooke R., Berger C., Delsen M., Voet M., Volckaert G., Mewes H.-W.,
RA Klosterman S., Schueller C., Chawatzis N.;
RT "Analysis of 1.9 Mb of contiguous sequence from chromosome 4 of
RT Arabidopsis thaliana.";
RL Nature 391:485-488(1998).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=CV. COLUMBIA;
RX MEDLINE=20083488; PubMed=10617198;
RA Mayer K.F.X., Schueller C., Wambutt R., Murphy G., Volckaert G.,
RA Pohl T., Duesterhoeft A., Stiekema W., Entian K.-D., Terry N.,
RA Harris B., Ansoorge W., Brandt P., Grivell L.A., Rieger M.,
RA Weichselgartner M., de Simone V., Obermayer B., Mache R., Mueller M.,
RA Kreis M., Delsen M., Puigdomenech P., Watson M., Schmidtheini T.,
RA Reichert B., Portetelle D., Perez-Alonso M., Boutry M., Bancroft I.,
RA Vos P., Hoheisel J., Zimmermann W., Wedler H., Ridley P.,
RA Langham S.-A., McCullagh B., Bilham L., Robben J.,
RA Van der Schueren J., Grymonprez B., Chuang Y.-J., Vandenbussche F.,
RA Braeken M., Weltjens I., Voet M., Bastiaens I., Aert R., Defoor E.,

RA Weitzenecker T., Bothe G., Ramsperger U., Hilbert H., Braun M.,
RA Holzer E., Brand A., Peters S., van Staveren M., Dirkse W.,
RA Mooljman P., Klein Lankhorst R., Rose M., Hauf J., Koetter P.,
RA Berneiser S., Hempel S., Feldpausch M., Lamberth S., Van den Daele H.,
RA De Keyser A., Buysshaert C., Gielen J., Villarroel R., De Clercq R.,
RA Van Montagu M., Rogers J., Cronin A., Quail M., Bray-Allen S.,
RA Clark L., Doggett J., Hall S., Kay M., Lennard N., Mc Lay K., Mayes R.,
RA Pettett A., Rajandream M.-A., Lyne M., Benes V., Rechmann S.,
RA Borkova D., Bloeker H., Scharif M., Grimm M., Loehner T.-H.,
RA Dose S., de Haan M., Maarse A.C., Schaefer M., Mueller-Auer S.,
RA Gabel C., Fuchs M., Fartmann B., Granderath K., Dauner D., Herzl A.,
RA Neumann S., Argirou A., Vitale D., Liguori R., Piravandi E.,
RA Massenot O., Quigley F., Clabaud G., Muendlein A., Felber R.,
RA Schnabl S., Hiller R., Schmidt W., Lecharny A., Aubourg S.,
RA Chedfor F., Cooke R., Berger C., Monfort A., Casacuberta E.,
RA Gibbons T., Weber N., Vandenbol M., Barges M., Terol J., Torres A.,
RA Perez-Perez A., Purnelle B., Bent E., Johnson S., Tacon D., Jesse T.,
RA Heijnen L., Schwarz S., Scholler P., Heber S., Francis P., Biele C.,
RA Frishman D., Haase D., Lemcke K., Mewes H.-W., Stocker S.,
RA Zaccaria P., Bevan M., Wilson R.K., de la Bastide M., Habermann K.,
RA Parnell L., Dedhia N., Gnoj L., Schutz K., Huang E., Spiegel L.,
RA Sekhon M., Murray J., Sheet P., Cordes M., Abu-Threiden J.,
RA Stoneking T., Kalicki J., Graves T., Harmon G., Edwards J.,
RA Latreille P., Courtney L., Cloud J., Abbott A., Scott K., Johnson D.,
RA Minx P., Bentley D., Fulton B., Miller N., Greco T., Kemp K.,
RA Kramer J., Fulton L., Mardis E., Dante M., Pepin K., Hillier L.,
RA Nelson J., Spieth J., Ryan E., Andrews S., Geisel C., Layman D.,
RA Du H., Ali J., Berghoff A., Jones K., Drone K., Cotton M., Joshi C.,
RA Antoniou B., Zidanic M., Strong C., Sun H., Lamar B., Yordan C.,
RA Ma P., Zhong J., Preston R., Vil D., Shekher M., Matero A., Shah R.,
RA Swaby I.K., O'Shaughnessy A., Rodriguez M., Hoffman J., Till S.,
RA Granat S., Shohdy N., Hasegawa A., Hameed A., Lodhi M., Johnson A.,
RA Chen E., Marra M., Martienssen R., McCombie W.R.,
RA "Sequence and analysis of chromosome 4 of the plant Arabidopsis
RT thaliana";
RL Nature 402:769-777(1999).
RN [4]
RP SEQUENCE OF 19-485 FROM N.A.
RC STRAIN-CV. LANDSBERG ERCTA;
RA Zhang H., Forde B.G.;
RL "Identification of novel nitrate-inducible genes from Arabidopsis";
RT Submitted (JUN-1997) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: ADENOSYL-HOMOCYSTEINE IS A COMPETITIVE INHIBITOR OF
CC S-ADENOSYL-L-METHIONINE-DEPENDENT METHYL TRANSFERASE REACTIONS;
CC THEREFORE ADENOSYL-HOMOCYSTEINE MAY PLAY A KEY ROLE IN THE
CC CONCENTRATION OF ADENOSYL-HOMOCYSTEINE.
CC CONTROL OF METHYLATIONS VIA REGULATION OF THE INTRACELLULAR
CC -!- CATALYTIC ACTIVITY: S-ADENOSYL-L-HOMOCYSTEINE + H(2)O =
CC ADENOSINE + L-HOMOCYSTEINE.
CC -!- COFACTOR: NAD.
CC -!- PATHWAY: ACTIVATED METHYL CYCLE.
CC -!- SIMILARITY: BELONGS TO THE ADENOSYL-HOMOCYSTEINASE FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; 297335; CAB10173.1; -
CC EMBL; AF059581; AAC14714.1; -
CC EMBL; AL161537; CAB78436.1; -
CC EMBL; Z97059; CAB09795.1; -
CC InterPro: IPR000043; Ado.hcyase.
CC Pfam: PF00670; AdoHcyase_1.
CC PROSITE; PS00738; AdoHcyase_1; 1.
CC PROSITE; PS00739; AdoHcyase_2; 1.
CC Hydrolase; NAD; One-carbon metabolism.
FT NP_BIND 263 294 NAD (POTENTIAL).
FT CONFLICT 80 80 E -> Q (IN REF. 4).

FT CONFLICT 96 A -> R (IN REF. 4).
FT CONFLICT 392 E -> Q (IN REF. 4).
FT CONFLICT 460 T -> R (IN REF. 4).
SQ SEQUENCE 485 AA; 53378 MW; 1113270A0F46C86C CRC64;

Query Match 1.0%; Score 8; DB 1; Length 485;
Best Local Similarity 100.0%; Pred. No. 8.2;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
Db 142 DATLLIHE 149
|||||||
RESULT 5
SAHH_CATRO STANDARD; PRT; 485 AA.
AC P35007;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-OCT-1994 (Rel. 30, Last annotation update)
DE ADENOSYL-HOMOCYSTEINASE (EC 3.3.1.1) (S-ADENOSYL-L-HOMOCYSTEINE
DE HYDROLASE) (ADOHCYASE).
GN SAHH.
OS Catharanthus roseus (Rosy periwinkle) (Madagascar periwinkle).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
OC Asteridae; eusterids I; Gentianales; Apocynaceae; Rauvolfioideae;
OC Vinceae; Catharanthus.
OX NCBI_TaxID=4058;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=94218405; PubMed=8165255;
RA Schroeder G., Waitz A., Hotze M., Schroeder J.;
RT "cDNA for S-adenosyl-L-homocysteine hydrolase from Catharanthus
RT roseus";
RL Plant Physiol. 104:1099-1100(1994).
CC -!- FUNCTION: ADENOSYL-HOMOCYSTEINE IS A COMPETITIVE INHIBITOR OF
CC S-ADENOSYL-L-METHIONINE-DEPENDENT METHYL TRANSFERASE REACTIONS;
CC THEREFORE ADENOSYL-HOMOCYSTEINE MAY PLAY A KEY ROLE IN THE
CC CONTROL OF METHYLATIONS VIA REGULATION OF THE INTRACELLULAR
CC CONCENTRATION OF ADENOSYL-HOMOCYSTEINE.
CC -!- CATALYTIC ACTIVITY: S-ADENOSYL-L-HOMOCYSTEINE + H(2)O =
CC ADENOSINE + L-HOMOCYSTEINE.
CC -!- COFACTOR: NAD.
CC -!- PATHWAY: ACTIVATED METHYL CYCLE.
CC -!- SUBUNIT: HOMOTETRAMER (BY SIMILARITY).
CC -!- INDUCTION: BY STRESS.
CC -!- SIMILARITY: BELONGS TO THE ADENOSYL-HOMOCYSTEINASE FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; Z26881; CA81527.1; -
CC PIR; S38379; S38379.
CC InterPro: IPR000043; Ado.hcyase.
CC Pfam; IPR000205; NAD_binding.
CC Pfam; PF00670; AdoHcyase; 1.
CC PROSITE; PS00738; AdoHcyase_1; 1.
CC PROSITE; PS00739; AdoHcyase_2; 1.
CC Hydrolase; NAD; One-carbon metabolism.
KW NP_BIND 263 294 NAD (POTENTIAL).
FT SEQUENCE 485 AA; 53233 MW; 50CC0E99A9F66C51 CRC64;

Query Match 1.0%; Score 8; DB 1; Length 485;
Best Local Similarity 100.0%; Pred. No. 8.2;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
| | | | | | | |
Db 142 DATLLIHE 149

RESULT 6

SAHL_MESCR STANDARD; PRT; 485 AA.
AC P93253;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE ADENOSYLHOMOCYSTEINASE (EC 3.3.1.1) (S-ADENOSYL-L-HOMOCYSTEINE
DE HYDROLASE) (ADOCYASE).
GN SAHH.
OS Mesembryanthemum crystallinum (Common ice plant).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
OC Caryophyllidae; Caryophyllales; Aizoaceae; Mesembryanthemum.
OX NCBI_TaxID=3544;
RN [1]
RP SEQUENCE FROM N.A.
RA Michalowski C.B., Bohnert H.J.;
RL Submitted (NOV-1996) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: ADENOSYLHOMOCYSTEINE IS A COMPETITIVE INHIBITOR OF
CC S-ADENOSYL-L-METHIONINE-DEPENDENT METHYL TRANSFERASE REACTIONS;
CC THEREFORE ADENOSYLHOMOCYSTEINASE MAY PLAY A KEY ROLE IN THE
CC CONTROL OF METHYLATIONS VIA REGULATION OF THE INTRACELLULAR
CC CONCENTRATION OF ADENOSYLHOMOCYSTEINE (BY SIMILARITY).
CC -1- CATALYTIC ACTIVITY: S-ADENOSYL-L-HOMOCYSTEINE + H(2)O =
CC ADENOSINE + L-HOMOCYSTEINE.
CC -1- COFACTOR: NAD.
CC -1- PATHWAY: ACTIVATED METHYL CYCLE.
CC -1- SUBUNIT: HOMOTETRAMER (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE ADENOSYLHOMOCYSTEINASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: U79766; AAB38499.1; -
DR InterPro: IPR000043; Ado_hcyase.
DR Pfam: PF00670; AdoHcyase; 1.
DR PROSITE: PS00738; ADOHCYASE_1; 1.
DR PROSITE: PS00739; ADOHCYASE_2; 1.
DR KW Hydrolyase; NAD; One-carbon metabolism.
FT NP_BIND 263 294 NAD (POTENTIAL).
FT CONFLICT 263 294
SQ SEQUENCE 485 AA; 53178 MW; 2C3B339BD4F7BAE6 CRC64;

Query Match 1.0%; Score 8; DB 1; Length 485;
Best Local Similarity 100.0%; Pred. No. 8.2;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
| | | | | | | |
Db 142 DATLLIHE 149

RESULT 7

SAHL_PETCR STANDARD; PRT; 485 AA.
AC Q01781;
DT 01-APR-1993 (Rel. 25, Created)
DT 01-OCT-1993 (Rel. 27, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE ADENOSYLHOMOCYSTEINASE (EC 3.3.1.1) (S-ADENOSYL-L-HOMOCYSTEINE

DE HYDROLASE) (ADOCYASE).
GN SAHH OR SHH.

OS Petroselinum crispum (Parsley) (Petroselinum hortense).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
OC Asteridae; euasterids II; Apiales; Apiaceae; Petroselinum.
OX NCBI_TaxID=4043;
RN [1]
RP SEQUENCE FROM N.A.
RA Tissue=Leaf;
RX MEDLINE=92262510; PubMed=1374911;
RA Kwalieck P., Plesch G., Hahlbrock K., Somssich I.E.;
RT "Induction by fungal elicitor of S-adenosyl-L-methionine synthetase
RT and S-adenosyl-L-homocysteine hydrolase mRNAs in cultured cells and
RT leaves of Petroselinum crispum";
RL Proc. Natl. Acad. Sci. U.S.A. 89:4713-4717(1992).
RN [2]

RP SEQUENCE OF 259-485 FROM N.A.
RA Somssich I.E., Bollmann J., Hahlbrock K., Kombrink E., Schulz W.;
RT "Differential early activation of defense-related genes in
RT elicitor-treated parsley cells";
RL Plant Mol. Biol. 12:227-234(1989).
CC -1- FUNCTION: ADENOSYLHOMOCYSTEINE IS A COMPETITIVE INHIBITOR OF
CC S-ADENOSYL-L-METHIONINE-DEPENDENT METHYL TRANSFERASE REACTIONS;
CC THEREFORE ADENOSYLHOMOCYSTEINASE MAY PLAY A KEY ROLE IN THE
CC CONTROL OF METHYLATIONS VIA REGULATION OF THE INTRACELLULAR
CC CONCENTRATION OF ADENOSYLHOMOCYSTEINE.
CC -1- CATALYTIC ACTIVITY: S-ADENOSYL-L-HOMOCYSTEINE + H(2)O =
CC ADENOSINE + L-HOMOCYSTEINE.
CC -1- COFACTOR: NAD.
CC -1- PATHWAY: ACTIVATED METHYL CYCLE.
CC -1- SUBUNIT: HOMOTETRAMER.
CC -1- TISSUE SPECIFICITY: MAINLY IN FLORAL BUDS AND STEMS.
CC -1- SIMILARITY: BELONGS TO THE ADENOSYLHOMOCYSTEINASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: M61885; AAA33856.1; -
DR EMBL: M62756; AAA33855.1; -
DR InterPro: IPR000043; Ado_hcyase.
DR Pfam: PF00670; AdoHcyase; 1.
DR PROSITE: PS00738; ADOHCYASE_1; 1.
DR PROSITE: PS00739; ADOHCYASE_2; 1.
DR KW Hydrolyase; NAD; One-carbon metabolism.
FT NP_BIND 263 294 NAD (POTENTIAL).
FT CONFLICT 346 346 C -> D (IN REF. 1; AAA33855).
FT CONFLICT 439 439 L -> C (IN REF. 1; AAA33855).
SQ SEQUENCE 485 AA; 53181 MW; 05E926516C2E08E6 CRC64;

Query Match 1.0%; Score 8; DB 1; Length 485;
Best Local Similarity 100.0%; Pred. No. 8.2;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
| | | | | | | |
Db 142 DATLLIHE 149

RESULT 8

SAHL_PHASS STANDARD; PRT; 485 AA.
AC P50249;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE ADENOSYLHOMOCYSTEINASE (EC 3.3.1.1) (S-ADENOSYL-L-HOMOCYSTEINE

```
DE HYDROLASE) (ADOHCYASE).
GN SAHH.
OS Phalaenopsis sp.
CC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
CC Spermatophyta; Magnoliophyta; Liliopsida; Asparagales; Orchidaceae;
CC Epidendroideae; higher Epidendroideae; Vandaeae; Aeridinae;
CC Phalaenopsis.
OX NCBI_TaxID=36900;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=95177653; PubMed=7872785;
RA Preisig-Mueller R., Gnan P., Kindl H.;
RT "The inducible 9, 10-dihydrophenanthrene pathway: characterization
RT and expression of bibenzyl synthase and S-adenosylhomocysteine
RT hydrolase.";
RL Arch. Biochem. Biophys. 317:201-207(1995).
CC -!- FUNCTION: ADENOSYLHOMOCYSTEINE IS A COMPETITIVE INHIBITOR OF
CC S-ADENOSYL-L-METHIONINE-DEPENDENT METHYL TRANSFERASE REACTIONS;
CC THEREFORE ADENOSYLHOMOCYSTEINASE MAY PLAY A KEY ROLE IN THE
CC CONTROL OF METHYLATIONS VIA REGULATION OF THE INTRACELLULAR
CC CONCENTRATION OF ADENOSYLHOMOCYSTEINE (BY SIMILARITY).
CC -!- CATALYTIC ACTIVITY: S-ADENOSYL-L-HOMOCYSTEINE + H(2)O =
CC ADENOSINE + L-HOMOCYSTEINE.
CC -!- COFACTOR: NAD (BY SIMILARITY).
CC -!- PATHWAY: ACTIVATED METHYL CYCLE.
CC -!- INDUCTION: BY INFECTION WITH B. CINEREA.
CC -!- SIMILARITY: BELONGS TO THE ADENOSYLHOMOCYSTEINASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X79905; CAA56278.1; -.
DR InterPro: IPR000043; Ado_hcyase.
DR Pfam: PF00670; AdoHcyase; 1.
DR PROSITE; PS00738; ADOHCYASE_1; 1.
DR PROSITE; PS00739; ADOHCYASE_2; 1.
KW Hydrolase; NAD; One-carbon metabolism.
FT NP_BIND 263 294 NAD (POTENTIAL).
SQ SEQUENCE 485 AA; 53141 MW; 1BB2CA5AD63AF233 CRC64;

Query Match 1.0%; Score 8; DB 1; Length 485;
Best Local Similarity 100.0%; Pred. No. 8.2;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
DB 142 DATLLIHE 149
|||||

RESULT 9
SAHH_TOBAC
ID SAHH_TOBAC STANDARD; PRT; 485 AA.
AC P50248;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE ADENOSYLHOMOCYSTEINASE (EC 3.3.1.1) (S-ADENOSYL-L-HOMOCYSTEINE
DE HYDROLASE) (ADOHCYASE) (CYTOKININ BINDING PROTEIN CBP57).
GN SAHH.
OS Nicotiana tabacum (Common tobacco), and
OS Nicotiana sylvestris (Wood tobacco).
CC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
CC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;
CC Asteridae; euasterids I; Solanales; Solanaceae; Nicotiana.
OX NCBI_TaxID=4097, 4096;
RN [1]
RP SEQUENCE FROM N.A.
```

```
RC SPECIES=N.tabacum; STRAIN=CV. BRIGHT YELLOW 4;
RA Tanaka H., Masuta C., Kataoka J., Kuwata S., Koizumi A., Noma M.;
RT "Inducible expression by plant hormones of S-adenosyl-homocysteine
RT hydrolase gene from Nicotiana tabacum during early flower bud
RT formation in vitro.";
RL Plant Sci. 113:167-174(1996).
RN [2]
RP SEQUENCE FROM N.A.
RC SPECIES=N.sylvestris;
RA Mitsui S., Wakasugi T., Sugiyama M.;
RT "A cDNA encoding the 57 kDa subunit of a cytokinin-binding protein
RT complex from tobacco: the subunit has high homology to S-adenosyl-L-
RT homocystein hydrolase.";
RL Plant Cell Physiol. 34:1089-1096(1993).
CC -!- FUNCTION: ADENOSYLHOMOCYSTEINE IS A COMPETITIVE INHIBITOR OF
CC S-ADENOSYL-L-METHIONINE-DEPENDENT METHYL TRANSFERASE REACTIONS;
CC THEREFORE ADENOSYLHOMOCYSTEINASE MAY PLAY A KEY ROLE IN THE
CC CONTROL OF METHYLATIONS VIA REGULATION OF THE INTRACELLULAR
CC CONCENTRATION OF ADENOSYLHOMOCYSTEINE (BY SIMILARITY).
CC -!- CATALYTIC ACTIVITY: S-ADENOSYL-L-HOMOCYSTEINE + H(2)O =
CC ADENOSINE + L-HOMOCYSTEINE.
CC -!- COFACTOR: NAD (BY SIMILARITY).
CC -!- PATHWAY: ACTIVATED METHYL CYCLE.
CC -!- SIMILARITY: BELONGS TO THE ADENOSYLHOMOCYSTEINASE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; D45204; BAA08142.1; -.
DR EMBL; D49804; BAA23164.1; -.
DR EMBL; D16138; BAA03709.1; -.
DR InterPro: IPR000043; Ado_hcyase.
DR Pfam: PF00670; AdoHcyase; 1.
DR PROSITE; PS00738; ADOHCYASE_1; 1.
DR PROSITE; PS00739; ADOHCYASE_2; 1.
KW Hydrolase; NAD; One-carbon metabolism.
FT NP_BIND 263 294 NAD (POTENTIAL).
SQ SEQUENCE 485 AA; 53104 MW; AA6D6844E9DFOA5C CRC64;

Query Match 1.0%; Score 8; DB 1; Length 485;
Best Local Similarity 100.0%; Pred. No. 8.2;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
DB 142 DATLLIHE 149
|||||

RESULT 10
SAHH_WHEAT
ID SAHH_WHEAT STANDARD; PRT; 485 AA.
AC P32112;
DT 01-OCT-1993 (Rel. 27, Created)
DT 01-OCT-1993 (Rel. 27, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE ADENOSYLHOMOCYSTEINASE (EC 3.3.1.1) (S-ADENOSYL-L-HOMOCYSTEINE
DE HYDROLASE) (ADOHCYASE).
GN SAHH OR SHH OR SH6.2.
OS Triticum aestivum (Wheat).
CC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
CC Spermatophyta; Magnoliophyta; Liliopsida; Poales; Poaceae; Poideae;
CC Triticeae; Triticum.
OX NCBI_TaxID=4565;
RN [1]
RP SEQUENCE FROM N.A.
RA Richards K.D., Gardner R.C.;
RL Submitted (XXX-1993) to the EMBL/GenBank/DBJ databases.
```


CC -!- FUNCTION: ENERGY-DEPENDENT EFFLUX PUMP RESPONSIBLE FOR DECREASED
CC DRUG ACCUMULATION IN MULTIDRUG-RESISTANT CELLS.
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN.
CC -!- MISCELLANEOUS: PGP ISOFORMS DIFFER IN THEIR DRUG TRANSPORT
CC CAPABILITIES: PGP1 AND PGP2 CAN MEDIATE MDR, WHILE PGP3 APPARENTLY
CC CANNOT.
CC -!- SIMILARITY: BELONGS TO THE ATP-BINDING TRANSPORT PROTEIN FAMILY
CC (ABC TRANSPORTERS). MDR SUBFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M60041; AAA68884.1; -;
CC EMBL; M17896; AAA37007.1; -;
CC PIR; B27126; DVH2C.
CC InterPro; IPR003593; AAA.
CC InterPro; IPR003439; ABC_transportr.
CC InterPro; IPR001140; ABC_transportr_tmem.
CC InterPro; IPR001687; ATP_GTP_A.
CC Pfam; PF00664; ABC_membrane; 2.
CC Pfam; PF00005; ABC_tran; 2.
CC SMART; SM00382; AAA; 2.
CC PROSITE; PS00211; ABC_TRANSPORTER; 2.
CC ATP-binding; Glycoprotein; Transmembrane; Transport; Repeat;
KW Multigene family.
FT DOMAIN 1 51 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 52 72 POTENTIAL.
FT TRANSMEM 119 139 POTENTIAL.
FT TRANSMEM 188 208 POTENTIAL.
FT TRANSMEM 215 235 POTENTIAL.
FT TRANSMEM 296 316 POTENTIAL.
FT TRANSMEM 325 345 POTENTIAL.
FT DOMAIN 346 708 CYTOPLASMIC (POTENTIAL).
FT TRANSMEM 709 729 POTENTIAL.
FT TRANSMEM 755 775 POTENTIAL.
FT TRANSMEM 831 851 POTENTIAL.
FT TRANSMEM 852 872 POTENTIAL.
FT TRANSMEM 935 955 POTENTIAL.
FT TRANSMEM 972 992 POTENTIAL.
FT DOMAIN 993 1276 CYTOPLASMIC (POTENTIAL).
FT NP_BIND 426 433 ATP (POTENTIAL).
FT REPEAT 1 635 ATP (POTENTIAL).
FT REPEAT 636 1276
FT SEQUENCE 1276 AA; 5096B1385628812D CRC64;

Query Match 1.0%; Score 8; DB 1; Length 1276;
Best Local Similarity 100.0%; Pred. No. 19;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 535 VLGTAAV 542
Db 52 VLGTAAV 59
RESULT 13
YCX4_MESVI
ID YCX4_MESVI STANDARD; PRT; 71 AA.
AC Q9MUR2;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HYPOTHETICAL 8.1 KDA PROTEIN IN NDHF-PSBD INTERGENIC REGION.
OS Mesostigma viride.
OG Chloroplast.
OC Eukaryota; Viridiplantae; Streptophyta; Mesostigmatothryceae;
OC Mesostigmatales; Mesostigmataceae; Mesostigma.

OX NCBI_TaxID=41882;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-NIES-296;
RX MEDLINE=20150907; PubMed=10688199;
RA Lemieux C., Otis C., Turmel M.;
RT "Ancestral chloroplast genome in Mesostigma viride reveals an early
RL branch of green plant evolution."; Nature 403:649-652(2000).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AF166114; AAF43891.1; -;
KW Hypothetical protein; Chloroplast.
SQ SEQUENCE 71 AA; 8147 MW; 9608379E175B0319 CRC64;

Query Match 0.8%; Score 7; DB 1; Length 71;
Best Local Similarity 100.0%; Pred. No. 16;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 623 RLISLL 629
Db 10 RLISLL 16

RESULT 14
IR08_HCMVA STANDARD; PRT; 129 AA.
AC P16806;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-AUG-1990 (Rel. 15, Last sequence update)
DT 01-FEB-1991 (Rel. 17, Last annotation update)
DE HYPOTHETICAL PROTEIN IRL8 (TRL8).
OS Human cytomegalovirus (strain AD169).
OC Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
OC Betaherpesvirinae; Cytomegalovirus.
OX NCBI_TaxID=10360;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90269039; PubMed=2161319;
RA Chee M.S., Bankier A.T., Beck S., Bohni R., Brown C.M., Cerny R.,
RA Horsnell T., Hutchison C.A. III, Kouzarides T., Martignetti J.A.,
RA Preddie E., Satchwell S.C., Tomlinson P., Weston K.M., Barrell B.G.;
RT "Analysis of the protein-coding content of the sequence of human
RL cytomegalovirus strain AD169."; Curr. Top. Microbiol. Immunol. 154:125-169(1990).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X17403; CAA35456.1; -;
CC EMBL; X17403; CAA35302.1; -;
CC PIR; S09757; S09757.
KW Hypothetical protein.
SQ SEQUENCE 129 AA; 14301 MW; EDDEEF121B86F0D3 CRC64;

Query Match 0.8%; Score 7; DB 1; Length 129;
Best Local Similarity 100.0%; Pred. No. 27;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 779 EERREKR 785
|
Db 12 EERREKR 18

RESULT 15

VG42_HSV11 STANDARD; PRT; 129 AA.
AC Q00101;
DT 01-DEC-1992 (Rel. 24, Created)
DT 01-DEC-1992 (Rel. 24, Last sequence update)
DT 01-DEC-1992 (Rel. 24, Last annotation update)
DE HYPOTHETICAL GENE 42 PROTEIN.
GN 42.
OS Ictalurid herpesvirus 1 (Channel catfish virus) (CCV).
OC Viruses; dsDNA viruses, no RNA stage; Herpesviridae;
OC unclassified Herpesviridae.
OX NCBI_raxid=10401;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=AUBURN 1;
RX MEDLINE=92087490; PubMed=1727613;
RA Davison A.J.;
RT "Channel catfish virus: a new type of herpesvirus.";
RL Virology 186:9-14(1992).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M75136; AAA88145.1; -.
DR PIR; G36790; G36790.
KW Hypothetical protein.
SQ SEQUENCE 129 AA; 14346 MW; DA7ECE85FECD4E9E CRC64;

Query Match 0.8%; Score 7; DB 1; Length 129;
Best Local Similarity 100.0%; Pred. No. 27;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 230 QRRGVRD 236
|
Db 32 QRRGVRD 38

Search completed: March 29, 2002, 10:24:41
Job time: 138 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 28, 2002, 10:21:23 ; Search time 21.56 Seconds
(without alignments)
2918.376 Million cell updates/sec

Title: US-09-988-687-2

Perfect score: 826

Sequence: 1 MWALCSILRSAGRTMSQGR.....EPQOKRAHTEEPQAKKVRQA 826

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 219241 seqs, 76174552 residues

Word size : 0

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Listing first 45 summaries

Database : PTR_68:*
1: pir1.*
2: pir2.*
3: pir3.*
4: pir4.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	11	1.3	809	T38051	hypothetical prote
2	10	1.2	837	F96561	unknown protein [i
3	9	1.1	838	T38156	hypothetical prote
4	8	1.0	147	D75073	hit-like protein P
5	8	1.0	216	T23258	hypothetical prote
6	8	1.0	255	T35217	hypothetical prote
7	8	1.0	260	G75111	hypothetical prote
8	8	1.0	280	A71022	hypothetical prote
9	8	1.0	307	A71057	probable sulfatase
10	8	1.0	440	T23578	probable thiosulfa
11	8	1.0	445	DCUTOB	ornithine decarbox
12	8	1.0	485	T271400	adenosylhomocystei
13	8	1.0	485	S71621	adenosylhomocystei
14	8	1.0	485	S38379	adenosylhomocystei
15	8	1.0	485	T06764	adenosylhomocystei
16	8	1.0	643	F84117	hypothetical prote
17	8	1.0	806	T35640	probable sensor ki
18	8	1.0	989	T23035	hypothetical prote
19	8	1.0	1630	T20390	KIAA0614 protein -
20	7	0.8	106	T36932	probable integral
21	7	0.8	122	S40351	Ig kappa chain V-J
22	7	0.8	129	S09757	hypothetical prote
23	7	0.8	129	G36790	hypothetical prote
24	7	0.8	139	C83526	hypothetical prote
25	7	0.8	144	B70983	hypothetical prote
26	7	0.8	144	T33858	hypothetical prote
27	7	0.8	144	H82837	conserved hypothet
28	7	0.8	148	B72513	hypothetical prote
29	7	0.8	149	C69393	transcription regu

30	7	0.8	156	2	T12893	hypothetical prote
31	7	0.8	167	2	T44271	glutathione peroxi
32	7	0.8	167	2	T35112	probable transmemb
33	7	0.8	171	2	A45562	merozoite surface
34	7	0.8	189	2	T48828	hypothetical prote
35	7	0.8	197	2	B49247	merozoite surface
36	7	0.8	197	2	C49247	merozoite surface
37	7	0.8	209	2	E82388	conserved hypothet
38	7	0.8	211	2	T10392	late expression fa
39	7	0.8	216	2	C64994	InaA protein - Esc
40	7	0.8	216	2	B85863	hypothetical prote
41	7	0.8	239	2	T01599	hypothetical prote
42	7	0.8	241	2	H31844	KorA protein - Str
43	7	0.8	247	2	D84304	hypothetical prote
44	7	0.8	250	2	A83310	hypothetical prote
45	7	0.8	250	2	T36131	hypothetical prote

ALIGNMENTS

RESULT 1

T38051
hypothetical protein SPAC1D4.10 - fission yeast (Schizosaccharomyces pombe)
C:Species: Schizosaccharomyces pombe
C:Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Dec-1999
C:Accession: T38051
R:Lyse, G.; Churcher, C.M.; Barrell, B.G.; Rajandream, M.A.; Walsh, S.V.
submitted to the EMBL Data Library, February 1995
A:Reference number: Z21765
A:Accession: T38051
A:Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-809 <LYE>

A:Cross-references: EMBL:Z69239; PIDN:CAA93219.1; GSPDB:GN00066; SPDB:SPAC1D4.10
A:Experimental source: strain 972h-; cosmid cid4

C:Genetics:

A:Gene: SPDB:SPAC1D4.10

A:Map position: 1

A:Introns: 129/1

Query Match 1.3%; Score 11; DB 2; Length 809;
Best Local Similarity 100.0%; Pred. No. 0.016;
Matches 11; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 681 TLLIHEATLED 691

Db 704 TLLIHEATLED 714

RESULT 2

F96561
unknown protein [imported] - Arabidopsis thaliana

C:Species: Arabidopsis thaliana (mouse-ear cress)

C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 31-Mar-2001

C:Accession: F96561

R:Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alon

Chin, C.W.; Chung, M.K.; Conn, L.; Conway, A.B.; Creasy, T.H.; Dewar,

ansen, N.F.; Hughes, B.; Huizuar, L.

Nature 408, 816-820, 2000

A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim,

C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Maiti, R.; Marzita

Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.

A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallc

ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.

A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.

A:Reference number: A86141; MUID:21016719

A:Accession: F96561

A:Status: preliminary

A:Molecule type: DNA

A:Residues: 1-837 <STO>

A:Cross-references: GB:AE005173; NID:g6850339; PIDN:AAF29402.1; GSPDB:GN00141

C:Genetics:
A:Gene: F9I5.1
A:Map position: 1

Query Match 1.2%; Score 10; DB 2; Length 837;
Best Local Similarity 100.0%; Pred. No. 0.19;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 511 SLLLDGEGT 520
|||||
DB 515 SLLLDGEGT 524

RESULT 3

S38156
hypothetical protein YKR079C - yeast (Saccharomyces cerevisiae)

C:Species: Saccharomyces cerevisiae
C:Date: 03-May-1994 #sequence_revision 03-May-1994 #text_change 29-Oct-1999

C:Accession: S38156
R:Pohl, T.M.; Pohl, F.M.

submitted to the Protein Sequence Database, March 1994

A:Reference number: S37897

A:Accession: S38156

A:Molecule type: DNA

A:Residues: 1-838 <POH>

A:Cross-references: EMBL:Z28304; NID:g486556; PID:g486557; GSPDB:GN00011; MIPS:YKR079C

A:Experimental source: strain S288C

C:Genetics:

A:Gene: MIPS:YKR079C.

A:Map position: 11R

Query Match 1.1%; Score 9; DB 2; Length 838;
Best Local Similarity 100.0%; Pred. No. 2.1;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 682 LLIHTEATLE 690
|||||
DB 717 LLIHTEATLE 725

RESULT 4

D75073

hit-like protein PAB0657 - Pyrococcus abyssi (strain Orsay)

C:Species: Pyrococcus abyssi

C:Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000

C:Accession: D75073

R:Anonymous, Genoscope

submitted to the EMBL Data Library, July 1999

A:Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome stru

A:Reference number: A75001

A:Accession: D75073

A>Status: preliminary

A:Molecule type: DNA

A:Residues: 1-147 <KAW>

A:Cross-references: GB:AJ248286; GB:AL096836; NID:g5458366; PIDN:CAB49889.1; PID:g545840

A:Experimental source: strain Orsay

C:Genetics:

A:Gene: PAB0657

C:Superfamily: protein kinase C inhibitor; histidine triad homology

F:3-99/Domain: histidine triad homology <HIT>

Query Match 1.0%; Score 8; DB 2; Length 147;
Best Local Similarity 100.0%; Pred. No. 5;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 158 LKGIELAV 165
|||||
DB 57 LKGIELAV 64

RESULT 5

T23258

hypothetical protein K03A11.3 - Caenorhabditis elegans

C:Species: Caenorhabditis elegans

C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 18-Feb-2000

C:Accession: T23258

R:Swinburne, J.

submitted to the EMBL Data Library, July 1996

A:Reference number: Z19717

A:Accession: T23258

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-216 <WIL>

A:Cross-references: EMBL:Z77133; PIDN:CAB00867.1; GSPDB:GN00028; CESP:K03A11.3

A:Experimental source: clone K03A11

C:Genetics:

A:Gene: CESP:K03A11.3

A:Map position: X

A:Introns: 136/3; 168/3

Query Match 1.0%; Score 8; DB 2; Length 216;
Best Local Similarity 100.0%; Pred. No. 7;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 78 SEFNRYLF 85
|||||

DB 75 SEFNRYLF 82

RESULT 6

T35217

hypothetical protein SC5C7.10c SC5C7.10c - Streptomyces coelicolor

C:Species: Streptomyces coelicolor

C:Date: 05-Nov-1999 #sequence_revision 05-Nov-1999 #text_change 21-Jan-2000

C:Accession: T35217

R:Seeger, K.J.; Harris, D.; Parkhill, J.; Barrell, B.G.; Rajandream, M.A.

submitted to the EMBL Data Library, September 1998

A:Reference number: Z21572

A:Accession: T35217

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: DNA

A:Residues: 1-255 <SEE>

A:Cross-references: EMBL:AL031515; PIDN:CAA20622.1; GSPDB:GN00070; SCOEDB:SC5C7.10c

A:Experimental source: strain A3(2)

C:Genetics:

A:Gene: SCOEDB:SC5C7.10c

C:Superfamily: conserved hypothetical protein MJ1163

Query Match 1.0%; Score 8; DB 2; Length 255;
Best Local Similarity 100.0%; Pred. No. 8.1;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 544 VSHLHADH 551
|||||

DB 53 VSHLHADH 60

RESULT 7

G75111

hypothetical protein PAB1906 - Pyrococcus abyssi (strain Orsay)

C:Species: Pyrococcus abyssi

C:Date: 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change 20-Jun-2000

C:Accession: G75111

R:Anonymous, Genoscope

submitted to the EMBL Data Library, July 1999

A:Description: Pyrococcus abyssi genome sequence: insights into archaeal chromosome s

A:Reference number: A75001

A:Accession: G75111

A>Status: preliminary

A:Molecule type: DNA

A:Residues: 1-260 <KAW>

A:Cross-references: GB:AJ248285; GB:AL096836; NID:g5458067; PIDN:CAB49608.1; PID:g545811
A:Experimental source: strain Orsay
C:Genetics:
A:Gene: PAB1906
C:Superfamily: Methanococcus jannaschii conserved hypothetical protein MJ0209

Query Match 1.0%; Score 8; DB 2; Length 260;
Best Local Similarity 100.0%; Pred. No. 8.2;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 671 EALVRMGK 678
|||||||
Db 167 EALVRMGK 174

RESULT 8

A71022
hypothetical protein PH1470 - Pyrococcus horikoshii
C:Species: Pyrococcus horikoshii
C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 21-Jul-2000
C:Accession: A71022
R:Kawarabayasi, Y.; Sawada, M.; Horikawa, H.; Haikawa, Y.; Hino, Y.; Yamamoto, S.; Sekin
M.; Ohfuku, Y.; Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.; Kushida, N.; Oguchi
DNA Res. 5, 55-76, 1998
A:Title: Complete sequence and gene organization of the genome of a hyper-thermophilic a
A:Reference number: A71000; MUID:98344137
A:Accession: A71022
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-280 <KAW>
A:Cross-references: GB:AP000006; NID:g3236133; PIDN:BAA30577.1; PID:g3257894
A:Experimental source: strain OT3
A:Note: this accession replaces an interim accession for a sequence replaced by GenBank
C:Genetics:
A:Gene: PH1470
C:Superfamily: Methanococcus jannaschii conserved hypothetical protein MJ0209

Query Match 1.0%; Score 8; DB 1; Length 280;
Best Local Similarity 100.0%; Pred. No. 8.7;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 671 EALVRMGK 678
|||||||
Db 188 EALVRMGK 195

RESULT 9

A71057
probable sulfatase - Pyrococcus horikoshii
C:Species: Pyrococcus horikoshii
C:Date: 14-Aug-1998 #sequence_revision 14-Aug-1998 #text_change 20-Jun-2000
C:Accession: A71057
R:Kawarabayasi, Y.; Sawada, M.; Horikawa, H.; Haikawa, Y.; Hino, Y.; Yamamoto, S.; Sekin
M.; Ohfuku, Y.; Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.; Kushida, N.; Oguchi
DNA Res. 5, 55-76, 1998
A:Title: Complete sequence and gene organization of the genome of a hyper-thermophilic a
A:Reference number: A71000; MUID:98344137
A:Accession: A71057
A:Status: preliminary; nucleic acid sequence not shown; translation not shown
A:Molecule type: DNA
A:Residues: 1-307 <KAW>
A:Cross-references: GB:AP000005; NID:g3236132; PIDN:BAA30251.1; PID:g3257568
A:Experimental source: strain OT3
A:Note: this accession replaces an interim accession for a sequence replaced by GenBank
C:Genetics:
A:Gene: PH151
C:Superfamily: conserved hypothetical protein MJ1502

Query Match 1.0%; Score 8; DB 2; Length 307;
Best Local Similarity 100.0%; Pred. No. 9.5;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 660 KVIYSGDT 667
|||||||
Db 202 KVIYSGDT 209

RESULT 10

C85785
probable thiosulfate sulfur transferase Z2789 [imported] - Escherichia coli (strain O
C:Species: Escherichia coli
C:Date: 16-Feb-2001 #sequence_revision 16-Feb-2001 #text_change 31-Mar-2001
C:Accession: C85785
R:Perna, N.T.; Plunkett III, G.; Burland, V.; Mau, B.; Glasner, J.D.; Rose, D.J.; May
iller, L.; Grotbeck, E.J.; Davis, N.W.; Lim, A.; Dimalanta, E.; Potamosis, K.; Apoda
Nature 409, 529-533, 2001
A:Title: Genome sequence of enterohemorrhagic Escherichia coli O157:H7.
A:Reference number: AB5480; MUID:21074935; PMID:11206551
A:Accession: C85785
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-440 <STO>
A:Cross-references: GB:AE005174; NID:g12515779; PIDN:AA056743.1; GSPDB:GN00145; UWGP:
A:Experimental source: strain O157:H7, substrain EDL933
C:Genetics:
A:Gene: Z2789

Query Match 1.0%; Score 8; DB 2; Length 440;
Best Local Similarity 100.0%; Pred. No. 13;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 332 KADAPVAL 339
|||||||
Db 99 KADAPVAL 106

RESULT 11

DCUT08
ornithine decarboxylase (EC 4.1.1.17) - Trypanosoma brucei
C:Species: Trypanosoma brucei
C:Date: 30-Sep-1992 #sequence_revision 30-Sep-1992 #text_change 18-Jun-1999
C:Accession: A29309
R:Phillips, M.A.; Coffino, P.; Wang, C.C.
J. Biol. Chem. 262, 8721-8727, 1987
A:Title: Cloning and sequencing of the ornithine decarboxylase gene from Trypanosoma
A:Reference number: A29309; MUID:87250494
A:Accession: A29309
A:Molecule type: DNA
A:Residues: 1-445 <PHI>
A:Cross-references: GB:J02771; NID:g162173; PIDN:AAA30218.1; PID:g162174
C:Superfamily: ornithine decarboxylase
C:Keywords: carbon-carbon lyase; carboxy-lyase; phosphoprotein; polyamine biosynthesis
F:89/Binding site: pyridoxal phosphate (Lys) (covalent) #status predicted
F:380/Active site: Cys (shared with dimeric partner) #status predicted

Query Match 1.0%; Score 8; DB 1; Length 445;
Best Local Similarity 100.0%; Pred. No. 13;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 534 RVLGTLAA 541
|||||||
Db 95 RVLGTLAA 102

RESULT 12

C71400
adenosylhomocysteinase (EC 3.3.1.1) [similarity] - Arabidopsis thaliana
N:Alternate names: protein DL3010W; S-adenosyl-L-homocysteine hydrolase
C:Species: Arabidopsis thaliana (mouse-ear cross)
A:Variety: Columbia
C:Date: 03-Aug-1998 #sequence_revision 03-Aug-1998 #text_change 02-Sep-2000

C;Accession: C71400; T51608
R;Bevan, M.; Bancroft, I.; Bent, E.; Love, K.; Goodman, H.; Dean, C.; Bergkamp, R.; Dick
P.; Wedler, H.; Wedler, E.; Wambutt, R.; Weitzenecker, T.; Pohl, T.M.; Terry, N.; Giel
avanagh, T.; Hempel, S.; Kotter, P.; Entian, K.D.; Rieger, M.; Schaeffer, M.; Funk, B.
Nature 391, 485-488, 1998
A;Authors: Mueller-Auer, S.; Silvey, M.; James, R.; Montfort, A.; Pons, A.; Puigdomenech
erhoft, A.; Moores, T.; Jones, J.D.G.; Eneva, T.; Palme, K.; Benes, V.; Rechman, S.; Ans
C.; Chalwatzis, N.
A;Title: Analysis of 1.9 Mb of contiguous sequence from chromosome 4 of Arabidopsis thal
A;Reference number: A71400; MUID:98121113
A;Accession: C71400
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-485 <BEV>
A;Cross-references: GB:Z97335; NID:g2244747; PIDN:CAB10173.1; PID:g2244750
R;Belbahri, L.; Elleuch, H.; Villaroel, R.; Inze, D.; Thomas, D.; Thomasset, B.
Plant Physiol. 121, 313, 1999
A;Title: The isolation of an Arabidopsis thaliana cDNA clone encoding S-adenosyl-L-homoc
A;Reference number: Z25409
A;Accession: T51608
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-485 <BEL>
A;Cross-references: EMBL:AF059581; PIDN:AAC14714.1
A;Experimental source: cultivar Landsberg erecta
C;Genetics:
A;Gene: SAHH
A;Map position: 4COP9-4G3845
A;Note: DL3010W
C;Superfamily: adenosylhomocysteinase
C;Keywords: NAD; thioether hydrolase
F;263-292/Region: beta-alpha-beta NAD nucleotide-binding fold
F;86,120/Active site: Cys #status predicted

Query Match 1.0%; Score 8; DB 2; Length 485;
Best Local Similarity 100.0%; Pred. No. 14;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
|||||
DB 142 DATLLIHE 149

RESULT 13
S71621
adenosylhomocysteinase (EC 3.3.1.1) - Phalaenopsis sp.
N;Alternate names: S-adenosyl-L-homocysteinase hydrolase
C;Species: Phalaenopsis sp.
C;Date: 27-Nov-1997 #sequence_revision 12-Dec-1997 #text_change 22-Jun-1999
C;Accession: S71621
R;Preisig-Mueller, R.; Gnaul, P.; Kindl, H.
Arch. Biochem. Biophys. 317, 201-207, 1995
A;Title: The inducible 9,10-dihydrophenanthrene pathway: characterization and expression
A;Reference number: S71619; MUID:95177653
A;Accession: S71621
A;Status: nucleic acid sequence not shown
A;Molecule type: mRNA
A;Residues: 1-485 <PRE>
A;Cross-references: EMBL:X79905; NID:g758246; PIDN:CAA56278.1; PID:g758247
A;Experimental source: clone SHH511
C;Superfamily: adenosylhomocysteinase
C;Keywords: NAD; thioether hydrolase
F;263-292/Region: beta-alpha-beta NAD nucleotide-binding fold
F;86,120/Active site: Cys #status predicted

Query Match 1.0%; Score 8; DB 2; Length 485;
Best Local Similarity 100.0%; Pred. No. 14;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
|||||

Db 142 DATLLIHE 149

RESULT 14
S38379
adenosylhomocysteinase (EC 3.3.1.1) - Madagascar periwinkle
N;Alternate names: S-adenosyl-L-homocysteinase hydrolase
C;Species: Catharanthus roseus (Madagascar periwinkle)
C;Date: 22-Jan-1994 #sequence_revision 10-Nov-1995 #text_change 23-Jul-1999
C;Accession: S38379
R;Schroeder, G.; Waitz, A.; Hotze, M.; Schroeder, J.
submitted to the EMBL Data Library, October 1993
A;Description: cDNA for stress-induced S-adenosyl-L-homocysteinase hydrolase from Madag
A;Reference number: S38379
A;Accession: S38379
A;Molecule type: DNA
A;Residues: 1-485 <SCH>
A;Cross-references: EMBL:Z26881; NID:g407411; PIDN:CAA81527.1; PID:g407412
C;Genetics:
A;Gene: SAHH
C;Superfamily: adenosylhomocysteinase
C;Keywords: NAD; thioether hydrolase
F;263-292/Region: beta-alpha-beta NAD nucleotide-binding fold
F;86,120/Active site: Cys #status predicted

Query Match 1.0%; Score 8; DB 2; Length 485;
Best Local Similarity 100.0%; Pred. No. 14;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
|||||
DB 142 DATLLIHE 149

RESULT 15
T06764
adenosylhomocysteinase (EC 3.3.1.1) - wheat
N;Alternate names: S-adenosyl-L-homocysteinase hydrolase
C;Species: Triticum aestivum (common wheat)
C;Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 23-Jul-1999
C;Accession: T06764
R;Richards, K.D.; Gardner, R.C.
submitted to the EMBL Data Library, March 1993
A;Description: the influence of aluminium on histone, heat shock and S-adenosyl-L-hom
A;Reference number: Z15795
A;Accession: T06764
A;Status: translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-485 <RIC>
A;Cross-references: EMBL:L11872; NID:g170772; PIDN:AAA34303.1; PID:g170773
C;Genetics:
A;Gene: SH6.2
C;Superfamily: adenosylhomocysteinase
C;Keywords: NAD; thioether hydrolase
F;263-292/Region: beta-alpha-beta NAD nucleotide-binding fold
F;86,120/Active site: Cys #status predicted

Query Match 1.0%; Score 8; DB 2; Length 485;
Best Local Similarity 100.0%; Pred. No. 14;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 679 DATLLIHE 686
|||||
DB 142 DATLLIHE 149

Search completed: March 29, 2002, 10:23:41
Job time: 138 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 29, 2002, 10:20:33 ; Search time 28.96 Seconds
(without alignments)
2112.726 Million cell updates/sec

Title: US-09-988-687-2
Perfect score: 826
Sequence: 1 MWALCILRSAGRTMSQGR.....EPOCKRAHTEEPOAKKVRQA 826

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 522463 seqs, 74073290 residues

Word size : 0
Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Listing first 45 summaries

Database : A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query No.	Score	Match	Length	ID	Description
1	826	100.0	826	21	AAB07228	Human prostate can
2	624	75.5	826	21	AA199850	Human sulphatase G
3	505	61.1	606	21	AAB42236	Human ORFX ORF2000
4	430	52.1	854	22	AAB92918	Human protein sequ
5	15	1.8	73	21	AAB07230	Murine prostate ca
6	10	1.2	118	21	AAG18567	Arabidopsis thalia
7	10	1.2	154	21	AAG18566	Arabidopsis thalia
8	9	1.1	838	22	AAB49964	S. cerevisiae YKR0
9	8	1.0	141	21	AAB25679	Human secreted pro
10	8	1.0	243	21	AAB43610	Human cancer assoc
11	8	1.0	245	22	AAG75627	Human colon cancer

12	8	1.0	377	21	AAB42637	Human ORFX ORF2401
13	8	1.0	385	22	AAB85355	Human phosphatase
14	8	1.0	394	21	AAG08256	Arabidopsis thalia
15	8	1.0	422	21	AAG08255	Arabidopsis thalia
16	8	1.0	449	21	AAG32958	Arabidopsis thalia
17	8	1.0	450	21	AAG34061	Zea mays protein f
18	8	1.0	467	21	AAG22957	Arabidopsis thalia
19	8	1.0	467	21	AAG40087	Arabidopsis thalia
20	8	1.0	467	21	AAG41408	Arabidopsis thalia
21	8	1.0	485	17	AAW01459	Arabidopsis S-aden
22	8	1.0	485	21	AAG34060	Zea mays protein f
23	8	1.0	485	21	AAG40086	Arabidopsis thalia
24	8	1.0	485	21	AAG41407	Arabidopsis thalia
25	8	1.0	486	13	AAAR26500	Prod. of Nicotiana
26	8	1.0	489	21	AAG22956	Arabidopsis thalia
27	8	1.0	497	21	AAG41405	Arabidopsis thalia
28	8	1.0	508	21	AAG40085	Arabidopsis thalia
29	8	1.0	509	21	AAG08254	Arabidopsis thalia
30	8	1.0	510	21	AAG34059	Zea mays protein f
31	8	1.0	790	21	AAG49847	Arabidopsis thalia
32	8	1.0	848	21	AAG49846	Arabidopsis thalia
33	8	1.0	922	21	AAG49845	Arabidopsis thalia
34	8	1.0	1632	22	AAAM39023	Human polypeptide
35	7	0.8	20	22	AAAM17295	Peptide #3729 enco
36	7	0.8	20	22	AAAM29793	Peptide #3830 enco
37	7	0.8	52	21	AAAB27820	Human secreted pro
38	7	0.8	57	22	AAAM19543	Peptide #5977 enco
39	7	0.8	57	22	AAAM32583	Peptide #6620 enco
40	7	0.8	81	21	AAAB33060	Pinus radiata tran
41	7	0.8	86	21	AAAY87065	Human secreted pro
42	7	0.8	86	22	AAAB50642	Human gene 2 enco
43	7	0.8	99	21	AAAB53940	Human colon cancer
44	7	0.8	108	21	AAAY87157	Human secreted pro
45	7	0.8	108	22	AAAE06134	Human gene 2 enco

ALIGNMENTS

RESULT 1
AAB07228
ID AAB07228 standard; protein; 826 AA.
XX
AC AAB07228;
XX
DT 07-DEC-2000 (first entry)
XX
DE Human prostate cancer predisposing protein HPC2.
XX
KW Human prostate cancer predisposing gene; HPC2; chromosome 17p;
KW gene therapy; peptide therapy; drug design.
XX
OS Homo sapiens.
XX
PN WO200027864-A1.
XX
PD 18-MAY-2000.
XX
PF 05-NOV-1999; 99WO-US26055.
XX
PR 06-NOV-1998; 98US-0107468.
XX
PA (MYRI-) MYRIAD GENETICS INC.
XX
PI Tavtigian SV, Teng DHF, Simard J, Rommens JM;
DR WPI; 2000-376481/32.
XX
PT N-PSDB; AAA58453.
XX
PT Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX antibodies, useful for treatment and diagnosis of prostate cancer
XX
PS Claim 2; Page 96-98; 157pp; English.

XX The present sequence is the protein produced from the human prostate
CC cancer predisposing gene HPC2, which is found on chromosome 17p. Some
CC alleles of this gene cause a predisposition to cancer, particularly
CC prostate cancer. This protein and its gene can be used in peptide and
CC gene therapy for cancer patients, as well as being useful as diagnostic
CC tools (both for cancer sufferers and those with a predisposition to the
CC disease) and in the production of cancer drugs.
XX
SQ Sequence. 826 AA;

Query Match 100.0%; Score 826; DB 21; Length 826;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 826; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 MWALCSLLRSAGRTMSQGTISOAPARRPRKDPRLHRLTRREKRGPSGSGGPNVTYL 60
Db 1 mwalcslrrsaagrtmsqgrrtisqaparrprkdprrhlrtrekrpgsgsggpnvtvl 60
QY 61 QVVAAGSRDSGAALYVFSEFNRYLFNCGEGVORLMOEHKLVARLDNIFLTRMHSNVGG 120
Db 61 qvvaagsrdsagaalyvfsefnrylfnccgegvqrlmqehklkvarldnifltrmhsnvvg 120
QY 121 LSGMILTLETGPKVCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDTMTV 180
Db 121 lsgmiltletkgtpkcvlsgppqlekyleaikifsgplkgielavrpshapsapedetmtv 180
QY 181 YQIPHSEQRGKHQWPQSPERPLSRSPERSSDSENENEPHLPBGVSGRRVDRSSLV 240
Db 181 yqiphsqgrgkhqwpqspersplsrsperssdseennephlpbgvsqrrgvdrsslv 240
QY 241 VAFICKLHLKRGNFVLKAKEMGLPVGTAAPIIAAVKDGKSIHGREILAEELCTPP 300
Db 241 vaficklhkrgnflvklakemglpvgtaaapiaaavkdgksithgreilaeelectpp 300
QY 301 DPGAAFVWVSCPDSEFTQICENATFORYOGKADAPVALVVMHAPASVLVDSRYQOMMER 360
Db 301 dpgaaafvvecpdesfiqipicenatforyogkadapvalvvhmapasvlvdsryqqmmer 360
QY 361 FGPDTHLVNENCASVHNLRSHKIQTQNLIHDPDIFPLTSPCKKEGPTLSVPMVQGE 420
Db 361 fgpdthlvnencasvhnlrshkigtqnlidhpdifplltstfckkegptlsvpmvqge 420
QY 421 CLIKYQLRPREWQDAIITCNPEETIVEALQLPNQSQSQVEYRRAQDGPAPAEKRSQY 480
Db 421 clikyqlrprewqdaaitcnpeeifvealqlpnfgsqsqveyrrsaqdgppaekrsqy 480
QY 481 PEIIFLTGSAIPMKIRNVSATLVNISPDTSLLDCEGEGTFGOLCRHYGDQVDRVLGTLA 540
Db 481 peiifltgsaipmkirnvstativnispdtsllldcegegtfgolcrhygdqvdrvlgtla 540
QY 541 AVFVSHLHADHTGFLPSILLQREALASLGKPLHPLLVAPNOLKAWLOQYHMQCEVLH 600
Db 541 avfvshlhadtgflpsillqrealaslgkplhpllvvapnqlkawlgqyhmqcevlh 600
QY 601 HISMIKALQEGAEISSPAVERLLISLLRTCDLEEFQCLVRCHKHAGCALVHTSGWK 660
Db 601 hismikalkqegaeisspaverllisllrtcdleefqclvrchkhagcalvhtsgwk 660
QY 661 VYSGDTMPCCALVRMGKDATLLIHATLEDGLEEAVERKTHSTTSOATSVGMRMAEFI 720
Db 661 vysgdtmpeccalvrmgkdatllihattledgleeavertkthsttsqasvgrmmaefi 720
QY 721 MLNHFQRYAKVPLFSPNFSEKVGAFDHMKVCFGDFPTMPKLIPLPKALFAGDIEEMEE 780
Db 721 mlnhfqryakvplfspnfsekvgafdhmkvcfgdfptmpkllipplkalagdieemee 780
QY 781 RREKRELQVRAALLSRELAGGEDPEQOKRAHTEEPQAKKRAQ 826
Db 781 rrekrelqvraallsrelaggedpeqokrahteepqakkrak 826

RESULT 2
AAV99850
ID AAY99850 standard; Protein; 826 AA.
XX AAY99850;
AC AAY99850;
XX 20-SEP-2000 (first entry)
DT Human sulphatase G.
XX
DE Human sulphatase G.
XX
KW Human sulphatase G; hsg; chromosome 17p11.2; gene therapy.
XX
OS Homo sapiens.
XX
PN WO2000034327-A1.
XX
PD 15-JUN-2000.
XX
PF 09-DEC-1999; 99WO-AU01092.
XX
PR 09-DEC-1998; 98AU-0007624.
XX
PA (WOME-) WOMEN'S & CHILDREN'S HOSPITAL.
XX
PI Hopwood JJ, Litjens T, Hu RL;
XX
DR WPI: 2000-431273/37.
DR N-PSDB; AAA52810.
XX
PT Novel isolated DNA sequence which encodes human sulfatase G or its
PT fragment useful in gene therapy for treating patients suffering from
PT sulfatase deficiency
XX
PS Claim 13; Fig 1; 33pp; English.
XX
CC The present sequence is human sulphatase G (hsg). hsg is not a member of
CC the well-characterised CTPSR sulphatase family. It belongs to a family
CC showing sequence similarity to a sulphatase from the marine bacterium
CC Alteromonas carrageenovora. The hsg gene contains 23 exons and is
CC located at chromosome 17p11.2. The nucleotide sequence encoding
CC this protein was identified in clone lambda29.1 of a human testes cDNA
CC library. The clone was isolated using human EST sequences with sequence
CC similarity to the non-CTPSR family as a probe to screen the library. The
CC cDNA insert was subcloned and the DNA sequence of both strands was
CC determined. hsg nucleotide and polypeptide sequences may be used to treat
CC a patient suffering from hsg deficiency by replacing, repairing, or
CC compensating for a DNA sequence within that patient's genome.
XX
SQ Sequence 826 AA;

Query Match 75.5%; Score 624; DB 21; Length 826;
Best Local Similarity 99.8%; Pred. No. 0;
Matches 824; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 MWALCSLLRSAGRTMSQGTISOAPARRPRKDPRLHRLTRREKRGPSGSGGPNVTYL 60
Db 1 mwalcslrrsaagrtmsqgrrtisqaparrprkdprrhlrtrekrpgsgsggpnvtvl 60
QY 61 QVVAAGSRDSGAALYVFSEFNRYLFNCGEGVORLMOEHKLVARLDNIFLTRMHSNVGG 120
Db 61 qvvaagsrdsagaalyvfsefnrylfnccgegvqrlmqehklkvarldnifltrmhsnvvg 120
QY 121 LSGMILTLETGPKVCVLSGPPQLEKYLEAIKIFSGPLKGIELAVRPHSAPEYEDTMTV 180
Db 121 lsgmiltletkgtpkcvlsgppqlekyleaikifsgplkgielavrpshapsapedetmtv 180
QY 181 YQIPHSEQRGKHQWPQSPERPLSRSPERSSDSENENEPHLPBGVSGRRVDRSSLV 240
Db 181 yqiphsqgrgkhqwpqspersplsrsperssdseennephlpbgvsqrrgvdrsslv 240
QY 241 VAFICKLHLKRGNFVLKAKEMGLPVGTAAPIIAAVKDGKSIHGREILAEELCTPP 300
Db 241 vaficklhkrgnflvklakemglpvgtaaapiaaavkdgksithgreilaeelectpp 300

Db 241 vaficklhikrgnflvlkameglpvgtaaiapiaaavkdgksithegreilaeeelctpp 300
QY 301 DCAAFVVECPDESFIQICENATFORYGKADAPVALVHMAPASVLDVSRVQWMER 360
Db 301 dpgaaFVVECPDESFIQICENATFORYGKADAPVALVHMAPASVLDVSRVQWMER 360
QY 361 FGPDTQHLVLNENCASVHNLRSKIQTLNLHPDIFPLTFRCKKEGPTLSVPMVQGE 420
Db 361 fpgdtqhlvlnencasvhnlskigtqnlhpdiflptfrckkegptlsvpmvqge 420
QY 421 CLKKYQLRPRRWRDAITCNPPEEIVEALQLPNFQQSVQVEYRRSAQDGPAPAKRSQY 480
Db 421 clkkylrprrewgrdaaitcnppeefivealqlpnfqsvqeyrrsagdgppaakrsqy 480
QY 481 PETIFGTGSAIPMKIRNVSATLVNISPDTSLLDGEGTFCGLCRHYGDQVDRVLGTLA 540
Db 481 petifgtgsaipmkirnvsatlvnispdtslldcgegtfcglcrhygdqvdvrlgtla 540
QY 541 AVFVSHLHADHTGLPSILLQERALSIGKPLHPLLVVAPNQLKAWLQYHNQCQEVLSH 600
Db 541 ttfvshlhadtgtlpsillqeralasigkplhpllvvapnqlkawlqyhnqcqevlh 600
QY 601 HISMPAKCLQGEAEISSPAVERLSSLLRTCDLEEFQTLVRHCKHAFGCALVHTSGWK 660
Db 601 hismpakclqgeaeisspaverlssllrtcdleefqtlvrhckhafgcaltvhtsgwk 660
QY 661 VVYSGDTMPCEALVRMGKDATLLIHEATLEDGLEEAEVETSTTSOATSVGMNNAEFT 720
Db 661 vvysgdtmpcealvrmgkdatllihheatledgleeaevetsttsqasvgmnnaeft 720
QY 721 MLNHSQRYAKVPLFSNPFSEKVGAFDMKVCFGDFTPMPLKIPPLKALFAGDIEEMEE 780
Db 721 mlnhsqryakvplfsnpsfsekvgaafdmkvcfgdftpmplkplkalfagdieemee 780
QY 781 RREKRELQVRAALSRELAGLEDGEPOOKRAHTEEPQAKKVRQAQ 826
Db 781 rrekrelqvrallrelagledgepqgkrahteepqakkvraq 826

RESULT 3

AAB42236
ID AAB42236 standard; Protein; 606 AA.

AC AAB42236;

XX AAB42236;

DT 08-FEB-2001 (first entry)

XX Human ORFX ORF2000 polypeptide sequence SEQ ID NO:4000.

DE Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW vulnery; antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
KW anticonvulsant; osteopathic; antiarthritic; immunosuppressant; cardiant;
KW immunostimulant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW hypotensive; dermatological; immunosuppressive; antinflammatory;
KW antiviral; antibacterial; antifungal; antirheumatic; antithyroid;
KW antianaemic; gene therapy; cancer; proliferative disorder; hypertension;
KW neurodegenerative disorder; osteoarthritis; graft vs host disease;
KW cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW cholesterol ester storage; systemic lupus erythematosus; infection;
KW severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW bone damage; cartilage damage; antinflammatory disease; coagulation;
KW thrombosis; contraceptive.

OS Homo sapiens.

XX WO200058473-A2.

PN 05-OCT-2000.

XX 31-MAR-2000; 2000WO-US08621.

PF 31-MAR-1999; 99US-0127607.

XX 31-MAR-1999; 99US-0127607.

PR 02-APR-1999; 99US-0127636.
PR 05-APR-1999; 99US-0127728.
PR 30-MAR-2000; 2000US-0540763.
XX (CURA-) CURAGEN CORP.
XX Shlnkets RA, Leach M;
PI PI
XX WPI: 2000-602362/57.
DR N-PSDB; AAC76445.
XX Novel nucleic acids and peptides derived from open reading frame X,
PT useful for treating e.g. cancers, proliferative disorders,
PT neurodegenerative disorders and cardiovascular disease -
XX Claim 11; Page 3181-3182; 5507pp; English.
XX AAC74446 to AAC77606 encode the proteins given in AAB40237 to AAB43397,
CC which represent the human ORFX open reading frames 1 to 3161. The ORFX
CC sequences have activities such as: cytostatic; hepatotropic; vulnery;
CC antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
CC osteopathic; anticonvulsant; antiarthritic; immunosuppressant;
CC immunostimulant; cardiant; thrombolytic; coagulant; vasotropic;
CC antidiabetic; hypotensive; dermatological; antirheumatic;
CC antinflammatory; antibacterial; antiviral; antifungal;
CC antithyroid; antianaemic. The sequences can be used for determining
CC the presence of or predisposition to, or preventing or treating
CC pathological conditions associated with an ORFX-associated disorder. The
CC nucleic acids can be used to express ORFX proteins in gene therapy
CC vectors. The proteins and nucleic acids may be used to treat cancers,
CC proliferative disorders, neurodegenerative disorders, osteoarthritis,
CC graft vs host disease, cardiovascular disease, diabetes mellitus,
CC hypertension, hypothyroidism, cholesterol ester storage, systemic lupus
CC erythematosus, severe combined immunodeficiency (SCID), AIDS, viral,
CC bacterial or fungal infection, malaria, autoimmune disorders, asthma,
CC allergies, aplastic anaemia, burns, wounds, bone and cartilage damage,
CC nocturnal haemoglobinuria, antinflammatory disease; to enhance
CC coagulation; to inhibit thrombosis; and as a contraceptive.
XX Sequence 606 AA;
SQ

Query Match 61.1%; Score 505; DB 21; Length 606;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 505; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 262 MGLPVGTAIAPIIAAVKDGKSITHEGREILAEELCTPPDGAFAFVVECPDESFTQIC 321
Db 1 mglpvgtaaapiaaavkdgksithegreilaeeelctppdpgaaafvvecpdesfiqpic 60
QY 322 ENATFORYGKADAPVALVHMAPASVLDVSRVQWMERFGPDTHLVNENCASVHNL 381
Db 61 enatfrygkdadapvalvvhmapasvldsvryqwmefgpdthlvnencasvhnlr 120
QY 382 SHKIQTQLNLHPDIFPLTFRCKKEGPTLSVPMVQGECLLYQLRPRRWRDAITC 441
Db 121 shkiqtqlnlhpdiflptfrckkegptlsvpmvqgecllyqlrprrewgrdaaitc 180
QY 442 NPEEFIVEALQLPNFQQSVQVEYRRSAQDGPAPAKRSQYPEIIFLTGSAIPMKIRNVA 501
Db 181 npeefivealqlpnfqsvqeyrrsagdgppaakrsqypeiifltgtsaipmkirnsa 240
QY 502 TLVNISPDTSLLDGEGTFCGLCRHYGDQVDRVLGTLA AVFVSHLHADHTGLPSTLLQ 561
Db 241 tlvnispdtslldcgegtfcglcrhygdqvdvrlgtlaavfshlhadtgtlpsllq 300
QY 562 RERALSIGKPLHPLLVVAPNQLKAWLQYHNQCQEVLSHIMPAKCLQGEAEISSPAV 621
Db 301 reralsigkplhpllvvapnqlkawlqyhnqcqevlshimpakclqgeaeisspav 360
QY 622 ERLISSLLRTCDLEEFQTLVRHCKHAFGCALVHTSGWKVYSGDTMPCEALVRMGKDAT 691
Db 361 erlissllrtcdleefqtlvrhckhafgcaltvhtsgwkvyysgdtmpcealvrmgkdat 420

QY 682 LLHEATLEDGLEEAEEVEKTHSTTQAISVGMRMNAEFLMLNHFSQRYAKVPLFSNPFSE 741
Db 421 Lliheatledgleeaevekthsttsqaisvgmrmnaefimlnhfsqryakvplfspnfse 480
QY 742 KVGAFDHMKVCGDFPTMPKLLIPP 766
Db 481 kvgvafdhmkvcgdfptmpkllipp 505
RESULT 4
AAB92918
ID AAB92918 standard; Protein: 854 AA.
XX
AC AAB92918;
XX
DT 26-JUN-2001 (first entry)
XX
DE Human protein sequence SEQ ID NO:11558.
DE
KW Human; primer; detection; diagnosis; antisense therapy; gene therapy.
XX
OS Homo sapiens.
XX
PN EP1074617-A2.
XX
PD 07-FEB-2001.
XX
PF 28-JUL-2000; 2000EP-0116126.
XX
PR 29-JUL-1999; 99JP-0248036.
PR 27-AUG-1999; 99JP-0300253.
PR 11-JAN-2000; 2000JP-0118776.
PR 02-MAY-2000; 2000JP-0183767.
PR 09-JUN-2000; 2000JP-0241899.
XX
PA (HELI-) HELIX RES INST.
XX
PI Ota T, Isogai T, Nishikawa T, Hayashi K, Saito K, Yamamoto J;
PI Ishii S, Sugiyama T, Wakamatsu A, Nagai K, Otsuki T;
XX
DR WPI: 2001-318749/34.
XX
PT Primer sets for synthesizing polynucleotides, particularly the 5602
PT full-length cDNAs defined in the specification, and for the detection
PT and/or diagnosis of the abnormality of the proteins encoded by the
PT full-length cDNAs -
XX
PS Claim 8; SEQ ID 11558; 2537pp + CD ROM; English.
XX
CC The present invention describes primer sets for synthesizing 5602
CC full-length cDNAs defined in the specification. Where a primer set
CC comprises: (a) an oligo-dT primer and an oligonucleotide complementary
CC to the complementary strand of a polynucleotide which comprises one of
CC the 5602 nucleotide sequences defined in the specification, where the
CC oligonucleotide comprises at least 15 nucleotides; or (b) a combination
CC of an oligonucleotide comprising a sequence complementary to the
CC complementary strand of a polynucleotide which comprises a 5'-end
CC sequence and an oligonucleotide comprising a sequence complementary to a
CC polynucleotide which comprises a 3'-end sequence, where the
CC oligonucleotide comprises at least 15 nucleotides and the combination of
CC the 5'-end sequence/3'-end sequence is selected from those defined in
CC the specification. The primer sets can be used in antisense therapy and
CC in gene therapy. The primers are useful for synthesizing polynucleotides,
CC particularly full-length cDNAs. The primers are also useful for the
CC detection and/or diagnosis of the abnormality of the proteins encoded by
CC the full-length cDNAs. The primers allow obtaining of the full-length
CC cDNAs easily without any specialised methods. AAH03166 to AAH13628 and
CC AAH13633 to AAH18742 represent human cDNA sequences; AAB92446 to
CC AAH95893 represent human amino acid sequences; and AAH13629 to AAH13632
CC represent oligonucleotides, all of which are used in the exemplification
CC of the present invention.
XX

SQ Sequence 854 AA:

Query Match 52.1%; Score 430; DB 22; Length 854;
Best Local Similarity 99.6%; Pred. No. 0;
Matches 750; Conservative 0; Mismatches 2; Indels 1; Gaps 1;

QY 1 MWALCSLLRSAAAGRTMSQGRITISQAPARRPRKDLPLHLRTREKRGPSGSGPNTVYL 60
Db 1 mwalsllrsaaagrtmsqgrtisqaparrrprkdlplhlrtrekgpsgsgpntvyl 60
QY 61 QVVAAGSRDSGAALYVFSEFNRYLFCNGEGVQRIMQEHKLKVARLDNIFTRHWSNVGG 120
Db 61 qvvaagsrdsgaalyvfsefnrylfcngegvqrlmqehklkvarldniftrhwsnvvg 120
QY 121 LSGMILTLKETGLPKCVLSPGPOLEKYLEAKIFSGPLKGIELAVRPHSAPEVEDMTV 180
Db 121 lsgmiltlketglpkcvlspgpoqlekyeakifsgplkgielamrphsapeyede 180
QY 181 YQPIHSEQRGRKHQWQSPERPLSRLSPERSDSENENEPHPLHGVQSRRGVRDSSLV 240
Db 181 yqipihseqrgrkhqwsperplsrlspersdsesenenephplphvsgrrvrdssl 240
QY 241 VAFICKLHLKRGNPLVLKAKEMGLPVGTAAPITIAAVKDGKSIITHEGREILAEELCTPP 300
Db 241 vaficklhlkrgnflvlkakemglpvgtaapiiaavkdgksithegrellaeelctpp 300
QY 301 DPGAAFFVVECPDESFIQPIECENATFQYQGGKADAPVALVYHMAPASVLYDSRYQQHMER 360
Db 301 dpgaaftvvecpdesfiqipicenatfqyqgkdpvalvvhmapasvlydsryqqwmer 360
QY 361 FGPDTHLVNLNENCASVHNLSHKTQTLNLIHPDIFPLLTSPRCCKEGPTLSVPMVQGE 420
Db 361 fgpdthlvnlencasvhnlsrhkqtqnlhdpdflpfltsfrc-kegptlsvpmvqge 419
QY 421 CLLKYQLRPREWQDAITTCNPEEFIVEALQPNFQOSVOEYRRSAQDGPAPAEKRISOY 480
Db 420 cllykylrprewqdaaittcnpeefivealqipnfqosvqeyrrsaqdgapaekrsqy 479
QY 481 PEIIFGTGSAIPMKIRNVYSATLVNISPDLSDGEGTFCGLCRHYGQDQVDRVLGTLA 540
Db 480 peifigtgsaipmkirnvysatlvnispdtslldgegtfcglcrhygqdvdrvlg 539
QY 541 AVFVSHLADHHTGLPSILLQREALASLGKPLHLLVVPAPNLKAWLQOYHNCQEVFLH 600
Db 540 avfvshladdhhtgplslqlqrealaaslgkplhllvvpapnlkawlgqyynqccvflh 599
QY 601 HISMPAKLQEGAEISSPAVERLISLLRTPCDLEBFQTCVLRHCKHAFGCALVHTSGWK 660
Db 600 hismpakclqegaeisspaverlissllrtcdleefqtcvlrhckhahgcalvhtsgwk 659
QY 661 VVYSGDTMPCAEALVRMCKDATLLIHEATLEDGLEEAEEVEKTHSTTQAISVGMRMNAEFI 720
Db 660 vvysgdtmpeaalvrmkdatlllheatledgleeaevekthsttsqaisvgrmmnaefi 719
QY 721 MLNHFSSORVAKVPLFSNPFSEKVGAFDHMKVC 753
Db 720 mlnhfsqryakvplfspnfsekvgaafdhmkvc 752
RESULT 5
AAB07230
ID AAB07230 standard; protein; 73 AA.
XX
AC AAB07230;
XX
DT 07-DEC-2000 (first entry)
XX
DE Murine prostate cancer predisposing protein HPC2.
XX
KW Mouse; prostate cancer predisposing gene; HPC2; gene therapy;
KW peptide therapy; drug design.
XX


```
OS Mus musculus.
XX WO200027864-A1.
XX PD 18-MAY-2000.
XX PF 05-NOV-1999; 99WO-US26055.
XX PR 06-NOV-1998; 98US-0107468.
XX PA (MYRI-) MYRIAD GENETICS INC.
XX PI Tavtigian SV, Teng DHE, Simard J, Rommens JM;
XX WPI; 2000-376481/32.
XX DR N-PSDB; AAA60390.
XX PT Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX antibodies, useful for treatment and diagnosis of prostate cancer
XX Disclosure; Page 151-152; 157pp; English.
XX CC The present sequence is the protein produced from the murine prostate
XX cancer predisposing gene HPC2, the human homologue of which is found on
XX chromosome 17p. Some alleles of this gene cause a predisposition to
XX cancer, particularly prostate cancer. This protein and its gene can be
XX used in peptide and gene therapy for cancer patients, as well as being
XX useful as diagnostic tools (both for cancer sufferers and those with a
XX predisposition to the disease) and in the production of cancer drugs.
XX SQ Sequence 73 AA;

Query Match 1.8%; Score 15; DB 21; Length 73;
Best Local Similarity 100.0%; Pred. No. 3e-07;
Matches 15; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 34 KDLRLHRLTREKRG 48
Db 28 kdplrlhrltrekrg 42
|||||
|||||

RESULT 6
ID AAG18567
AC AAG18567; standard; Protein; 118 AA.
XX AC AAG18567;
XX DT 17-OCT-2000 (first entry)
XX DE Arabidopsis thaliana protein fragment SEQ ID NO: 20028.
XX KW Protein identification; signal transduction pathway; metabolic pathway;
XX hybridisation assay; genetic mapping; gene expression control; promoter;
XX termination sequence.
XX OS Arabidopsis thaliana.
XX PN EP1033405-A2.
XX PD 06-SEP-2000.
XX PF 25-FEB-2000; 2000EP-0301439.
XX PR 25-FEB-1999; 99US-0121825.
XX PR 05-MAR-1999; 99US-0123180.
XX PR 09-MAR-1999; 99US-0123548.
XX PR 23-MAR-1999; 99US-0125788.
XX PR 25-MAR-1999; 99US-0126264.
XX PR 29-MAR-1999; 99US-0126785.
XX PR 01-APR-1999; 99US-0127462.
XX PR 06-APR-1999; 99US-0128234.
XX PR 08-APR-1999; 99US-0128714.
XX PR 16-APR-1999; 99US-0129845.
XX PR 19-APR-1999; 99US-0130077.
XX PR 21-APR-1999; 99US-0130449.
XX PR 23-APR-1999; 99US-0130510.
XX PR 28-APR-1999; 99US-0130891.
XX PR 30-APR-1999; 99US-0132048.
XX PR 30-APR-1999; 99US-0132407.
XX PR 04-MAY-1999; 99US-0132484.
XX PR 05-MAY-1999; 99US-0132485.
XX PR 06-MAY-1999; 99US-0132486.
XX PR 07-MAY-1999; 99US-0132487.
XX PR 11-MAY-1999; 99US-0132863.
XX PR 11-MAY-1999; 99US-0134256.
XX PR 14-MAY-1999; 99US-0134218.
XX PR 14-MAY-1999; 99US-0134219.
XX PR 14-MAY-1999; 99US-0134221.
XX PR 14-MAY-1999; 99US-0134370.
XX PR 18-MAY-1999; 99US-0134768.
XX PR 19-MAY-1999; 99US-0134941.
XX PR 20-MAY-1999; 99US-0135124.
XX PR 21-MAY-1999; 99US-0135353.
XX PR 24-MAY-1999; 99US-0135629.
XX PR 25-MAY-1999; 99US-0136021.
XX PR 27-MAY-1999; 99US-0136392.
XX PR 28-MAY-1999; 99US-0136782.
XX PR 01-JUN-1999; 99US-0137222.
XX PR 03-JUN-1999; 99US-0137528.
XX PR 04-JUN-1999; 99US-0137502.
XX PR 07-JUN-1999; 99US-0137724.
XX PR 08-JUN-1999; 99US-0138094.
XX PR 10-JUN-1999; 99US-0138540.
XX PR 10-JUN-1999; 99US-0138847.
XX PR 14-JUN-1999; 99US-0139119.
XX PR 16-JUN-1999; 99US-0139452.
XX PR 16-JUN-1999; 99US-0139453.
XX PR 17-JUN-1999; 99US-0139492.
XX PR 18-JUN-1999; 99US-0139454.
XX PR 18-JUN-1999; 99US-0139455.
XX PR 18-JUN-1999; 99US-0139456.
XX PR 18-JUN-1999; 99US-0139457.
XX PR 18-JUN-1999; 99US-0139458.
XX PR 18-JUN-1999; 99US-0139459.
XX PR 18-JUN-1999; 99US-0139460.
XX PR 18-JUN-1999; 99US-0139461.
XX PR 18-JUN-1999; 99US-0139462.
XX PR 18-JUN-1999; 99US-0139463.
XX PR 18-JUN-1999; 99US-0139750.
XX PR 18-JUN-1999; 99US-0139763.
XX PR 21-JUN-1999; 99US-0139817.
XX PR 22-JUN-1999; 99US-0139899.
XX PR 23-JUN-1999; 99US-0140353.
XX PR 23-JUN-1999; 99US-0140354.
XX PR 24-JUN-1999; 99US-0140695.
XX PR 28-JUN-1999; 99US-0140823.
XX PR 29-JUN-1999; 99US-0140991.
XX PR 30-JUN-1999; 99US-0141287.
XX PR 01-JUL-1999; 99US-0141642.
XX PR 01-JUL-1999; 99US-0142154.
XX PR 02-JUL-1999; 99US-0142055.
XX PR 06-JUL-1999; 99US-0142390.
XX PR 08-JUL-1999; 99US-0142803.
XX PR 09-JUL-1999; 99US-0142920.
XX PR 12-JUL-1999; 99US-0142977.
XX PR 13-JUL-1999; 99US-0143542.
XX PR 14-JUL-1999; 99US-0143624.
XX PR 15-JUL-1999; 99US-0144005.
XX PR 16-JUL-1999; 99US-0144085.
XX PR 16-JUL-1999; 99US-0144086.
XX PR 19-JUL-1999; 99US-0144325.
XX PR 19-JUL-1999; 99US-0144331.
XX PR 19-JUL-1999; 99US-0144332.
XX PR 19-JUL-1999; 99US-0144333.
```

PR 19-JUL-1999; 99US-0144334.
PR 19-JUL-1999; 99US-0144335.
PR 20-JUL-1999; 99US-0144332.
PR 20-JUL-1999; 99US-0144332.
PR 20-JUL-1999; 99US-0144332.
PR 21-JUL-1999; 99US-0144884.
PR 21-JUL-1999; 99US-0144814.
PR 21-JUL-1999; 99US-0145086.
PR 21-JUL-1999; 99US-0145088.
PR 21-JUL-1999; 99US-0145085.
PR 22-JUL-1999; 99US-0145087.
PR 22-JUL-1999; 99US-0145089.
PR 22-JUL-1999; 99US-0145192.
PR 23-JUL-1999; 99US-0145145.
PR 23-JUL-1999; 99US-0145218.
PR 23-JUL-1999; 99US-0145224.
PR 26-JUL-1999; 99US-0145276.
PR 27-JUL-1999; 99US-0145913.
PR 27-JUL-1999; 99US-0145918.
PR 27-JUL-1999; 99US-0145919.
PR 28-JUL-1999; 99US-0145951.
PR 02-AUG-1999; 99US-0146386.
PR 02-AUG-1999; 99US-0146388.
PR 02-AUG-1999; 99US-0146389.
PR 03-AUG-1999; 99US-0147038.
PR 04-AUG-1999; 99US-0147204.
PR 04-AUG-1999; 99US-0147302.
PR 05-AUG-1999; 99US-0147192.
PR 05-AUG-1999; 99US-0147260.
PR 06-AUG-1999; 99US-0147303.
PR 06-AUG-1999; 99US-0147416.
PR 09-AUG-1999; 99US-0147493.
PR 09-AUG-1999; 99US-0147935.
PR 10-AUG-1999; 99US-0148171.
PR 11-AUG-1999; 99US-0148319.
PR 12-AUG-1999; 99US-0148341.
PR 13-AUG-1999; 99US-0148565.
PR 13-AUG-1999; 99US-0148684.
PR 16-AUG-1999; 99US-0149368.
PR 17-AUG-1999; 99US-0149175.
PR 18-AUG-1999; 99US-0149426.
PR 20-AUG-1999; 99US-0149722.
PR 20-AUG-1999; 99US-0149723.
PR 20-AUG-1999; 99US-0149929.
PR 23-AUG-1999; 99US-0149902.
PR 23-AUG-1999; 99US-0149930.
PR 25-AUG-1999; 99US-0150566.
PR 26-AUG-1999; 99US-0150884.
PR 27-AUG-1999; 99US-0151065.
PR 27-AUG-1999; 99US-0151066.
PR 27-AUG-1999; 99US-0151080.
PR 30-AUG-1999; 99US-0151303.
PR 31-AUG-1999; 99US-0151438.
PR 01-SEP-1999; 99US-0151930.
PR 07-SEP-1999; 99US-0152363.
PR 10-SEP-1999; 99US-0153070.
PR 13-SEP-1999; 99US-0153758.
PR 15-SEP-1999; 99US-0154018.
PR 16-SEP-1999; 99US-0154039.
PR 20-SEP-1999; 99US-0154779.
PR 22-SEP-1999; 99US-0155139.
PR 23-SEP-1999; 99US-0155486.
PR 24-SEP-1999; 99US-0155659.
PR 28-SEP-1999; 99US-0156458.
PR 29-SEP-1999; 99US-0156596.
PR 04-OCT-1999; 99US-0157117.
PR 03-OCT-1999; 99US-0157753.
PR 06-OCT-1999; 99US-0157865.
PR 07-OCT-1999; 99US-0158029.
PR 08-OCT-1999; 99US-0158232.
PR 12-OCT-1999; 99US-0158369.
PR 13-OCT-1999; 99US-0159293.
PR 13-OCT-1999; 99US-0159294.
PR 13-OCT-1999; 99US-0159295.

PR 14-OCT-1999; 99US-0159329.
PR 14-OCT-1999; 99US-0159330.
PR 14-OCT-1999; 99US-0159331.
PR 14-OCT-1999; 99US-0159637.
PR 14-OCT-1999; 99US-0159638.
PR 18-OCT-1999; 99US-0159584.
PR 21-OCT-1999; 99US-0160741.
PR 21-OCT-1999; 99US-0160767.
PR 21-OCT-1999; 99US-0160768.
PR 21-OCT-1999; 99US-0160770.
PR 21-OCT-1999; 99US-0160814.
PR 21-OCT-1999; 99US-0160815.
PR 22-OCT-1999; 99US-0160980.
PR 22-OCT-1999; 99US-0160981.
PR 22-OCT-1999; 99US-0160989.
PR 23-OCT-1999; 99US-0161404.
PR 23-OCT-1999; 99US-0161405.
PR 25-OCT-1999; 99US-0161406.
PR 26-OCT-1999; 99US-0161359.
PR 26-OCT-1999; 99US-0161360.
PR 26-OCT-1999; 99US-0161361.
PR 28-OCT-1999; 99US-0161920.
PR 28-OCT-1999; 99US-0161992.
PR 28-OCT-1999; 99US-0161993.
PR 29-OCT-1999; 99US-0162142.

Query Match 1.2%; Score 10; DB 21; Length 118;
Best Local Similarity 100.0%; Pred. No. 0.07; 0; Indels 0; Gaps 0;
Matches 10; Conservative 0; Mismatches 0;
QY 511 SLLDCGEGT 520
Db 31 slildcgegt 40
IIIIIIIIII

RESULT 7
AAG18566
ID AAG18566 standard; Protein; 154 AA.
XX
AC AAG18566;
XX
DT 17-OCT-2000 (first entry)
XX
DE Arabidopsis thaliana protein fragment SEQ ID NO: 20027.
XX
KW Protein identification; signal transduction pathway; metabolic pathway;
KW hybridisation assay; genetic mapping; gene expression control; promoter;
KW termination sequence.
XX
OS Arabidopsis thaliana.
XX
PN EP1033405-A2.
XX
PD 06-SEP-2000.
XX
PF 25-FEB-2000; 2000EP-0301439.
XX
PR 25-FEB-1999; 99US-0121825.
PR 05-MAR-1999; 99US-0123180.
PR 09-MAR-1999; 99US-0123548.
PR 23-MAR-1999; 99US-0125788.
PR 25-MAR-1999; 99US-0126264.
PR 29-MAR-1999; 99US-0126785.
PR 01-APR-1999; 99US-0127462.
PR 06-APR-1999; 99US-0128234.
PR 08-APR-1999; 99US-0128714.
PR 16-APR-1999; 99US-0129845.
PR 19-APR-1999; 99US-0130077.
PR 21-APR-1999; 99US-0130449.
PR 23-APR-1999; 99US-0130510.
PR 23-APR-1999; 99US-0130891.
PR 28-APR-1999; 99US-0131449.
PR 30-APR-1999; 99US-0132048.

PR 30-APR-1999; 99US-0132407.
PR 04-MAY-1999; 99US-0132484.
PR 05-MAY-1999; 99US-0132485.
PR 06-MAY-1999; 99US-0132486.
PR 06-MAY-1999; 99US-0132487.
PR 07-MAY-1999; 99US-0132863.
PR 11-MAY-1999; 99US-0134256.
PR 14-MAY-1999; 99US-0134218.
PR 14-MAY-1999; 99US-0134219.
PR 14-MAY-1999; 99US-0134221.
PR 14-MAY-1999; 99US-0134370.
PR 18-MAY-1999; 99US-0134768.
PR 19-MAY-1999; 99US-0134941.
PR 20-MAY-1999; 99US-0135124.
PR 21-MAY-1999; 99US-0135353.
PR 24-MAY-1999; 99US-0135629.
PR 25-MAY-1999; 99US-0136021.
PR 27-MAY-1999; 99US-0136392.
PR 28-MAY-1999; 99US-0136782.
PR 01-JUN-1999; 99US-0137222.
PR 03-JUN-1999; 99US-0137528.
PR 04-JUN-1999; 99US-0137502.
PR 07-JUN-1999; 99US-0137724.
PR 08-JUN-1999; 99US-0138094.
PR 10-JUN-1999; 99US-0138540.
PR 10-JUN-1999; 99US-0138847.
PR 14-JUN-1999; 99US-0139119.
PR 16-JUN-1999; 99US-0139452.
PR 16-JUN-1999; 99US-0139453.
PR 17-JUN-1999; 99US-0139492.
PR 18-JUN-1999; 99US-0139454.
PR 18-JUN-1999; 99US-0139455.
PR 18-JUN-1999; 99US-0139456.
PR 18-JUN-1999; 99US-0139457.
PR 18-JUN-1999; 99US-0139458.
PR 18-JUN-1999; 99US-0139459.
PR 18-JUN-1999; 99US-0139460.
PR 18-JUN-1999; 99US-0139461.
PR 18-JUN-1999; 99US-0139462.
PR 18-JUN-1999; 99US-0139463.
PR 18-JUN-1999; 99US-0139750.
PR 18-JUN-1999; 99US-0139763.
PR 21-JUN-1999; 99US-0139817.
PR 21-JUN-1999; 99US-0139899.
PR 23-JUN-1999; 99US-0140353.
PR 23-JUN-1999; 99US-0140354.
PR 24-JUN-1999; 99US-0140695.
PR 28-JUN-1999; 99US-0140823.
PR 29-JUN-1999; 99US-0140991.
PR 30-JUN-1999; 99US-0141287.
PR 01-JUL-1999; 99US-0141842.
PR 01-JUL-1999; 99US-0142154.
PR 02-JUL-1999; 99US-0142055.
PR 06-JUL-1999; 99US-0142390.
PR 08-JUL-1999; 99US-0142803.
PR 09-JUL-1999; 99US-0142920.
PR 12-JUL-1999; 99US-0142977.
PR 13-JUL-1999; 99US-0143542.
PR 14-JUL-1999; 99US-0143624.
PR 15-JUL-1999; 99US-0144005.
PR 16-JUL-1999; 99US-0144085.
PR 16-JUL-1999; 99US-0144086.
PR 19-JUL-1999; 99US-0144325.
PR 19-JUL-1999; 99US-0144331.
PR 19-JUL-1999; 99US-0144332.
PR 19-JUL-1999; 99US-0144333.
PR 19-JUL-1999; 99US-0144334.
PR 19-JUL-1999; 99US-0144335.
PR 20-JUL-1999; 99US-0144352.
PR 20-JUL-1999; 99US-0144632.
PR 20-JUL-1999; 99US-0144884.
PR 21-JUL-1999; 99US-0144814.
PR 21-JUL-1999; 99US-0145086.
PR 21-JUL-1999; 99US-0145087.
PR 21-JUL-1999; 99US-0145088.
PR 22-JUL-1999; 99US-0145089.
PR 22-JUL-1999; 99US-0145192.
PR 23-JUL-1999; 99US-0145145.
PR 23-JUL-1999; 99US-0145218.
PR 23-JUL-1999; 99US-0145224.
PR 26-JUL-1999; 99US-0145276.
PR 27-JUL-1999; 99US-0145913.
PR 27-JUL-1999; 99US-0145918.
PR 27-JUL-1999; 99US-0145919.
PR 28-JUL-1999; 99US-0145951.
PR 02-AUG-1999; 99US-0146386.
PR 02-AUG-1999; 99US-0146388.
PR 02-AUG-1999; 99US-0146389.
PR 03-AUG-1999; 99US-0147038.
PR 04-AUG-1999; 99US-0147204.
PR 04-AUG-1999; 99US-0147302.
PR 05-AUG-1999; 99US-0147192.
PR 05-AUG-1999; 99US-0147260.
PR 06-AUG-1999; 99US-0147303.
PR 06-AUG-1999; 99US-0147416.
PR 09-AUG-1999; 99US-0147493.
PR 09-AUG-1999; 99US-0147935.
PR 10-AUG-1999; 99US-0148171.
PR 11-AUG-1999; 99US-0148319.
PR 12-AUG-1999; 99US-0148341.
PR 13-AUG-1999; 99US-0148565.
PR 13-AUG-1999; 99US-0148684.
PR 16-AUG-1999; 99US-0149368.
PR 17-AUG-1999; 99US-0149175.
PR 18-AUG-1999; 99US-0149426.
PR 20-AUG-1999; 99US-0149722.
PR 20-AUG-1999; 99US-0149723.
PR 20-AUG-1999; 99US-0149929.
PR 23-AUG-1999; 99US-0149902.
PR 23-AUG-1999; 99US-0149930.
PR 25-AUG-1999; 99US-0150566.
PR 26-AUG-1999; 99US-0150884.
PR 27-AUG-1999; 99US-0151065.
PR 27-AUG-1999; 99US-0151066.
PR 27-AUG-1999; 99US-0151080.
PR 30-AUG-1999; 99US-0151303.
PR 31-AUG-1999; 99US-0151438.
PR 01-SEP-1999; 99US-0151930.
PR 07-SEP-1999; 99US-0152363.
PR 10-SEP-1999; 99US-0153070.
PR 13-SEP-1999; 99US-0153758.
PR 15-SEP-1999; 99US-0154018.
PR 16-SEP-1999; 99US-0154039.
PR 20-SEP-1999; 99US-0154779.
PR 22-SEP-1999; 99US-0155139.
PR 23-SEP-1999; 99US-0155486.
PR 24-SEP-1999; 99US-0155659.
PR 28-SEP-1999; 99US-0156458.
PR 28-SEP-1999; 99US-0156596.
PR 04-OCT-1999; 99US-0157117.
PR 05-OCT-1999; 99US-0157753.
PR 06-OCT-1999; 99US-0157865.
PR 07-OCT-1999; 99US-0158029.
PR 08-OCT-1999; 99US-0158232.
PR 12-OCT-1999; 99US-0158369.
PR 13-OCT-1999; 99US-0159293.
PR 13-OCT-1999; 99US-0159294.
PR 13-OCT-1999; 99US-0159295.
PR 14-OCT-1999; 99US-0159329.
PR 14-OCT-1999; 99US-0159330.
PR 14-OCT-1999; 99US-0159331.
PR 14-OCT-1999; 99US-0159637.
PR 14-OCT-1999; 99US-0159638.
PR 18-OCT-1999; 99US-0159584.
PR 21-OCT-1999; 99US-0160741.

PR 21-OCT-1999; 99US-0160767.
PR 21-OCT-1999; 99US-0160768.
PR 21-OCT-1999; 99US-0160770.
PR 21-OCT-1999; 99US-0160814.
PR 21-OCT-1999; 99US-0160815.
PR 22-OCT-1999; 99US-0160980.
PR 22-OCT-1999; 99US-0160981.
PR 22-OCT-1999; 99US-0160989.
PR 25-OCT-1999; 99US-0161404.
PR 25-OCT-1999; 99US-0161405.
PR 25-OCT-1999; 99US-0161406.
PR 26-OCT-1999; 99US-0161359.
PR 26-OCT-1999; 99US-0161360.
PR 26-OCT-1999; 99US-0161361.
PR 28-OCT-1999; 99US-0161920.
PR 28-OCT-1999; 99US-0161992.
PR 28-OCT-1999; 99US-0161993.
PR 29-OCT-1999; 99US-0162142.

Query Match 1.2%; Score 10; DB 21; Length 154;
Best Local Similarity 100.0%; Pred. No. 0.089;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 511 SLLDCGEGT 520
Db 67 sllldcgegt 76

RESULT 8
AAB49964
ID AAB49964 standard; Protein; 838 AA.

AC AAB49964;

DT 08-MAR-2001 (first entry)

DE S. cerevisiae YKR079C protein.

XX Yeast; germination; proliferation; essential gene; antifungal agent;
KW insecticide; herbicide; anti-proliferation drug; cancer; psoriasis;
KW restenosis; YKR081C; YFR003C; YGR277C; YGR278W; YKR071C; YKR079C;
KW YKR083C.

XX Saccharomyces cerevisiae.

OS WO200071161-A1.

PN 30-NOV-2000.

PD 12-MAY-2000; 2000WO-US13017.

PF 21-MAY-1999; 99US-0315794.

PR 02-SEP-1999; 99US-0389341.

XX (ROSE-) ROSETTA INPHARMATICS INC.

XX Roberts CJ;

XX WPI: 2001-025092/03.

DR N-PSDB; AAC89621.

XX Identifying antifungal compounds which target yeast essential genes
PT comprises use of novel Saccharomyces cerevisiae essential genes
PT YFR003C, YGR277C, YGR278W, YKR0701C, YKR079C or YKR083C or YKR081C

XX Example 5; Fig 30; 127pp; English.

XX The present invention provides methods of identifying antifungal agents
CC using the coding and protein sequences of several yeast genes. These are
CC essential for the germination and proliferation of Saccharomyces
CC cerevisiae, and include YKR081C, YFR003C, YGR277C, YGR278W, YKR071C,
CC YKR079C and YKR083C. The sequences can also be used to identify compounds
CC for use as herbicides, insecticides and anti-proliferation drugs which

CC can be used in the treatment of cancer, psoriasis and restenosis. This is
CC because they can be used to identify plant, insect and human homologues
CC of the yeast genes.

SQ Sequence 838 AA;

Query Match 1.1%; Score 9; DB 22; Length 838;
Best Local Similarity 100.0%; Pred. No. 4.5;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 682 LLIHETATLE 690

Db 717 lliheattle 725

RESULT 9

AAB25679

ID AAB25679 standard; Protein; 141 AA.

AC AAB25679;

DT 04-DEC-2000 (first entry)

DE Human secreted protein sequence encoded by gene 15 SEQ ID NO:68.

XX Human; secreted protein; immunosuppressive; immunostimulant; nootropic;
KW antiinflammatory; cardiant; vulnerary; antiulcer; anticonvulsant;
KW antiparkinsonian; neuroprotective; antiviral; antibacterial; cytostatic;
KW antiparasitic; thrombolytic; anticoagulant; antiarteriosclerotic;
KW gene therapy; vaccine; chemotaxis-modulator; angiogenesis-modulator;
KW cancer; immune system disorder; hyperproliferative disorder; infection;
KW cardiovascular disorder; neurological disease; wound healing;
KW chromosome 17.

XX Homo sapiens.

XX WO2000043495-A2.

XX 27-JUL-2000.

XX 18-JAN-2000; 2000WO-US00903.

XX 19-JAN-1999; 99US-0116330.

XX (HUMA-) HUMAN GENOME SCI INC.

XX Rosen CA, Ruben SM, Ebner R, Young PE, Ni J, Moore PA;

PI Komatsoulis G, Birse CE;

XX WPI: 2000-499225/44.

DR N-PSDB; AAB87680.

XX New isolated polynucleotide encoding a secreted protein useful for

PT preventing, treating or ameliorating a medical condition -

XX Claim 11; Page 415; 451pp; English.

XX The polynucleotide sequences given in AAB87666 to AAB87708 encodes the
CC human secreted proteins given in AAB25665 to AAB25755. Human secreted
CC proteins have activities based on the tissues and cells the genes are
CC expressed in. Examples of activities include: immunosuppressive;
CC immunostimulant; antiinflammatory; cardiant; vulnerary; antiulcer;
CC nootropic; antiviral; anticonvulsant; antiparkinsonian; neuroprotective;
CC antibacterial; antiparasitic; thrombolytic; anticoagulant;
CC antiarteriosclerotic and cytostatic. The secreted proteins and their
CC polynucleotides can be used in gene therapy and as vaccines,
CC chemotaxis-modulators and angiogenesis- modulators. The human secreted
CC proteins and polynucleotides can be used for diagnosing (the
CC susceptibility to) a pathological condition by determining the presence
CC or absence of a mutation in the polynucleotide or determining the
CC presence or amount of expression of the protein. The polynucleotides and
CC proteins can also be used in the treatment and diagnosis of cancer,

CC diseases of the immune system, hyperproliferative disorders,
CC cardiovascular disorders and neurological disease. They can also be used
CC to promote wound healing and to fight infection. AAB7657 to AAB87665 and
CC AAB25664 represent sequences used in the exemplification of the present
CC invention.

XX Sequence 141 AA;

SQ Query Match 1.0%; Score 8; DB 21; Length 141;
Best Local Similarity 100.0%; Pred. No. 9.7; Mismatches 0; Indels 0; Gaps 0;
Matches 8; Conservative 0;

QY 67 SRDGAAL 74
Db 46 srdsgaal 53
|||||||

RESULT 10
AAB43610
ID AAB43610 standard; Protein; 243 AA.

XX AC AAB43610;

XX DT 08-FEB-2001 (first entry)

XX DE Human cancer associated protein sequence SEQ ID NO:1055.

XX KW Human; cancer associated gene; cancer antigen; detection; cancer;
KW diagnosis; cytostatic; proliferative; vulnerable; immunomodulator;
KW antidiabetic; antiasthmatic; antirheumatic; antiarthritic; antiviral;
KW antiinflammatory; antithyroid; antiallergic; antibacterial; cardiant;
KW dermatological; neuroprotective; thrombolytic; coagulant; nootropic;
KW vasotropic; antipsoriatic; antiangiogenic; gene therapy; inflammation;
KW immune disorder; haematopoietic cell disorder; autoimmune disorder;
KW allergic reaction; graft versus host disease; organ rejection;
KW haemostatic; thrombolytic; cardiovascular disorder; infection;
KW neurological disease; drug screening.

XX OS Homo sapiens.

XX PN WO20005350-A1.

XX PD 21-SEP-2000.

XX PF 08-MAR-2000; 2000WO-US05882.

XX PR 12-MAR-1999; 99US-0124270.

XX PA (HUMA-) HUMAN GENOME SCI INC.

XX PI Rosen CA, Ruben SM;

XX WPI; 2000-587533/55.

XX N-PSDB; AAC77819.

XX Novel isolated nucleic acids comprising sequences encoding peptides
XX useful for treating or diagnosing e.g. cancer -

XX Claim 11; Page 1646-1647; 2352pp; English.

XX AAC77607 to AAC78448 encode the human cancer associated proteins given
XX in AAB43398 to AAB44239. The proteins can have activities based on the
XX tissues and cells the genes are expressed in. Example of activities
XX include: cytostatic; proliferative; vulnerable; immunomodulator;
XX antidiabetic; antiasthmatic; antirheumatic; antiarthritic;
XX antiinflammatory; antithyroid; antiallergic; antibacterial;
XX dermatological; neuroprotective; cardiant; thrombolytic; coagulant;
XX nootropic; vasotropic; antipsoriatic and antiangiogenic. The
XX polynucleotides and polypeptides can be used for preventing, treating or
XX ameliorating medical conditions and diagnosing pathological conditions.
XX Polynucleotides, polypeptides, antibodies, agonists and antagonists from
XX the present invention may be used to treat immune disorders by activating

CC or inhibiting the proliferation, differentiation or mobilisation of
CC immune cells, to treat disorders of haematopoietic cells, autoimmune
CC disorders, allergic reactions, graft versus host disease and organ
CC rejection, modulate haemostatic or thrombolytic activity, modulate
CC inflammation, cancers, cardiovascular disorders, neurological disease and
CC bacterial or viral infections. The peptides, nucleotides, antibodies,
CC agonists and antagonists may be also be used in drug screens. AAC78449 to
CC AAC78457 and AAB44240 represent sequences used in the exemplification of
CC the present invention.

XX Sequence 243 AA;

SQ Query Match 1.0%; Score 8; DB 21; Length 243;
Best Local Similarity 100.0%; Pred. No. 16; Mismatches 0; Indels 0; Gaps 0;
Matches 8; Conservative 0;

QY 298 TPPDFCAA 305
Db 17 tppdpgaa 24
|||||||

RESULT 11

AAG75627

ID AAG75627 standard; Protein; 245 AA.

XX AC AAG75627;

XX DT 03-SEP-2001 (first entry)

XX DE Human colon cancer antigen protein SEQ ID NO:6391.

XX KW Human; colon cancer; colon cancer antigen; diagnosis; detection;
KW colorectal carcinoma.

XX OS Homo sapiens.

XX PN WO200122920-A2.

XX PD 05-APR-2001.

XX PF 28-SEP-2000; 2000WO-US26524.

XX PR 29-SEP-1999; 99US-0157137.

XX PR 03-NOV-1999; 99US-0163280.

XX PA (HUMA-) HUMAN GENOME SCI INC.

XX PI Ruben SM, Barash SC, Birse CE, Rosen CA;

XX WPI; 2001-235357/24.

XX N-PSDB; AAB35032.

XX Nucleic acids encoding 4277 human colon cancer-associated polypeptides,
XX useful for preventing, diagnosing and/or treating colorectal cancers -

XX Claim 11; Page 7872-7873; 9803pp; English.

XX AAH32943 to AAH37195 and AAG73514 to AAG77788 represent human colon
XX cancer-associated nucleic acid molecules (N) and proteins (P), where
XX the proteins are collectively known as colon cancer antigens. The colon
XX cancer antigens have cytostatic activity and can be used in gene
XX therapy and vaccine production. N and P may be used in the prevention,
XX diagnosis and treatment of diseases associated with inappropriate P
XX expression. For example, N and P may be used to treat disorders
XX associated with decreased expression by rectifying mutations or deletions
XX in a patient's genome that affect the activity of P by expressing P.
XX Inactive proteins or to supplement the patients own production of P.
XX Additionally, N may be used to produce the colon cancer-associated Ps,
XX by inserting the nucleic acids into a host cell and culturing the cell
XX to express the proteins. N and P can be used in the prevention, diagnosis
XX and treatment of colorectal carcinomas and cancers. AAH37196 to AAH37204
XX and AAB77789 represent sequences used in the exemplification of the

CC present invention.
CC N.B. Pages 666 to 682 and page 7053 of the sequence listing were
CC missing at time of publication, meaning no sequences are present for
CC SEQ ID NO:1027 to 1052, 7921 and 7922.
XX
SQ Sequence 245 AA;

Query Match 1.0%; Score 8; DB 22; Length 245;
Best Local Similarity 100.0%; Pred. No. 16;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 298 TPPDPGAA 305
Db 19 tppdpгаа 26
|||||||

RESULT 12
AAB42637
ID AAB42637 standard; Protein; 377 AA.
XX
AC AAB42637;
XX
DT 08-FEB-2001 (first entry)
XX
XX Human ORFX ORF2401 polypeptide sequence SEQ ID NO:4802.
XX
DE Human; open reading frame; ORFX; detection; cytostatic; hepatotropic;
KW Human; antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
KW vulnary; antipsothic; antiarthritic; immunosuppressant; cardiant;
KW anticonvulsant; thrombolytic; coagulant; vasotropic; antidiabetic;
KW immunostimulant; dermatological; immunosuppressive; antinflammatory;
KW hypotensive; antibacterial; antifungal; antirheumatic; antithyroid;
KW antiviral; antianaemic; cancer; proliferative disorder; hypertension;
KW antianaemic; gene therapy; osteoarthritis; graft vs host disease;
KW neurodegenerative disorder; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW cardiovascular disease; diabetes mellitus; hypothyroidism; SCID; AIDS;
KW cholesterol ester storage; systemic lupus erythematosus; infection;
KW severe combined immunodeficiency; malaria; autoimmune disorder; asthma;
KW allergy; aplastic anaemia; nocturnal haemoglobinuria; burn; wound;
KW bone damage; cartilage damage; antinflammatory disease; coagulation;
KW thrombosis; contraceptive.
XX
OS Homo sapiens.
XX
XX WO200058473-A2.
XX
XX 05-OCT-2000.
XX
XX 31-MAR-2000; 2000WO-US08621.
XX
XX 31-MAR-1999; 99US-0127607.
XX
XX 02-APR-1999; 99US-0127636.
XX
XX 05-APR-1999; 99US-0127728.
XX
XX 30-MAR-2000; 2000US-0540763.
XX
XX (CURA-) CURAGEN CORP.
XX
XX Shimkets RA, Leach M;
XX
XX WPI: 2000-602362/57.
XX
XX N-PSDB; AAC76846.
XX
XX Novel nucleic acids and peptides derived from open reading frame X,
XX useful for treating e.g. cancers, proliferative disorders,
XX neurodegenerative disorders and cardiovascular disease -
XX
XX
XX Claim 11; Page 3985-3986; 5507pp; English.
XX
XX AAC74446 to AAC7606 encode the proteins given in AAB40237 to AAB43397,
XX which represent the human ORFX open reading frames 1 to 3161. The ORFX
XX sequences have activities such as: cytostatic; hepatotropic; vulnary;
XX antipsoriatic; antiparkinsonian; nootropic; neuroprotective;
XX osteopathic; anticonvulsant; antiarthritic; immunosuppressant;

CC immunostimulant; cardiant; thrombolytic; coagulant; vasotropic;
CC antidiabetic; hypotensive; dermatological; immunosuppressive;
CC antiinflammatory; antibacterial; antiviral; antifungal; antirheumatic;
CC antithyroid; and antianaemic. The sequences can be used for determining
CC the presence of or predisposition to, or preventing or treating
CC pathological conditions associated with an ORFX-associated disorder. The
CC nucleic acids can be used to express ORFX proteins in gene therapy
CC vectors. The proteins and nucleic acids may be used to treat cancers,
CC proliferative disorders, neurodegenerative disorders, osteoarthritis,
CC graft vs host disease, cardiovascular disease, diabetes mellitus, lupus
CC hypertension, hypothyroidism, cholesterol ester storage, systemic lupus
CC erythematosus, severe combined immunodeficiency (SCID), AIDS, viral,
CC bacterial or fungal infection, malaria, autoimmune disorders, asthma,
CC allergies, aplastic anaemia, burns, wounds, bone and cartilage damage,
CC nocturnal haemoglobinuria, antinflammatory disease; to enhance
CC coagulation; to inhibit thrombosis; and as a contraceptive.
XX
SQ Sequence 377 AA;

Query Match 1.0%; Score 8; DB 21; Length 377;
Best Local Similarity 100.0%; Pred. No. 24;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 67 SRDSGAAL 74
Db 283 srdsgaal 290
|||||||

RESULT 13
AAB85355
ID AAB85355 standard; Protein; 385 AA.
XX
AC AAB85355;
XX
XX 17-SEP-2001 (first entry)
XX Human phosphatase (PP) (clone ID 1269556CD1).
XX
DE Phosphatase; PP; Alzheimer's disease; Huntington's disease; human;
KW immune disorder; cancer; nootropic; immunomodulatory; cytostatic;
KW neuroprotective; anticonvulsant.
XX
OS Homo sapiens.
XX
XX WO200153469-A2.
XX
XX 26-JUL-2001.
XX
XX 18-JAN-2001; 2001WO-US02088.
XX
XX 21-JAN-2000; 2000US-0177719.
XX
XX 28-JAN-2000; 2000US-0178988.
XX
XX 25-FEB-2000; 2000US-0184959.
XX
XX 17-MAR-2000; 2000US-0190142.
XX
XX (INCY-) INCYTE GENOMICS INC.
XX
XX Bandman O, Tang YT, Azimzai Y, Yue H, Baughn MR, Hillman JL;
XX Lal P, Wang E, Gandhi AR, Policky JL, Mathur P;
XX
XX WPI: 2001-451905/48.
XX
XX N-PSDB; AAB22958.
XX
XX Novel phosphatases useful for treating diseases associated with
XX decreased expression of functional phosphatases, e.g., Alzheimer's
XX disease, Huntington's disease, immune disorders, and cancers -
XX
XX Claim 1; Page 91-92; 103pp; English.
XX
XX The invention provides human phosphatases (PP) and polynucleotides
XX encoding the phosphatases. The polypeptides can be expressed by standard
XX recombinant methodology. The PP are useful for treating a disease or

CC condition associated with decreased expression of functional
CC phosphatases. Compositions containing agonists or antagonists of pp may
CC be used to treat a disease associated with decreased expression or
CC overexpression of PP, respectively. Such diseases may include
CC Alzheimer's disease, Huntington's disease, immune disorders, and
CC cancers. The present sequence represents a human phosphatase.
XX
SQ Sequence 385 AA;

Query Match 1.0%; Score 8; DB 22; Length 385;
Best Local Similarity 100.0%; Pred. No. 24;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 67 SRDSGAAL 74
| | | | | | | |
Db 252 srdsgaal 259

RESULT 14
AAG08256
ID AAG08256 standard; Protein; 394 AA.
XX
AC AAG08256;
XX
DT 17-OCT-2000 (first entry)
XX
DE Arabidopsis thaliana protein fragment SEQ ID NO: 5719.
XX
KW Protein identification; signal transduction pathway; metabolic pathway;
KW hybridisation assay; genetic mapping; gene expression control; promoter;
KW termination sequence.
XX
OS Arabidopsis thaliana.
XX
PN EP1033405-A2.
XX
PD 06-SEP-2000.
XX
PF 25-FEB-2000; 2000EP-0301439.
XX
PR 25-FEB-1999; 99US-0121825.
PR 05-MAR-1999; 99US-0123180.
PR 09-MAR-1999; 99US-0123548.
PR 23-MAR-1999; 99US-0125788.
PR 25-MAR-1999; 99US-0126264.
PR 29-MAR-1999; 99US-0126785.
PR 01-APR-1999; 99US-0127462.
PR 06-APR-1999; 99US-0128234.
PR 08-APR-1999; 99US-0128714.
PR 16-APR-1999; 99US-0129845.
PR 19-APR-1999; 99US-0130077.
PR 21-APR-1999; 99US-0130449.
PR 23-APR-1999; 99US-0130510.
PR 23-APR-1999; 99US-0130891.
PR 28-APR-1999; 99US-0131449.
PR 30-APR-1999; 99US-0132048.
PR 30-APR-1999; 99US-0132407.
PR 04-MAY-1999; 99US-0132484.
PR 05-MAY-1999; 99US-0132485.
PR 06-MAY-1999; 99US-0132486.
PR 06-MAY-1999; 99US-0132487.
PR 07-MAY-1999; 99US-0132863.
PR 11-MAY-1999; 99US-0134256.
PR 14-MAY-1999; 99US-0134218.
PR 14-MAY-1999; 99US-0134219.
PR 14-MAY-1999; 99US-0134221.
PR 14-MAY-1999; 99US-0134370.
PR 18-MAY-1999; 99US-0134768.
PR 19-MAY-1999; 99US-0134941.
PR 20-MAY-1999; 99US-0135124.
PR 21-MAY-1999; 99US-0135353.
PR 24-MAY-1999; 99US-0135629.

PR 25-MAY-1999; 99US-0136021.
PR 27-MAY-1999; 99US-0136392.
PR 28-MAY-1999; 99US-0136782.
PR 01-JUN-1999; 99US-0137222.
PR 03-JUN-1999; 99US-0137528.
PR 04-JUN-1999; 99US-0137502.
PR 07-JUN-1999; 99US-0137724.
PR 08-JUN-1999; 99US-0138094.
PR 10-JUN-1999; 99US-0138540.
PR 10-JUN-1999; 99US-0138847.
PR 14-JUN-1999; 99US-0139119.
PR 16-JUN-1999; 99US-0139452.
PR 16-JUN-1999; 99US-0139453.
PR 17-JUN-1999; 99US-0139492.
PR 18-JUN-1999; 99US-0139454.
PR 18-JUN-1999; 99US-0139455.
PR 18-JUN-1999; 99US-0139456.
PR 18-JUN-1999; 99US-0139457.
PR 18-JUN-1999; 99US-0139458.
PR 18-JUN-1999; 99US-0139459.
PR 18-JUN-1999; 99US-0139460.
PR 18-JUN-1999; 99US-0139461.
PR 18-JUN-1999; 99US-0139462.
PR 18-JUN-1999; 99US-0139463.
PR 18-JUN-1999; 99US-0139750.
PR 18-JUN-1999; 99US-0139763.
PR 21-JUN-1999; 99US-0139817.
PR 22-JUN-1999; 99US-0139899.
PR 23-JUN-1999; 99US-0140353.
PR 23-JUN-1999; 99US-0140354.
PR 24-JUN-1999; 99US-0140695.
PR 28-JUN-1999; 99US-0140823.
PR 29-JUN-1999; 99US-0140991.
PR 30-JUN-1999; 99US-0141287.
PR 01-JUL-1999; 99US-0141842.
PR 01-JUL-1999; 99US-0142154.
PR 02-JUL-1999; 99US-0142055.
PR 06-JUL-1999; 99US-0142390.
PR 08-JUL-1999; 99US-0142803.
PR 09-JUL-1999; 99US-0142920.
PR 12-JUL-1999; 99US-0142977.
PR 13-JUL-1999; 99US-0143542.
PR 14-JUL-1999; 99US-0143624.
PR 15-JUL-1999; 99US-0144005.
PR 16-JUL-1999; 99US-0144085.
PR 16-JUL-1999; 99US-0144086.
PR 19-JUL-1999; 99US-0144325.
PR 19-JUL-1999; 99US-0144331.
PR 19-JUL-1999; 99US-0144332.
PR 19-JUL-1999; 99US-0144333.
PR 19-JUL-1999; 99US-0144334.
PR 19-JUL-1999; 99US-0144335.
PR 20-JUL-1999; 99US-0144352.
PR 20-JUL-1999; 99US-0144632.
PR 20-JUL-1999; 99US-0144884.
PR 21-JUL-1999; 99US-0144814.
PR 21-JUL-1999; 99US-0145086.
PR 21-JUL-1999; 99US-0145088.
PR 22-JUL-1999; 99US-0145085.
PR 22-JUL-1999; 99US-0145087.
PR 22-JUL-1999; 99US-0145089.
PR 22-JUL-1999; 99US-0145192.
PR 23-JUL-1999; 99US-0145145.
PR 23-JUL-1999; 99US-0145218.
PR 23-JUL-1999; 99US-0145224.
PR 26-JUL-1999; 99US-0145276.
PR 27-JUL-1999; 99US-0145913.
PR 27-JUL-1999; 99US-0145918.
PR 27-JUL-1999; 99US-0145919.
PR 28-JUL-1999; 99US-0145951.
PR 02-AUG-1999; 99US-0146386.
PR 02-AUG-1999; 99US-0146388.
PR 02-AUG-1999; 99US-0146389.

```
PR 03-AUG-1999; 99US-0147038.
PR 04-AUG-1999; 99US-0147204.
PR 04-AUG-1999; 99US-0147302.
PR 05-AUG-1999; 99US-0147192.
PR 05-AUG-1999; 99US-0147260.
PR 06-AUG-1999; 99US-0147303.
PR 06-AUG-1999; 99US-0147416.
PR 06-AUG-1999; 99US-0147493.
PR 09-AUG-1999; 99US-0147935.
PR 10-AUG-1999; 99US-0148171.
PR 11-AUG-1999; 99US-0148319.
PR 12-AUG-1999; 99US-0148341.
PR 13-AUG-1999; 99US-0148565.
PR 13-AUG-1999; 99US-0148684.
PR 16-AUG-1999; 99US-0149368.
PR 17-AUG-1999; 99US-0149175.
PR 18-AUG-1999; 99US-0149426.
PR 20-AUG-1999; 99US-0149722.
PR 20-AUG-1999; 99US-0149723.
PR 20-AUG-1999; 99US-0149929.
PR 23-AUG-1999; 99US-0149902.
PR 23-AUG-1999; 99US-0149930.
PR 25-AUG-1999; 99US-0150566.
PR 26-AUG-1999; 99US-0150884.
PR 27-AUG-1999; 99US-0151065.
PR 27-AUG-1999; 99US-0151066.
PR 27-AUG-1999; 99US-0151080.
PR 30-AUG-1999; 99US-0151303.
PR 31-AUG-1999; 99US-0151438.
PR 01-SEP-1999; 99US-0151930.
PR 07-SEP-1999; 99US-0152363.
PR 10-SEP-1999; 99US-0153070.
PR 13-SEP-1999; 99US-0153758.
PR 15-SEP-1999; 99US-0154018.
PR 16-SEP-1999; 99US-0154039.
PR 20-SEP-1999; 99US-0154779.
PR 22-SEP-1999; 99US-0155139.
PR 23-SEP-1999; 99US-0155486.
PR 24-SEP-1999; 99US-0155659.
PR 28-SEP-1999; 99US-0156458.
PR 29-SEP-1999; 99US-0156596.
PR 04-OCT-1999; 99US-0157117.
PR 05-OCT-1999; 99US-0157753.
PR 06-OCT-1999; 99US-0157865.
PR 07-OCT-1999; 99US-0158029.
PR 08-OCT-1999; 99US-0158232.
PR 12-OCT-1999; 99US-0158369.
PR 13-OCT-1999; 99US-0159293.
PR 13-OCT-1999; 99US-0159294.
PR 13-OCT-1999; 99US-0159295.
PR 14-OCT-1999; 99US-0159329.
PR 14-OCT-1999; 99US-0159330.
PR 14-OCT-1999; 99US-0159331.
PR 14-OCT-1999; 99US-0159637.
PR 14-OCT-1999; 99US-0159638.
PR 18-OCT-1999; 99US-0159584.
PR 21-OCT-1999; 99US-0160741.
PR 21-OCT-1999; 99US-0160767.
PR 21-OCT-1999; 99US-0160768.
PR 21-OCT-1999; 99US-0160770.
PR 21-OCT-1999; 99US-0160814.
PR 21-OCT-1999; 99US-0160815.
PR 22-OCT-1999; 99US-0160980.
PR 22-OCT-1999; 99US-0160981.
PR 22-OCT-1999; 99US-0160989.
PR 25-OCT-1999; 99US-0161404.
PR 25-OCT-1999; 99US-0161405.
PR 25-OCT-1999; 99US-0161406.
PR 26-OCT-1999; 99US-0161359.
PR 26-OCT-1999; 99US-0161360.
PR 26-OCT-1999; 99US-0161361.
PR 28-OCT-1999; 99US-0161320.
PR 28-OCT-1999; 99US-0161992.

PR 28-OCT-1999; 99US-0161993.
PR 29-OCT-1999; 99US-0162142.

Query Match 1.0%; Score 8; DB 21; Length 394;
Best Local Similarity 100.0%; Pred. No. 25;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 513 LLDCGEGT 520
Db 57 lldcgegt 64
|||||||

RESULT 15
AAG08255
ID AAG08255 standard; Protein; 422 AA.
XX
AC AAG08255;
XX
XX 17-OCT-2000 (first entry)
XX
DE Arabidopsis thaliana protein fragment SEQ ID NO: 5718.
XX
KW Protein identification; signal transduction pathway; metabolic pathway;
KW hybridisation assay; genetic mapping; gene expression control; promoter;
KW termination sequence.
XX
OS Arabidopsis thaliana.
XX
XX EP1033405-A2.
XX
XX 06-SEP-2000.
XX
XX 25-FEB-2000; 2000EP-0301439.
XX
XX 25-FEB-1999; 99US-0121825.
XX 09-MAR-1999; 99US-0123180.
XX 09-MAR-1999; 99US-0123548.
XX 23-MAR-1999; 99US-0125788.
XX 25-MAR-1999; 99US-0126264.
XX 29-MAR-1999; 99US-0126785.
XX 01-APR-1999; 99US-0127462.
XX 06-APR-1999; 99US-0128234.
XX 08-APR-1999; 99US-0128714.
XX 16-APR-1999; 99US-0129845.
XX 19-APR-1999; 99US-0130077.
XX 21-APR-1999; 99US-0130449.
XX 23-APR-1999; 99US-0130510.
XX 23-APR-1999; 99US-0130891.
XX 28-APR-1999; 99US-0131449.
XX 30-APR-1999; 99US-0132048.
XX 30-APR-1999; 99US-0132407.
XX 04-MAY-1999; 99US-0132484.
XX 05-MAY-1999; 99US-0132485.
XX 06-MAY-1999; 99US-0132486.
XX 06-MAY-1999; 99US-0132487.
XX 07-MAY-1999; 99US-0132863.
XX 11-MAY-1999; 99US-0134256.
XX 14-MAY-1999; 99US-0134218.
XX 14-MAY-1999; 99US-0134219.
XX 14-MAY-1999; 99US-0134221.
XX 14-MAY-1999; 99US-0134370.
XX 18-MAY-1999; 99US-0134768.
XX 19-MAY-1999; 99US-0134941.
XX 20-MAY-1999; 99US-0135124.
XX 21-MAY-1999; 99US-0135353.
XX 24-MAY-1999; 99US-0135629.
XX 25-MAY-1999; 99US-0136021.
XX 27-MAY-1999; 99US-0136392.
XX 28-MAY-1999; 99US-0136782.
XX 01-JUN-1999; 99US-0137222.
XX 03-JUN-1999; 99US-0137528.
XX 04-JUN-1999; 99US-0137502.
XX 07-JUN-1999; 99US-0137724.
```


PR 08-JUN-1999; 99US-0138094.
PR 10-JUN-1999; 99US-0138540.
PR 10-JUN-1999; 99US-0138847.
PR 14-JUN-1999; 99US-0139119.
PR 16-JUN-1999; 99US-0139452.
PR 16-JUN-1999; 99US-0139453.
PR 17-JUN-1999; 99US-0139492.
PR 18-JUN-1999; 99US-0139454.
PR 18-JUN-1999; 99US-0139455.
PR 18-JUN-1999; 99US-0139456.
PR 18-JUN-1999; 99US-0139457.
PR 18-JUN-1999; 99US-0139458.
PR 18-JUN-1999; 99US-0139459.
PR 18-JUN-1999; 99US-0139460.
PR 18-JUN-1999; 99US-0139461.
PR 18-JUN-1999; 99US-0139462.
PR 18-JUN-1999; 99US-0139463.
PR 18-JUN-1999; 99US-0139750.
PR 18-JUN-1999; 99US-0139763.
PR 21-JUN-1999; 99US-0139817.
PR 22-JUN-1999; 99US-0139899.
PR 23-JUN-1999; 99US-0140353.
PR 23-JUN-1999; 99US-0140354.
PR 24-JUN-1999; 99US-0140695.
PR 28-JUN-1999; 99US-0140823.
PR 29-JUN-1999; 99US-0140991.
PR 30-JUN-1999; 99US-0141287.
PR 01-JUL-1999; 99US-0141842.
PR 01-JUL-1999; 99US-0142154.
PR 02-JUL-1999; 99US-0142055.
PR 06-JUL-1999; 99US-0142390.
PR 08-JUL-1999; 99US-0142803.
PR 09-JUL-1999; 99US-0142920.
PR 12-JUL-1999; 99US-0142977.
PR 13-JUL-1999; 99US-0143542.
PR 14-JUL-1999; 99US-0143624.
PR 15-JUL-1999; 99US-0144003.
PR 16-JUL-1999; 99US-0144085.
PR 16-JUL-1999; 99US-0144086.
PR 19-JUL-1999; 99US-0144325.
PR 19-JUL-1999; 99US-0144331.
PR 19-JUL-1999; 99US-0144332.
PR 19-JUL-1999; 99US-0144333.
PR 19-JUL-1999; 99US-0144334.
PR 19-JUL-1999; 99US-0144335.
PR 20-JUL-1999; 99US-0144352.
PR 20-JUL-1999; 99US-0144353.
PR 20-JUL-1999; 99US-0144884.
PR 21-JUL-1999; 99US-0144814.
PR 21-JUL-1999; 99US-0145086.
PR 21-JUL-1999; 99US-0145088.
PR 22-JUL-1999; 99US-0145085.
PR 22-JUL-1999; 99US-0145087.
PR 22-JUL-1999; 99US-0145089.
PR 22-JUL-1999; 99US-0145192.
PR 23-JUL-1999; 99US-0145145.
PR 23-JUL-1999; 99US-0145218.
PR 23-JUL-1999; 99US-0145224.
PR 26-JUL-1999; 99US-0145276.
PR 27-JUL-1999; 99US-0145913.
PR 27-JUL-1999; 99US-0145918.
PR 27-JUL-1999; 99US-0145919.
PR 28-JUL-1999; 99US-0145951.
PR 02-AUG-1999; 99US-0146386.
PR 02-AUG-1999; 99US-0146388.
PR 02-AUG-1999; 99US-0146389.
PR 03-AUG-1999; 99US-0147038.
PR 04-AUG-1999; 99US-0147204.
PR 04-AUG-1999; 99US-0147302.
PR 05-AUG-1999; 99US-0147192.
PR 05-AUG-1999; 99US-0147260.
PR 06-AUG-1999; 99US-0147303.
PR 06-AUG-1999; 99US-0147416.

PR 09-AUG-1999; 99US-0147493..
PR 09-AUG-1999; 99US-0147935.
PR 10-AUG-1999; 99US-0148171.
PR 11-AUG-1999; 99US-0148319.
PR 12-AUG-1999; 99US-0148341.
PR 13-AUG-1999; 99US-0148565.
PR 13-AUG-1999; 99US-0148684.
PR 16-AUG-1999; 99US-0149368.
PR 17-AUG-1999; 99US-0149175.
PR 18-AUG-1999; 99US-0149426.
PR 20-AUG-1999; 99US-0149722.
PR 20-AUG-1999; 99US-0149723.
PR 20-AUG-1999; 99US-0149929.
PR 23-AUG-1999; 99US-0149902.
PR 23-AUG-1999; 99US-0149930.
PR 25-AUG-1999; 99US-0150566.
PR 26-AUG-1999; 99US-0150884.
PR 27-AUG-1999; 99US-0151065.
PR 27-AUG-1999; 99US-0151066.
PR 27-AUG-1999; 99US-0151080.
PR 30-AUG-1999; 99US-0151303.
PR 31-AUG-1999; 99US-0151438.
PR 01-SEP-1999; 99US-0151930.
PR 07-SEP-1999; 99US-0152363.
PR 10-SEP-1999; 99US-0153070.
PR 13-SEP-1999; 99US-0153758.
PR 15-SEP-1999; 99US-0154018.
PR 16-SEP-1999; 99US-0154039.
PR 20-SEP-1999; 99US-0154779.
PR 22-SEP-1999; 99US-0155139.
PR 23-SEP-1999; 99US-0155486.
PR 24-SEP-1999; 99US-0155659.
PR 28-SEP-1999; 99US-0156458.
PR 29-SEP-1999; 99US-0156596.
PR 04-OCT-1999; 99US-0157117.
PR 05-OCT-1999; 99US-0157753.
PR 06-OCT-1999; 99US-0157865.
PR 07-OCT-1999; 99US-0158029.
PR 08-OCT-1999; 99US-0158232.
PR 12-OCT-1999; 99US-0158369.
PR 13-OCT-1999; 99US-0159293.
PR 13-OCT-1999; 99US-0159294.
PR 13-OCT-1999; 99US-0159295.
PR 14-OCT-1999; 99US-0159329.
PR 14-OCT-1999; 99US-0159330.
PR 14-OCT-1999; 99US-0159331.
PR 14-OCT-1999; 99US-0159637.
PR 14-OCT-1999; 99US-0159638.
PR 18-OCT-1999; 99US-0159584.
PR 21-OCT-1999; 99US-0160741.
PR 21-OCT-1999; 99US-0160767.
PR 21-OCT-1999; 99US-0160768.
PR 21-OCT-1999; 99US-0160770.
PR 21-OCT-1999; 99US-0160814.
PR 21-OCT-1999; 99US-0160815.
PR 22-OCT-1999; 99US-0160980.
PR 22-OCT-1999; 99US-0160981.
PR 22-OCT-1999; 99US-0160989.
PR 25-OCT-1999; 99US-0161404.
PR 25-OCT-1999; 99US-0161405.
PR 25-OCT-1999; 99US-0161406.
PR 26-OCT-1999; 99US-0161359.
PR 26-OCT-1999; 99US-0161360.
PR 26-OCT-1999; 99US-0161361.
PR 28-OCT-1999; 99US-0161920.
PR 28-OCT-1999; 99US-0161992.
PR 28-OCT-1999; 99US-0161993.
PR 29-OCT-1999; 99US-0162142.

Query Match 1.0%; Score 8; DB 21; Length 422;
Best Local Similarity 100.0%; Pred. No. 26;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Caps 0;

Qy 513 LLDGEGT 520
|||||||
Db 85 lldcgegt 92

Search completed: March 29, 2002, 10:22:53
Job time: 140 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: April 1, 2002, 09:30:21 ; Search time 1186.93 Seconds
(without alignments)
22461.541 Million cell updates/sec

Title: US-09-988-687-1
Perfect score: 2481
Sequence: 1 atgtggcgcttctgctgct.....agaaggtcagagccagtgga 2481

Scoring table: OLIGO_NUC
Gapop 60.0 , Gapext 60.0

Searched: 11351937 seqs, 537289281 residues

Word size : 0

Total number of hits satisfying chosen parameters: 22703874

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 45 summaries

Database :

- EST:*
1: em_estfun:*
2: em_esthum:*
3: em_estin:*
4: em_estom:*
5: em_estpl:*
6: em_estba:*
7: em_estro:*
8: em_estov:*
9: em_htc:*
10: gb_estl:*
11: gb_est2:*
12: gb_htc:*
13: gb_gss:*
14: em_gss_fun:*
15: em_gss_hum:*
16: em_gss_inv:*
17: em_gss_pln:*
18: em_gss_pro:*
19: em_gss_rod:*
20: em_gss_vrt:*
21: em_gss_other:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	676	27.2	676	10 BE260495	BE260495 601150702
2	639	25.8	712	10 AUI26037	AUI26037 AUI26037
3	609	24.5	666	10 AUI41334	AUI41334 AUI41334
4	601	24.2	762	10 AUI24671	AUI24671 AUI24671
5	600	24.2	791	11 BG822529	BG822529 602725613
6	597	24.1	944	11 BF969043	BF969043 602269966
7	590	23.8	664	10 BE383336	BE383336 601298249
8	590	23.8	692	10 BE382353	BE382353 601298656
9	561	22.6	920	11 BG386090	BG386090 602455264
10	556	22.4	890	11 BG756043	BG756043 602716533
11	553	22.3	553	11 BF434169	BF434169 7099f04.x
12	543	21.9	827	11 BG396395	BG396395 602459323

13	530	21.4	614	11 BG335963	BG335963 602404708
14	528	21.3	761	11 BE795820	BE795820 601590856
15	526	21.2	526	11 BF196304	BF196304 7n68a10.x
16	525	21.2	696	10 AUI38595	AUI38595 AUI38595
17	521	21.0	688	11 BE794311	BE794311 601591442
18	519	20.9	960	11 BF797306	BF797306 602256926
19	507	20.4	670	10 AUI43668	AUI43668 AUI43668
20	506	20.4	506	11 BF057321	BF057321 7k19c01.x
21	505	20.4	771	11 BG766403	BG766403 602739146
22	497	20.0	953	11 BF794577	BF794577 602255843
23	491	19.8	884	11 BG519751	BG519751 602578902
24	478	19.3	1012	11 BG386348	BG386348 602455550
25	477	19.2	657	10 AUI38795	AUI38795 AUI38795
26	477	19.2	735	11 BG719016	BG719016 602699144
27	475	19.1	915	11 BF311926	BF311926 601997767
28	469	18.9	883	11 BG746363	BG746363 602703625
29	465	18.7	823	10 BE619259	BE619259 601473130
30	458	18.5	531	10 AA243700	AA243700 zrf68g08.s
31	453	18.3	611	11 BG471513	BG471513 602513052
32	453	18.3	760	11 BG751942	BG751942 602732110
33	451	18.2	451	10 AI200296	AI200296 qf86b12.x
34	450	18.1	812	11 BE867512	BE867512 601443010
35	447	18.0	498	11 BF433563	BF433563 7q53b07.x
36	447	18.0	938	10 BE260626	BE260626 601146116
37	442	17.8	493	10 AW575677	AW575677 UI-HF-BM0
38	438	17.7	612	10 BE304720	BE304720 601106236
39	436	17.6	493	10 AA455121	AA455121 2x78c04.s
40	421	17.0	421	10 AI468143	AI468143 tf92g05.x
41	421	17.0	536	10 AW206103	AW206103 UI-H-B11-
42	406	16.4	452	11 BG327066	BG327066 602426274
43	405	16.3	457	11 BF309436	BF309436 601892128
44	404	16.3	404	10 AW304130	AW304130 xs13e05.x
45	402	16.2	474	10 AA291670	AA291670 zt37d04.s

ALIGNMENTS

RESULT 1
BE260495
LOCUS
DEFINITION
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
REFERENCE
AUTHORS
TITLE
JOURNAL
COMMENT

BE260495 676 bp mRNA EST 26-OCT-2000
601150702F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3503184 5',
mRNA sequence.
BE260495
BE260495.1 GI:9131807
EST.
human.
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 676)
NIH-MGC http://mgc.nci.nih.gov/.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: ATCC
cDNA Library Preparation: Ling Hong/Rubin Laboratory
cDNA Library Arrayed by: the I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
plate: L1CM176 row: d column: 01
High quality sequence stop: 672.

FEATURES
source

1. .676
Location/Qualifiers
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:3503184"
/clone_lib="NIH_MGC_19"
/tissue_type="neuroblastoma"
/lab_host="DH10B (phage-resistant)"
/note="Organ: brain; Vector: pOTB7; Site:1: XhoI; Site_2:

ECORI; cDNA made by oligo-dT priming. Directionally cloned into EcoRI/XhoI sites using the following 5' adaptor: GGCACGAG(G). Library constructed by Ling Hong in the laboratory of Gerald M. Rubin (University of California, Berkeley) using ZAP-cDNA synthesis kit (Stratagene) and Superscript II RT (Life Technologies).
Note: this is a NIH_MGC Library."

BASE COUNT 154 a 207 c 176 g 139 t
ORIGIN

Query Match 27.2%; Score 676; DB 10; Length 676;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 676; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1093 acccagcacttgctcctgaatgagaactgtcctcagttcaacaaccttcgagccacaag 1152
Db 1 ACCCAGCATTGGTCCGTGAATGAGAACTGTGCCCTCAGTTCACAACTTCGCGACCAAG 60
QY 1153 attcaaacccagctcaacctcatccaccggagacatcttccccctgctcaccagtttcgc 1212
Db 61 ATTCAACCCAGCTCAACCTCATCCACCCGGACATCTTCCCTGCTCACCAGTTTCGC 120
QY 1213 tgaagaaggaggccccaccctcagtggtgccatggttcagggtgaatgcctcctcaag 1272
Db 121 TGTAAAGAGGAGGGCCACCCTCAGTGTGCCATGTTCAAGGTGAATGCTCCTCAAG 180
QY 1273 taccagctccgtccagaggaggtgagaggtgagaggtgagaggtgagaggtgagaggtgag 1332
Db 181 TACCAGCTCCGTCCTCAGAGGAGGTGGCAGAGGATGCCATTACTTGAATCCTGAG 240
QY 1333 gaattcatagttgagcgtcagcttcccaactccagagagcgtgcagaggtacagg 1392
Db 241 GAATTCATAGTTGAGGCGCTGCAGCTTCCCAACTTCCAGCAGAGCGGTGCAGAGTACAG 300
QY 1393 aggagtgccagaggccccagccccagcagagagagagagagagagagagagagagagagag 1452
Db 301 AGGAGTGGCAGGAGCGGCCAGCCAGCCAGCAGAGAGAGAGAGAGAGAGAGAGAGAGAG 360
QY 1453 ttcttgaaacagaggtgctccatcccatcccatgaaatgaaatgaaatgaaatgaaatgaa 1512
Db 361 TTCCTTGAACAGGCTGTCCATCCCATCCCATGAAATGAAATGAAATGAAATGAAATGAA 420
QY 1513 aacataagccccagacgtctctactgactgactgactgactgactgactgactgactgactg 1572
Db 421 AACATAAGCCCCGACACGCTCTCTACTTGACTGTGTGAGGAGGACATTTGGCAGCTG 480
QY 1573 tgccgtcattacgagaccaggtggacaggttccttgggacccctggctgtgtgtgtgtgt 1632
Db 481 TGCCGTCTATTACGGAGACCAAGTGGACAGGGTCTCGGACACCCCTGGCTGTGTGTGT 540
QY 1633 tcccaactgacagagatcacacacagcgttgcgaagtctgcaagtctgcaagtctgcaagt 1692
Db 541 TCCCACTGACAGCAGATCACACACGGCTGTGCAAGTATCTTGTGTCAGAGAGAGACG 600
QY 1693 gccttggcatcttgggaagcccttcacaccttgccttgccttgccttgccttgccttgcct 1752
Db 601 GCCTTGGCATCTTTGGGAAGCCGCTTACCCCTTTGTGTGTGTGTGTGTGTGTGTGTGT 660
QY 1753 aaagcctggctccagc 1768
Db 661 AAAGCCTGGCTCCAGC 676

RESULT 2
AUI26037 AUI26037 712 bp mRNA EST 23-OCT-2000
LOCUS AUI26037 NT2RM4 Homo sapiens cDNA clone NT2RM4002610 5', mRNA
DEFINITION sequence.
ACCESSION AUI26037
VERSION AUI26037.1 GI:10950753
KEYWORDS EST.
SOURCE human.

ORGANISM

Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE

1 (bases 1 to 712)
Ota, T., Wakamatsu, A., Ozawa, M., Ishii, S., Saito, K., Yamamoto, J.,
Nakamura, Y., Nishikawa, T., Nagai, T., Suzuki, Y., Sugano, S., and
Isogai, T.

TITLE

HRI human cDNA project (Ota, T., Wakamatsu, A., Ozawa, M., Ishii, S.,
Saito, K., Yamamoto, J., Nakamura, Y., Nishikawa, T., Nagai, T., Suzuki,
Y., Sugano, S., Isogai, T.)

JOURNAL

Unpublished (2000)
Contact: Takao Isogai
Genomics Laboratory

COMMENT

Helix Research Institute
1532-3 Yana, Kisarazu, Chiba 292-0812, Japan
Tel: 81-438-52-3951
Fax: 81-438-52-3952
Email: genomics@hri.co.jp
HRI human cDNA project; 5' - & 3'-end one pass sequencing: Helix
Research Institute; cDNA library construction: Department of
Virology, Institute of Medical Science, University of Tokyo, and
Helix Research Institute.

FEATURES

Location/Qualifiers
source
1..712
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone_lib="NT2RM4"
/cell_type="teratocarcinoma"
/cell_line="NT2"
/notes="Vector: pME18SFL3; mRNA from uninduced NT2 neuronal
precursor cells"
BASE COUNT 173 a 198 c 204 g 134 t 3 others
ORIGIN

Query Match 25.8%; Score 639; DB 10; Length 712;
Best Local Similarity 100.0%; Pred. No. 7.1e-297;
Matches 639; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 atgtggcgctttgtctgctgctgctgctgctgctgctgctgctgctgctgctgctgctgctg 60
Db 22 ATGTGGCGCTTTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 81
QY 61 accatatgcagcagcaccgcccgc 120
Db 82 ACCATATGCGAGGACCCCGCCCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG 141
QY 121 cgacgcgagagagc 180
Db 142 CGCACGCGAGAGAGCGCGGACCGTGGGTGCTGCGGCGCGCGCGCGCGCGCGCGCGCGCG 201
QY 181 caggtgtgagcagcggtagcgggagcgggagcgggagcgggagcgggagcgggagcgggagc 240
Db 202 CAGGTGTGTGCGAGCGGTAGCCGGGACTGCGGGGCTGCGGGGCTGCTACGCTCTTCTCGAG 261
QY 241 aaccggtatctcttcaactgtgagagagcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgc 300
Db 262 AACCGGTATCTCTCAACTGTGGAGAGGGCGTTCAGAGACTCATGCGAGGAGCACAAGTTA 321
QY 301 aaggtgtcgtcgctggacaacatatctcctgacacgaatgcactgggttaattgttgggggc 360
Db 322 AAGGTTGCTCGCTGGACAACATATCTCTGACACGAATGCACCTGGTCTAATGTTGGGGGC 381
QY 361 ttaagtgaatgattcttacttttaaaagaaacggggttccaaagtgtactttcttggga 420
Db 382 TTAAGTGAATGATTTCTTACTTTAAAGGAACCGGGTCTCCAAAGTGTGACTTTCTGGA 441
QY 421 cctccacaactggaaaaatacctcgaagcaatcaaaaataattttctggtccattgaaagga 480
Db 442 CCTCCACAACCTGGAAAAATACCTCGAAGCAATCAAAATATTTCTGGTCCATGAAGGA 501
QY 481 atagaactgggtgtgcgcccccaactctgccccagaatacagaggatgaacacatgacaggt 540

Qy	241	aaccggtatctcttcaactgtggagaaggcggttcagagactcatgcaggagacaaagtta	300
Db	269	AACCGGTATCTCTTCAACTGTGGAGAAGGGCTTCAGAGACTCATGCAGGAGCACAAGTTA	328
Qy	301	aaggttgcgtcgcgacacatatctcgaacgaatgcactggtctaattgttgggggc	360
Db	329	AAGGTTGCTCCCTGGACAACATATTCTTGACACGAATGCATGGTCTAATGTTGGGGGC	388
Qy	361	ttaagtgaatgattcttactttaaggaaacccggcttcacaaagtggtactttcttggga	420
Db	389	TTAAGTGAATGATCTTACTTTTAAGGMAAACCGGGCTTCCAAAAGTGTACTTCTTGGGA	448
Qy	421	cctccacaactggaaaaataacctcgaagcaatacaaaatatttctcgttcattgaaagga	480
Db	449	CCTCCACAACATGGAAAAATACCTCGAAGCAATCAAAATATTTCTGTGTCCATTGAAAGGA	508
Qy	481	atagaactggctgtgcggcccccactctgccccagaaacacgaggtgaaacacatgacagtt	540
Db	509	ATAGAAGTGGCTGTGCGGCCCCACTCTGCCCCACAATACGAGGATGAAACCATGACAGTT	568
Qy	541	taccagatccccatcacacagtgaaacagagggggaagcaccacccatgcagagtcaca	600
Db	569	TACCAGATCCCATACACAGTGAACAGAGGAGGGGAAGCAACCAACCATGCGAGAGTCCA	628
Qy	601	gaaaggcct	609
Db	629	GAAAGGCCT	637
RESULT 4			
AUI24671			
LOCUS	AUI24671	762 bp	mRNA EST 23-OCT-2000
DEFINITION	AUI24671	NT2RM4 Homo sapiens cDNA clone	NT2RM4000375 5', mRNA
sequence.			
ACCESSION	AUI24671		
VERSION	AUI24671.1	GI:10949387	
KEYWORDS	EST.		
SOURCE	human.		
ORGANISM	Homo sapiens		
REFERENCE	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.		
AUTHORS	Ota, T., Wakamatsu, A., Ozawa, M., Ishii, S., Saito, K., Yamamoto, J., Nakamura, Y., Nishikawa, T., Nagai, T., Suzuki, Y., Sugano, S. and Isogai, T.		
TITLE	HRI human cDNA project (Ota, T., Wakamatsu, A., Ozawa, M., Ishii, S., Saito, K., Yamamoto, J., Nakamura, Y., Nishikawa, T., Nagai, T., Suzuki, Y., Sugano, S., Isogai, T.)		
JOURNAL	Unpublished (2000)		
COMMENT	Contact: Takao Isogai Genomics Laboratory Helix Research Institute 1532-3 Yana, Kisarazu, Chiba 292-0812, Japan Tel: 81-438-52-3951 Fax: 81-438-52-3952 Email: genomics@hri.co.jp HRI human cDNA project; 5'- & 3'-end one pass sequencing: Helix Research Institute; cDNA library construction: Department of Virology, Institute of Medical Science, University of Tokyo, and Helix Research Institute.		
FEATURES	Location/Qualifiers		
source	1..762		
	/organism="Homo sapiens"		
	/db_xref="taxon:9606"		
	/clone="NT2RM4000375"		
	/clone_lib="NT2RM4"		
	/cell_type="teratocarcinoma"		
	/cell_line="NT2"		
	/note="vector: pWE18SFL3; mRNA from uninduced NT2 neuronal precursor cells"		
BASE COUNT	180 a	212 c	202 g 165 t
ORIGIN			3 others

Query Match 24.2%; Score 601; DB 10; Length 762;
Best Local Similarity 99.8%; Pred. No. 1.5e-278;
Matches 651; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 852 cactcatgaaggagagagatttttgctgctgaagagctgtgtactctccagatctcgtgtgc 911
DB 1 CACTCATGAAGAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCCAGATCTGTGTGC 60

QY 912 tgcctttgtgtgtagaattccagatgaagcttcaatcaacccatctgtgagaatgc 971
DB 61 TGCCTTTGTGTGTGATGATGTCAGATGAAGAGCTTCATTCAACCCATCTGTGAGAATGC 120

QY 972 cacttttcagaggtaccagaagagagagatgcccctgctgctgtgtgttccatggc 1031
DB 121 CACTTTTCAGAGGTACCAGAAGAGGAGATGCCCGCTGGCTGTGTGTTCACATGGC 180

QY 1032 cccagcatctgtctgttgagacagcaggtaccagcagctgagatgagaggtttgggctga 1091
DB 181 CCCAGCATCTGTCTTGTGGACAGCAGGTACCAGCAGTGGATGGAGAGTTTGGGCTGA 240

QY 1092 caccagcactgtgctgaatgaagaactgtgctcaagttcacaaacctccagcaca 1151
DB 241 CACCCAGCCTTGTCTGATGAGAACTGTGCCCTCAGTTTCAACACTTCCGAGCCACAA 300

QY 1152 gattcaaacccagctcaacctcatccaccgagacattctccctgctcaccagtttccg 1211
DB 301 GATTCAAAACCCAGCTCAACCTCATCCACCGGACATCTCCCGCTGCTACCAAGTTCCG 360

QY 1212 ctgtaagaagagggccccaccctcagctgtgcccattgttgcaggtgaaatgcctcctca 1271
DB 361 CTGTGAAGAAGAGGGCCCCACCCCTCAGTGTGCCATGGTTTCAGGGTCAATGCCCTCTCAA 420

QY 1272 gtaccagctccgtccagagagagtgagagggatgccattattcttgcaatctga 1331
DB 421 GTACCAAGCTCCGTCCTCCAGAGGAGTGGCAGAGGATGCCATTATTACTTGCATCTCTGA 480

QY 1332 ggaattcatagttgagcgtgcagcttcccaactccagcagagcgtgcagagtagacag 1391
DB 481 GGAATTTCATAGTTGAGCGCTGCAGCTTCCCACTTCATCAGAGCGTGCAGGATACAG 540

QY 1392 gaggagtgcagagacggccagccagcagagagagaaagtagtcagccagaaatcat 1451
DB 541 GAGAGGTGCCAGGAGCGCCAGCCAGCAGAGAGAAAGTCAAGTACCAGCAAAATCAT 600

QY 1452 ctctcttggaacaggtctccatcccgatgaagattcgaatgtcagtgcc 1503
DB 601 CTTCCTTGGAAACAGGGTCTGCCATCCCGATGAGATTTCGAAATGTCAGTGCC 652

RESULT 5
BG822529 791 bp mRNA EST 22-MAY-2001
LOCUS 602745613F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:4865354 5',
DEFINITION mRNA sequence.
ACCESSION BG822529
VERSION BG822529.1 GI:14170116
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 791)
AUTHORS NIH-MGC http://mgi.nci.nih.gov/
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: ATCC
cDNA Library Preparation: Ling Hong/Rubin Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LNL)
DNA Sequencing by: NIH Intramural Sequencing Center
Clone distribution: MGC clone distribution information can be

found through the I.M.A.G.E. Consortium/LNL at:
http://image.llnl.gov
Plate: LCM1730 row: i column: 03
High quality sequence stop: 789.
FEATURES
source location/Qualifiers
1. .791
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4865354"
/clone_lib="NIH_MGC_15"
/tissue_type="adenocarcinoma cell line"
/lab_host="DH10B (phage-resistant)"
/note="Organ: colon; Vector: pORF7; Site: 1: XhoI; Site: 2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5'
adaptor: GGCACGAG(G). Size-selected >500bp for average
insert size 1.8kb. Library constructed by Ling Hong in
the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies)"
BASE COUNT 182 a 224 c 216 g 169 t
ORIGIN

Query Match 24.2%; Score 600; DB 11; Length 791;
Best Local Similarity 99.7%; Pred. No. 4.5e-278;
Matches 770; Conservative 0; Mismatches 1; Indels 1; Gaps 1;

QY 916 ttgtggtgtagaattccagatgaagcttcattcaacccatctgtgagaatgcacc 975
DB 21 TTTTGTGTGTAGATGTCAGATGAAGCTTCATTCAACCCATCTGTGAGATGCCACC 80

QY 976 ttccagaggtaccagaagagagcagatgccccgtgctgtgtgttcacatggcccca 1035
DB 81 TTTTCAGAGGTACCAAGGAAGGAGATGCCCGCTGGCTTGTGTTCACATGGCCCCA 140

QY 1036 gcatctgtgtgtgtgacagcaggtaccagcagtgagagaggtttggcctgcaccc 1095
DB 141 GCATCTGTCTTGTGGACAGCAGTACCAGAGTGGATGGAGAGTTTGGCGCTGACACC 200

QY 1096 cagcaattgtctgaatgagaactgtgctcagttcacaaacctccagccacaagatt 1155
DB 201 CAGCATTGTGTCTGATGAGAACTGTGCTCAGTTTCAACACCTTCGACGCCACAAGATT 260

QY 1156 caaacccagctcaactcctcccccggagcatcttcccctgtccaccagtttccgctgt 1215
DB 261 CAACCCAGCTCAACCTCATCCACCGGACATCTTCCCGCTGCTCACAGTTCCTCGTGT 320

QY 1216 aagaagagggggccccaccctcagtggtgccatggttcaggggtgaatgcctcctcaagtac 1275
DB 321 AAGAAGAGGGGGCCCCACCCCTCAGTGTGCCATGGTTTCAGGGTGAATGCCCTCAAGTAC 380

QY 1276 cagctccgtccagagggaggtgagagagatgccattattacttgcacatcctgagaa 1335
DB 381 CAGCTCCGTCCCGAGGAGGAGTGGCAGAGGATGCCATTATTACTTCAATCTGTAGGAA 440

QY 1336 ttcatagttgagcgtgcagcttcccaactccagcagagcgtgcagaggtacagaggg 1395
DB 441 TTCATAGTTGAGCGCTGCAGCTTCCCAACTTCAGCAGAGCGTGCAGAGGTACAGGAGG 500

QY 1396 agtcgcagagacggccccagccccagcagagagaaagagtagtaccaccagaatccttc 1455
DB 501 AGTGCAGGACGCG-CCAGCCCCAGCAGAGAAAGAGTCAAGTACCAGAAATCATCTTC 559

QY 1456 cttggaacaggggtctgcccattcccagatgaagattcgaaatgcaggtgccacattgcaac 1515
DB 560 CTTTGGAAACAGGGTCTGCCATCCCGATGAAGATTTCGAAATGTCAGTGCACACATGTCAAC 619

QY 1516 ataagccccacacgtctctgtactgactgagctggtgagggacatttggcagctgtgc 1575
DB 620 ATAAAGCCCCACAGCTCTGTACTGTGACTGTGGTGGAGGACACATTTGGCAGCTGTGC 679

QY 1576 cgtcattacggagaccaggtggacagggctcctgggcaacctggctgctgtgtgtgttc 1635

```
|||||
Db 680 CECTATTAGGAGACAGGTGGACAGGGCTCTGGGACCCCTGGTCTGTGTGTGTCTGC 739
QY 1636 cactcacacagatcacacacagggcttgccaagtattctgtcagagag 1687
Db 740 CACCTGCACGACAGTACCACACAGGGCTTGCCAAGTATCTTGTCTGCAGAGAG 791

RESULT 6
BF969043 944 bp mRNA EST 22-JAN-2001
LOCUS 602269966F1 NIH_MGC_84 Homo sapiens cDNA clone IMAGE:4357985 5',
DEFINITION mRNA sequence.
ACCESSION BF969043
VERSION BF969043.1 GI:12336258
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 944)
AUTHORS NIH-MGC http://mgi.nci.nih.gov/
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapbs-remail.nih.gov
Tissue Procurement: ATCC
CDNA Library Preparation: Life Technologies, Inc.
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone Distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLM9995 row: d column: 18
High quality sequence stop: 591.
FEATURES
    source
        1..944
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:4357985"
            /clone_lib="NIH_MGC_84"
            /tissue_type="adrenal cortex carcinoma, cell line"
            /lab_host="DH10B (phage-resistant)"
            /note="Organ: adrenal gland; Vector: pCMV-SPORT6; Site_1:
            NotI; Site_2: SalI; Cloned unidirectionally; oligo-dT
            primed. Average insert size 1.229 kb. Library enriched for
            full-length clones and constructed by Life Technologies.
            Note: this is a NIH_MGC Library."
BASE COUNT 200 a 266 c 264 g 214 t
ORIGIN
    Query Match 24.1%; Score 597; DB 11; Length 944;
    Best Local Similarity 100.0%; Pred. No. 1.2e-276;
    Matches 597; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 796 gttggacagctccatcctccatcattgctgtcgaagacgggaaagacatcact 855
Db 1 GTTGGACAGCTGCCATCGCTCCCATCATGTCTGTCTGAAGACGGGAAAGCATCAT 60
QY 856 catgaaggagagagattttgctgaagactgtgtactctccagatcctggtgctgct 915
Db 61 CATGAAGGAGAGAGATTTGGCTGAAGAGCTGTGTACTCTCTCCATCTCTGTGTGCT 120
QY 916 ttgtggtgtagaattgcagatgaagacttcattcaacccatctgtgagaatgccacc 975
Db 121 TTTGTGTGTGTAGATGTCCAGATGAAGCTTCATTCAACCCCATCTGTGAGAAATGCCACC 180
QY 976 ttccagaggtaccagaagaaaggcagatgcccccgctggccttggtgttccatggcccca 1035
Db 181 TTTTCAGAGGTACCAAGAAAGGAGATGCCCCCGCTGGCTTGTGTGTTCATATGGCCCCCA 240
QY 1036 gcactctgtcttggacagcaggtaccagcagtgagatggatggaggtttgggacctgacacc 1095
```

```
|||||
Db 241 GCATCTGTCTGTGTGGACAGCAGGTACCAGCAGTGGATGGAGAGGTTTGGCCCTGCACC 300
QY 1096 cagcacttgctcctgaatgagaacttgccctcagttgcacacacttcgacgacaaagatt 1155
Db 301 CAGCACTTGTGCTGAATGAGAACTGTGCTCAGTTTCAACAACCTTCGACGCCACAAGATT 360
QY 1156 caaaccagctcaacctcatccaccggacatcttccccctgctcaccagtttcccgtgt 1215
Db 361 CAAACCCAGCTCAACCTCATCCACCCGGACATCTTCCCCTGCTCACCAGTTTCCGCTGT 420
QY 1216 aagaagagggggccccccctcagtggtcccatggttcaggggtgaatgcctcctcaagtac 1275
Db 421 AAGAAGGAGGGGCCCCACCCCTCAGTGTGCCCATGTTTCAGGGTGAATGCCCTCCTCAAGTAC 480
QY 1276 cagctccgtcccgaggaggaggtgcagagggatgccattattacttgcactcctgagaa 1335
Db 481 CAGCTCCGTCAGGAGGAGGTGGCAGAGGGATGCCATTATTACTTGCATCTCGAGGAA 540
QY 1336 ttcatagttagggcgtgcagcttcccaacttccacagcagagcgtgcagaggtacag 1392
Db 541 TTCATAGTTGAGCGCTGCAGCTTCCCACTTCCAGAGCGCTGCAGAGGTACAGG 597

RESULT 7
BE383336 664 bp mRNA EST 21-JUL-2000
LOCUS 601298249F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628308 5',
DEFINITION mRNA sequence.
ACCESSION BE383336
VERSION BE383336.1 GI:9328701
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 664)
AUTHORS NIH-MGC http://mgi.nci.nih.gov/
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapbs-remail.nih.gov
Tissue Procurement: ATCC
CDNA Library Preparation: Ling Hong/Rubin Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone Distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at: image.llnl.gov
Plate: LLM313 row: a column: 13
High quality sequence stop: 662.
FEATURES
    source
        1..664
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:3628308"
            /clone_lib="NIH_MGC_19"
            /tissue_type="neuroblastoma"
            /lab_host="DH10B (phage-resistant)"
            /note="Organ: brain; Vector: pOTB7; Site_1: XhoI; Site_2:
            EcoRI; cDNA made by oligo-dT priming. Directionally
            cloned into EcoRI/XhoI sites using the following 5',
            adaptor: GGCACGAG(G). Library constructed by Ling Hong
            in the laboratory of Gerald M. Rubin (University of
            California, Berkeley) using ZAP-cDNA synthesis kit
            (Stratagene) and Superscript II RT (Life Technologies).
            Note: this is a NIH_MGC Library."
BASE COUNT 154 a 199 c 174 g 137 t
ORIGIN

Query Match 23.8%; Score 590; DB 10; Length 664;
Best Local Similarity 100.0%; Pred. No. 2.9e-273;
Matches 590; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```


AUTHORS NIH-MGC <http://mgc.nci.nih.gov/>.
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapbs-re@mail.nih.gov

Tissue Procurement: ATCC
CDNA Library Preparation: Ling Hong/Rubin Laboratory
DNA Sequencing by: The I.M.A.G.E. Consortium (LLNL)
Clone distribution: MGC clone distribution information can be found through the I.M.A.G.E. Consortium/LLNL at:
<http://image.llnl.gov>
Plate: LCM1307 row: p column: 16
High quality sequence stop: 736.

FEATURES

Source
1. 920
Location/Qualifiers
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4583679"
/clone_lib="NIH_MGC.15"
/tissue_type="adenocarcinoma cell line"
/lab_host="DH10B (phage-resistant)"
/note="Organ: colon; Vector: pOTB7; Site_1: XhoI; Site_2: EcoRI; CDNA made by oligo-dr priming. Directionally cloned into EcoRI/XhoI sites using the following 5' adaptor: GGCACGAG(G). Size-selected >500bp for average insert size 1.8kb. Library constructed by Ling Hong in the laboratory of Gerald M. Rubin (University of California, Berkeley) using ZAP-cDNA synthesis kit (Stratagene) and Superscript II RT (Life Technologies)"
BASE COUNT 196 a 261 c 272 g 190 t 1 others
Query Match 22.6%; Score 561; DB 11; Length 920;
Best Local Similarity 99.9%; Pred. No. 2.8e-259;
Matches 681; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

QY 916 ttgtggtgtagaattgcagatgaagcttcattcaaccatctggagatgccacc 975
DB 21 TTTGTGGTGGTAGAATGCCAGATGAAGCTTCATTCAACCCATCTGTGAGATGCCACC 80
QY 976 ttccagaggtaccagaaggaagcagatgccccggctggcttgggttcacatggcccca 1035
DB 81 TTTTCAGAGTACCAAGGAAGGCAGATGCCCGCTGGCTTGGTTTCACATGCCCCA 140
QY 1036 gcatctgtctgtgtgacagcagggtaccagcagtgatggagaggtttgggctgacacc 1095
DB 141 GCATCTGTGCTTGTGGACAGCAGGTACCCAGCAGTGGATGGAGAGGTTTGGGCTGCACAC 200
QY 1096 cagcacttgctcctaagtagaactgctcagttcacaaacttcgacagccacagatt 1155
DB 201 CAGCACTTGGTCTGTAATGAGAATCTGCTCAGTTCAACCTTCGCACGCCACAGATT 260
QY 1156 caaaccagctcaactcaccacggacatcttccccctgctcaccagtttcgcgtgt 1215
DB 261 CAAACCCAGCTCAACTCACCACCGGACATCTTCCCCCTGCTCACCAGTTCCGCTCT 320
QY 1216 aagaagagggggcccaacctcagtgccccatggttcaggggtaatgcctcctcaagtagc 1275
DB 321 AAGAAGGAGGGGCCCAACCTCAGTGTGCCATGTTTCAGGGTGAATGCTCCTCAAGTAC 380
QY 1276 cagctccgtccagagggagtgagagggatgccattacttacttgcactgaagaa 1335
DB 381 CAGCTCCGTCCAGAGGAGGAGTGGCAGAGGATGCCATTATTCTTGCATCTGTAGGAA 440
QY 1336 ttcatagttgagcgtcgtcagcttcccaacttccacagagcgtgcaggaglacaggag 1395
DB 441 TTCAATAGTTGAGCGCTGCAGCTTCCCACTTCCACAGACGGCGTGAGAGTACAGAGG 500
QY 1396 agtcgagagagggcccaagccccagcagagaaaagaagtcagtaccagaaatcatcttc 1455
DB 501 AGTGCAGAGAGCGGCCCAAGCCAGCAGAGAAAAGTCAAGTACCCAGAAATCATCTTC 560

QY 1456 cttgaaacagggtctgcatcccgatccgatgaagattcgaataatgtcagtgccacacttgtcaac 1515
DB 561 CTGGAAACAGGGTCTG-CATCCGATGAAGATTCGAAATGTGAGTGCACACTTGTCAAC 619
QY 1516 aLaagccccgacacgtctctgtactgtgactgtggtgagggcacatttgggcagctgtgc 1575
DB 620 ATAAGCCCGACACAGTCTCTGTACTGTGACTGTGTTGGAGGCACATTTGGGAGCTGTGC 679
QY 1576 cgtcattcaggagacagagtg 1597
DB 680 CGTCATTACGAGACCAAGGTGG 701

RESULT 10

BG756043 890 bp mRNA EST 15-MAY-2001
LOCUS 602716533F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4856360 5',
DEFINITION mRNA sequence.

ACCESSION BG756043
VERSION BG756043.1 GI:140666696
KEYWORDS EST.
SOURCE human.

ORGANISM

Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE

1 (bases 1 to 890)
NIH-MGC <http://mgc.nci.nih.gov/>.

AUTHORS

National Institutes of Health, Mammalian Gene Collection (MGC)

JOURNAL

Unpublished (1999)

COMMENT

Contact: Robert Strausberg, Ph.D.
Email: cgapbs-re@mail.nih.gov

Tissue Procurement: Louis M. Staudt, M.D., Ph.D.
CDNA Library Preparation: Ling Hong/Rubin Laboratory

CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA Sequencing by: Incyte Genomics, Inc.

Clone distribution: MGC clone distribution information can be found through the I.M.A.G.E. Consortium/LLNL at:

<http://image.llnl.gov>

Plate: LCM1707 row: b column: 09

High quality sequence stop: 878.

FEATURES

source

Location/Qualifiers
1. 890
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4856360"
/clone_lib="NIH_MGC_48"
/tissue_type="primary B-cells from tonsils (cell line)"
/lab_host="DH10B (phage-resistant)"
/note="Organ: B-cells; Vector: pOTB7; Site_1: XhoI; Site_2: EcoRI; CDNA made by oligo-dr priming. Directionally cloned into EcoRI/XhoI sites using the following 5' adaptor: GGCACGAG(G). Size-selected >500bp for average insert size 1.8kb. Library constructed by Ling Hong in the laboratory of Gerald M. Rubin (University of California, Berkeley) using ZAP-cDNA synthesis kit (Stratagene) and Superscript II RT (Life Technologies)." Note: this is a NIH-MGC library.

BASE COUNT 209 a 247 c 275 g 159 t
ORIGIN

Query Match

22.4%; Score 556; DB 11; Length 890;
Best Local Similarity 100.0%; Pred. No. 7.2e-257;
Matches 556; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1926 gcggcactcaagcatgcgtttggctgtgcgtgtgcacaccttggctggaaagtgtt 1985

DB 1 GCGGCACTCAAGCATGCGTTGGCTGTGCGTGTGCACACCTCTGCGTGGAAAGTGT 60

QY 1986 ctattccggggacaccatgccctgcagagctctgtccggatggggaagatgccacct 2045

DB 61 CTATTCGGGGACACCATGCCCTGCGAGGCTCTGTCGGATGGGGAAAGATGCCACCT 120

2046 cctgatacatgaagccacctggaagatggtttggaagaggaagcagtggaagacaca 2105
|||||
Db 121 CCTGATACATGAAGCCACCTGGAAGATGTTTGGGAAGAGGAGCAGTGGAAGACACA 180
|||||
QY 2106 cagcacaacgctcccaagccatcagcgtggtgagatgcggaatgaacgcgagttcattatget 2165
|||||
Db 181 CAGCACACAGTCCCAAGCCATCAGCGTGGGATGCGGATGCGGATGAAGCGGAGTTCATTATGCT 240
|||||
QY 2166 gaaccacttcagcagcgtatgccaaggtccccccttcagccccaacttcagcagaa 2225
|||||
Db 241 GAACCACTTCAGCCAGCGGTATGCCAAGGTGCCCTTCCTTCAGGCCCAACTTCAGCCAGAA 300
|||||
QY 2226 agtggaggttgcctttgaccacatgaaggtctgcttggagactttcccaaatgcctcaa 2285
|||||
Db 301 AGTGGAGTGTCTTTGACCAACATGAAGGTCTGCTTTGGAGACTTTCCAAACAATGCCCAA 360
|||||
QY 2286 gctgattccccactgaagccctgtttgtggtgacatcgagagatggagagcgcag 2345
|||||
Db 361 GCTGATTCCCCCACTGAAAGCCCTGTTGCTGGCGACATCGAGGAGATGGAGGAGCGCAG 420
|||||
QY 2346 ggagaagcggagcgtcgcgcaggtgcggcgccctcctcctgtccagggagctggcagcgcg 2405
|||||
Db 421 GGAGAAGCGGAGCTCGCGCAGGTGCGGGCGGCCCTCTCTCCAGGAGCTGGCAGGCGG 480
|||||
QY 2406 cctggaggtggtgagccttcagcagagcggcgccacacagagagcagcagcgaaga 2465
|||||
Db 481 CTTGGAGGTGGGGGACCTTCAGCAGAAGCGGGGCCACACAGAGGAGCCACAGGCCAAGAA 540
|||||
QY 2466 ggtcagagcccgatga 2481
|||||
Db 541 GCTCAGAGCCAGTGA 556
|||||

RESULT 11
BF434169 553 bp mRNA EST 29-NOV-2000
LOCUS 7099f04.x1 NCI-CGAP.Ov18 Homo sapiens cDNA clone IMAGE:3644670 3'
DEFINITION similar to TR:Q9V5J4 Q9V5J4 CG3298 PROTEIN. ;, mRNA sequence.
ACCESSION BF434169
VERSION BF434169.1 GI:11446441
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
NCI-CGAP <http://www.ncbi.nlm.nih.gov/ncicgap>.
National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
Tumor Gene Index
Unpublished (1997)
Contact: Robert Strausberg, Ph.D.
Email: cgapbs-re@mail.nih.gov
Tissue Procurement: Christopher A. Moskaluk, M.D., Ph.D., Michael
R. Emmert-Buck, M.D., Ph.D. cDNA Library Preparation: M. Bento
Soares, Ph.D. cDNA Library Arrayed by: Christa Prange, The
I.M.A.G.E. Consortium DNA Sequencing by: Washington University
Genome Sequencing Center
Clone Distribution: NCI-CGAP clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL, send email to:
info@image.llnl.gov
Seq primer: -400p from Gibco
High quality sequence stock: 507.
Location/Qualifiers
1. .553
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:3644670"
/clone_lib="NCI CGAP Ov18"
/tissue_type="fibrothoma"
/lab_host="DH10B (phage-resistant)"
/note="Organ: ovary; Vector: p7T3D-Pac (Pharmacia) with a
modified polylinker; Site_1: Not I; Site_2: Eco RI; 1st

FEATURES
source

strand cDNA was primed with a Not I - oligo(dT) primer [5'
TGTTACCAATCTGAAGTGGAGCGCCGCGACATTTTTTTTTTTTTTTT 3'];
double-stranded cDNA was ligated to Eco RI adaptors
(Pharmacia), digested with Not I and cloned into the Not
I and Eco RI sites of the modified p7T3 vector. Library
went through one round of normalization, and was
constructed by Bento Soares and M. Fatima Bonaldo. "

BASE COUNT 143 a 150 c 153 g 107 t
ORIGIN

Query Match 22.3%; Score 553; DB 11; Length 553;
Best Local Similarity 100.0%; Pred. No. 2e-255;
Matches 553; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 91 cggcgcgcaagagaccgctgcggcaacctgcgcagcgcgagagaagcgcgaccgctcgggg 150
|||||
Db 1 CGGCCGCGAAGACCCGCTGCGCACCTTCGCGACCGAGAAAGCGCGACCGTCGGGG 60
|||||
QY 151 tgctccgcgcgcccaaacaccgtgtacctgcaggtgtgtgcagcgggtagcgcgggactcg 210
|||||
Db 61 TGCTCGCGCGGCCCAACACCGTGTACCTGCAAGTGTGTGGCAGCGGTAGCCGGGACTCG 120
|||||
QY 211 ggcgccgcgctcttaogtcttcccgagttcaaccgggtatctcttcaactgttgagaagcg 270
|||||
Db 121 GCGCGCGCGCTCTACGTCTCTCCGAGTTCAACCGGTATCTCTTCAACTGTGGAGAAGCG 180
|||||
QY 271 gttcagagactcatgcagcagcagcaagtttaaaggttgtcgcctcggaacaataattccctg 330
|||||
Db 181 GTTCAGAGACTCATGCAGGAGCACAAGTTAAAGGTTGCTCGCCTGGACAACATATTTCCTG 240
|||||
QY 331 acacgaatcactggtcttaagtgtggggcttaagtgggaatgattcttcttaaggaa 390
|||||
Db 241 ACAGNANTGCATGCTCTAATGTTGGGGCTTAAGTGGGAATGATCTTACTTTAAAGGAA 300
|||||
QY 391 accgggcttccaaagtgtactttctgcacgtcccaactggaataacacctcgaagca 450
|||||
Db 301 ACCGGGCTTCCAAAGTGTGTACTTTCTGGACCTCCACAACTGCAAAATAACCTCGAAGCA 360
|||||
QY 451 atcaaaatatttctggtccattgaaaggaatagaactggctgtggtgcccactctgcc 510
|||||
Db 361 ATCAAAATATTTCTGTGTCATTGAAAGGAATAGAACTGGCTGTGGCGGCCCACTCTGCC 420
|||||
QY 511 ccagatacagatgaaccacatgacagttaccagatcccatcacacagtgaaacagag 570
|||||
Db 421 CAGAAATACGAGATGAACACCATGACAGTTTACCAGATCCCATACACAGTGAACAGAG 480
|||||
QY 571 agggaaagcaccacacacatggcagagtcagaaagccctctcagcagggtcagtcagag 630
|||||
Db 481 AGGGGAAGCACCACCACTGGCAGAGTCCAGAAAGGSCCTCTCAGCAGGCTCAGTCCAGAG 540
|||||
QY 631 cgatcttcagact 643
|||||
Db 541 CGATCTTCAGACT 553
|||||

RESULT 12
BG396395 827 bp mRNA EST 12-MAR-2001
LOCUS 602459323F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:4581700 5',
DEFINITION mRNA sequence.
ACCESSION BG396395
VERSION BG396395.1 GI:13289941
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 827)
AUTHORS NIH-MGC <http://mgc.nci.nih.gov/>
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.


```

Db 302 TCAGTATGTCCTGCCAAATGCCCTTCAGGAAGGGCTGAGATCTCCAGTCTCCAGTGG 361
Qy 1865 aaagattgatcagttcgctgttggaacatgtgatttgaagagtttcagacctgtctg 1924
Db 362 AAAGATTGATCAGTTCGCTGTTGCGAACATGTGATTGGAAGAGTTTCAGACCTGCTCG 421
Qy 1925 tgcggcactgaagatcgcttggctgtgcgtgtgcacacctctgctggcgaaagtgg 1984
Db 422 TCGGCACTGCAAGCATCGCTTTGGCTGTGGCTGTGGCTGTGGCTGTGGCTGTGGAAAGTG 481
Qy 1985 tctattccgggacacacatgcctgcgaggtctgtgcgttcgagatgggaaa 2034
Db 482 TCTATTCCGGGACACCATGCCCTGCGAGGCTGTGGTCCGGATGGGAAA 531

RESULT 14
LOCUS BE795820 761 bp mRNA EST 20-SEP-2000
DEFINITION 601590856f1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3945085 5',
mRNA sequence.
ACCESSION BE795820
VERSION BE795820.1 GI:10217018
KEYWORDS EST
SOURCE human.
ORGANISM Homo sapiens
REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE NIH-MGC http://mgi.nci.nih.gov/.
JOURNAL National Institutes of Health, Mammalian Gene Collection (MGC)
COMMENT Unpublished (1999)
Contact: Robert Strausberg, Ph.D.
Email: cgabbs-remail.nih.gov
Tissue Procurement: DCTD/DTP
cDNA Library Preparation: Ling Hong/Rubin Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LNL at: image.llnl.gov
Plate: LCM802 row: p column: 14
High quality sequence stop: 761.
FEATURES
Location/Qualifiers
source 1..761
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:3945085"
/clone_lib="NIH_MGC_7"
/tissue_type="small cell carcinoma"
/cell_line="MGC3"
/note="Host="DH10B (phage-resistant)"
/note="Organ: lung; Vector: pOTB7; Site_1: XhoI; Site_2:
EcoRI; cDNA made by oligo-dT priming. Directionally
cloned into EcoRI/XhoI sites using the following 5',
adaptor: GGCACGAG(X). Size-selected >500bp for average
insert size 1.8kb. Library constructed by Ling Hong in
the laboratory of Gerald M. Rubin (University of
California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies)."
```

BASE COUNT 172 a 206 c 219 g 164 t

ORIGIN

Query Match 21.3%; Score 528; DB 11; Length 761;
Best Local Similarity 99.7%; Pred. No. 2.3e-243;
Matches 698; Conservative 0; Mismatches 1; Indels 1; Gaps 1;

Qy 1479 gatgaacattcgaatcagttgcacacattgtcaacataagcccgacagctctctgct 1538
Db 1 GATGAATTCGAATTCAGTGCACACATGTGCAACATGAAGCCCGACACAGCTCTCTGCT 60

Qy 1539 actggacttggtgagggcacatttggcgacgtgtgcctcattacgagacaggtgga 1598
|||||

```

Db 61 ACTGGACTGTGGTGAAGGCACGTTTGGCAGCAGTGTGCGTCATTTACGGAGACCAAGGTGGA 120
Qy 1599 caggtctctggcaccctggctgctgtgttggcttccacacctgcacgcagatcacacacac 1658
Db 121 CAGGTCTCTGGCACCCTGGCTGCTGTGTGTGTGTCACCTGCACGAGATCACACAC 180
Qy 1659 gggcttgcaagatctcttctgcagagagaacgcgccttggcatcttgggaaagccgct 1718
Db 181 GGGCTTGCAAGTATCTTGTGTCAGAGAGAACGGCCCTTGGCATCTTTGGAAAGCCGCT 240
Qy 1719 tcaccttggctgtggtgtgcccccaaccagctcaaacgctggctccagcagtcacacaa 1778
Db 241 TCACCTTTGTGTTGGTTGGCTTCCCAACACAGCTCAAGAGCTGGCTCCAGCAGTACCAAA 300
Qy 1779 ccagtgcagagaggtcctgcacacacatcagtatctctgcacaaatccttcaggaagg 1838
Db 301 CCAGTCCGAGGAGGTCTCTGCACCATCAGTATGATTCCTGCCAAATGCCCTTCAGGAAGG 360
Qy 1839 ggctgagatctccagctcgtcagtggaagattgatcagttcgtctgttgcgaacatgtga 1898
Db 361 GGCTGAGATCTCCAGTCTCTGCAGTGGAAAGATTGATCAGTTCGCTGTTGCCAAGATGTGA 420
Qy 1899 ttggaagagtttcagacctgtctgtgtggtgcactgcaagcatgcgtttggctgtgcgt 1958
Db 421 -TTGGAAGAGTTTCAGACCTGCTCTGTGTGCGGCACACTGCAAGCATGCTTTGGCTGTGGCT 479
Qy 1959 ggtgcacacctctgctggaagtggtctattccgggacacacatgccctcagagctct 2018
Db 480 GGTGCACACCTCTGCTGTGGAAGTGTCTATTCCGGGACACCATGCTCCGAGAGCTCT 539
Qy 2019 ggtccgagtggggaagatgccacctcctctgatacatgaagccacctcggagatggttt 2078
Db 540 GGTCCGGATGGGAAGATGCCACCTCTCTGATACATGAAGCCACCTGGAAGATGTTT 599
Qy 2079 ggaagagagcagtggaagagacacacacacacacacacacacacacacacacacacac 2138
Db 600 GGAAGAGGAAGCAGTGGAAAAGACACACACACACACACACACACACACACACACACACAC 659
Qy 2139 qcgtatgaacgcgagtgctcattatgtgaaccacttcagc 2178
Db 660 GCGGATGAACGGGAGTTCATTATGCTGAACCACTTCAGC 699

RESULT 15
LOCUS BF196304 526 bp mRNA EST 03-NOV-2000
DEFINITION 7n68a10.x1 NCI-CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3569586 3',
similar to TR:Q9V5J4 Q9V5J4 CG3298 PROTEIN. ;, mRNA sequence.
ACCESSION BF196304
VERSION BF196304.1 GI:11084107
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
NATIONAL Cancer Institute, Cancer Genome Anatomy Project (CGAP),
Tumor Gene Index
JOURNAL Unpublished (1997)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgabbs-remail.nih.gov
Tissue Procurement: Christopher A. Moskaluk, M.D., Ph.D., Michael
R. Emmert-Buck, M.D., Ph.D. cDNA Library Preparation: M. Bento
Soares, Ph.D. cDNA Library Arrayed by: Christa Prange, The
I.M.A.G.E. Consortium DNA Sequencing by: Washington University
Genome Sequencing Center
Clone distribution: NCI-CGAP clone distribution information can be
found through the I.M.A.G.E. Consortium/LNL, send email to:
info@image.llnl.gov
High quality sequence stop: 491.
FEATURES
Location/Qualifiers
source 1..526
```


THIS PAGE BLANK (USPTO)

XX Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
PT antibodies, useful for treatment and diagnosis of prostate cancer
XX
XX Claim 3; Page 98-100; 157pp; English.
XX
CC The present sequence is the coding sequence of the human prostate
CC cancer predisposing gene HPC2, which is found on chromosome 17p. Some
CC alleles of this gene cause a predisposition to cancer, particularly
CC prostate cancer. This gene and its protein can be used in peptide and
CC gene therapy for cancer patients, as well as being useful as diagnostic
CC tools (both for cancer sufferers and those with a predisposition to the
CC disease) and in the production of cancer drugs. This sequence was
CC isolated by cloning and sequencing the region of the genome which
CC appeared to cause a predisposition to prostate cancer.
XX
XX Sequence 2958 BP; 707 A; 805 C; 848 G; 598 T; 0 other;
SQ

Query Match 100.0%; Score 2481; DB 21; Length 2958;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 2481; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 atgtggcgcttgcgtgctgctggtccggccggagccacacatgtgcaggagcgc 60
Db 51 atgtggcgcttgcgtgctgctggtccggccggagccacacatgtgcaggagcgc 110
Qy 61 accatatcgagcagcccgcccgccgagcgccgcgcaagaccgcgtcgcaactg 120
Db 111 accatatcgagcagcccgcccgccgagcgccgcgcaagaccgcgtcgcaactg 170
Qy 121 cgcacggagagagcgcgaccgtcggtgtccggccggagcccaaacacacgtgtacctg 180
Db 171 cgcacggagagagcgcgaccgtcggtgtccggccggagcccaaacacacgtgtacctg 230
Qy 181 caggtgtgtgagcgggtagccgggaactcggcgccggcgcgtctcactgttcccgattc 240
Db 231 caggtgtgtgagcgggtagccgggaactcggcgccggcgcgtctcactgttcccgattc 290
Qy 241 aaccggtatctctcaactgtgagagagcggttcagagactcatcgagagcacaagtta 300
Db 291 aaccggtatctctcaactgtgagagagcggttcagagactcatcgagagagcacaagtta 350
Qy 301 aaggtgtgctcctggacaacatacttcacacgaatgcactggtctaatgttgggggc 360
Db 351 aaggtgtgctcctggacaacatacttcacacgaatgcactggtctaatgttgggggc 410
Qy 361 ttaagtgaatgattcttactttaaaggaaacccgggtccaaagtgtactttctgga 420
Db 411 ttaagtgaatgattcttactttaaaggaaacccgggtccaaagtgtactttctgga 470
Qy 421 cctccaaactggaaaaatacctcgaaagcaatcaaaatattttctggtccattgaaagga 480
Db 471 cctccaaactggaaaaatacctcgaaagcaatcaaaatattttctggtccattgaaagga 530
Qy 481 atagaactggctgtgcgcccaactctgcccagaatacagaggatgaacacatgacagt 540
Db 531 atagaactggctgtgcgcccaactctgcccagaatacagaggatgaacacatgacagt 590
Qy 541 taccagatccccatcacacagtgaacagagaggggaaagaccacacatggcagagtcca 600
Db 591 taccagatccccatcacacagtgaacagagaggggaaagaccacacatggcagagtcca 650
Qy 601 gaaaggcctctcagcaggtcagtcagacgcatcttcagactccgagtcgaatgaaat 660
Db 651 gaaaggcctctcagcaggtcagtcagacgcatcttcagactccgagtcgaatgaaat 710
Qy 661 gagcacaccttccacatgggttagccagagagaggggtcagggaactcttccctggtc 720
Db 711 gagcacaccttccacatgggttagccagagagaggggtcagggaactcttccctggtc 770
Qy 721 gtgctttcactgtgaagcttcaacttaaaagagagaaactcttctgtgtcacaagcaag 780
Db 1910

Db 771 gtgctttcactgtgaagcttcaactaaagagagaaacttctgtgtgctcaagcaag 830
Qy 781 gagatggcctcccagttggagacagctgccatcgctcccatcattgctgctcaagac 840
Db 831 gagatggcctcccagttggagacagctgccatcgctcccatcattgctgctcaagac 890
Qy 841 gggaaagcatcactcatgaaggaagagattttggtgagagctgtgtactctcca 900
Db 891 gggaaagcatcactcatgaaggaagagattttggtgagagctgtgtactctcca 950
Qy 901 gatcctggtgctgttttgggtggtgagatgtccagatgaaagcttcaatccaccatc 960
Db 951 gatcctggtgctgttttgggtggtgagatgtccagatgaaagcttcaatccaccatc 1010
Qy 961 tgtgagaatccacccttcagagatccaaggaagacagatcccgcgtggtctggtg 1020
Db 1011 tgtgagaatccacccttcagagatccaaggaagacagatcccgcgtggtctggtg 1070
Qy 1021 gttcacatggcccagcatctgtctgtgtgagacaggtaccagcagtgatggaggg 1080
Db 1071 gttcacatggcccagcatctgtctgtgtgagacaggtaccagcagtgatggaggg 1130
Qy 1081 tttgggctgacacccagcacttggtctgaatgagaaactgtgctcagttcacaacct 1140
Db 1131 tttgggctgacacccagcacttggtctgaatgagaaactgtgctcagttcacaacct 1190
Qy 1141 cgcagcacagaattcaaacccagctcaacctcatccaccggacatcttcccctgctc 1200
Db 1191 cgcagcacagaattcaaacccagctcaacctcatccaccggacatcttcccctgctc 1250
Qy 1201 accagtttccgctgtaagaaggaggcccccacccctcagttgcccactggttcagggtgaa 1260
Db 1251 accagtttccgctgtaagaaggaggcccccacccctcagttgcccactggttcagggtgaa 1310
Qy 1261 tgcctcctcaagtaccagctccgtccacggaggagtgaggagagggatgccattact 1320
Db 1311 tgcctcctcaagtaccagctccgtccacggaggagtgaggagagggatgccattact 1370
Qy 1321 tgcactcctgaggaattcatagttgagcgctgcagcttcccacttcccagcagagcgtg 1380
Db 1371 tgcactcctgaggaattcatagttgagcgctgcagcttcccacttcccagcagagcgtg 1430
Qy 1381 caggagtacaggaggagtgcgaggagcggccacggcccccagcagagaaaaagtcagtac 1440
Db 1431 caggagtacaggaggagtgcgaggagcggccacggcccccagcagagaaaaagtcagtac 1490
Qy 1441 ccaagaatcatcttccctgaaacagaggtctccatcccgatgaagatccaatgtcagt 1500
Db 1491 ccagaaatcatcttccctgaaacagaggtctccatcccgatgaagatccaatgtcagt 1550
Qy 1501 gccacactgtcaacataaagcccgacacgtctctgctactggactgtggtgagggcaca 1560
Db 1551 gccacactgtcaacataaagcccgacacgtctctgctactggactgtggtgagggcaca 1610
Qy 1561 tttgggcaagtgtgcgttcattacggagaccagtgagacaggggtccctgggcaacctggct 1620
Db 1611 tttgggcaagtgtgcgttcattacggagaccagtgagacaggggtccctgggcaacctggct 1670
Qy 1621 gctgtgttgcctccacctgcacgagatcacacacagggcttgcgaagtctctgctg 1680
Db 1671 gctgtgttgcctccacctgcacgagatcacacacagggcttgcgaagtctctgctg 1730
Qy 1681 cagagaaacgcgcttggcatctttgggaaagcgcgttccacctttgctgtgtgtgtgcc 1740
Db 1731 cagagaaacgcgcttggcatctttgggaaagcgcgttccacctttgctgtgtgtgtgcc 1790
Qy 1741 cccaaccagctcaagcctggctccagcagtcaccaaacacagtgccaggaggtcctgcac 1800
Db 1791 cccaaccagctcaagcctggctccagcagtcaccaaacacagtgccaggaggtcctgcac 1850
Qy 1801 cacatcagatgatctcctgcacaaatgcttcaggaaggggctgagatctccagtcctgca 1860
Db 1851 cacatcagatgatctcctgcacaaatgcttcaggaaggggctgagatctccagtcctgca 1910

QY 601 gaaaggcctctcagcaggctcagtcacagcagcgatcttcagactccagatcgaatgaaat 660
Db 601 gaaaggcctctcagcaggctcagtcacagcagcgatcttcagactccagatgaaatgaaat 660
QY 661 gagccacaccttcacatggtgtagccagagagaggggtcagggactcttccctggtc 720
Db 661 gagccacaccttcacatggtgtagccagagagaggggtcagggactcttccctggtc 720
QY 721 gtactttcactgtaagcttcaactaaagagagaaacttcttggtcctcaagcaag 780
Db 721 gtactttcactgtaagcttcaactaaagagagaaacttcttggtcctcaagcaag 780
QY 781 gagatgggctccagctgggacagctgccaatgctcccatcattgctgctcaagac 840
Db 781 gagatgggctccagctgggacagctgccaatgctcccatcattgctgctcaagac 840
QY 841 gggaaagcactcaactcaagaagagagatatttggctgaagagctgtgtactctcca 900
Db 841 gggaaagcactcaactcaagaagagagatatttggctgaagagctgtgtactctcca 900
QY 901 gatcctggtcgtcttttggtagatgtccagatgaaagcttcaattcaaccatc 960
Db 901 gatcctggtcgtcttttggtagatgtccagatgaaagcttcaattcaaccatc 960
QY 961 tgtgagaatgccaacttccagagtacaaaggaagcagatgcccctggccttggg 1020
Db 961 tgtgagaatgccaacttccagagtacaaaggaagcagatgcccctggccttggg 1020
QY 1021 gttcacatggcccagatctgtctgtgtgacagcaggtaccagcagtgatggaggg 1080
Db 1021 gttcacatggcccagatctgtctgtgtgacagcaggtaccagcagtgatggaggg 1080
QY 1081 ttgggctgcacccagcacttggctcgaatgagaaactgtcctcagttcacaaactt 1140
Db 1081 ttgggctgcacccagcacttggctcgaatgagaaactgtcctcagttcacaaactt 1140
QY 1141 cgcagccacaagattcaaacccagctcaacctcaccacccgacatcttcccctgctc 1200
Db 1141 cgcagccacaagattcaaacccagctcaacctcaccacccgacatcttcccctgctc 1200
QY 1201 accagtttccgctgtaagaagagggcccacacctcagtgccatggttcagggtgaa 1260
Db 1201 accagtttccgctgtaagaagagggcccacacctcagtgccatggttcagggtgaa 1260
QY 1261 tgcctcctcaagtaccagctccgcccagagagggagtgccagagggatgccatttact 1320
Db 1261 tgcctcctcaagtaccagctccgcccagagagggagtgccagagggatgccatttact 1320
QY 1321 tgcactcctgaggaattcattagtgagcgtcagcttcccaacttccagcagagcgtg 1380
Db 1321 tgcactcctgaggaattcattagtgagcgtcagcttcccaacttccagcagagcgtg 1380
QY 1381 cagaggtacagagaggtgagcagagcggcccagcccagcagagagaaagaagtcagtac 1440
Db 1381 cagaggtacagagaggtgagcagagcggcccagcccagcagagagaaagaagtcagtac 1440
QY 1441 ccagaaatcacttccctgaaacaggctcgcactcccgatgaagattcgaaatgtcagt 1500
Db 1441 ccagaaatcacttccctgaaacaggctcgcactcccgatgaagattcgaaatgtcagt 1500
QY 1501 gccacacttgccaataagcccgcagacgctctctgtacttggaactgtggtgagggcaca 1560
Db 1501 gccacacttgccaataagcccgcagacgctctctgtacttggaactgtggtgagggcag 1560
QY 1561 ttgggagctgtccgtcattacgagacaggtgacaggggtccctgggacacctggct 1620
Db 1561 ttgggagctgtccgtcattacgagacaggtgacaggggtccctgggacacctggct 1620
QY 1621 gctgtgtttgtcccaacctgcacgagatcaccacagggcttgccaagtattctgtc 1680
Db 1621 actgtgtttgtgtcccaacctgcacgagatcaccacaggggttgccaagtattctgtc 1680

QY 1681 cagagagaacgcgcttgccatctttgggaaagcgcgttcaccctttgctggtgttgc 1740
Db 1681 cagagagaacgcgcttgccatctttgggaaagcgcgttcaccctttgctggtgttgc 1740
QY 1741 cccaaacagctcaaagcctggctccagcagtcaccacaaccagtgccagaggtcctgcac 1800
Db 1741 cccaaacagctcaaagcctggctccagcagtcaccacaaccagtgccagaggtcctgcac 1800
QY 1801 cacatcagtattctcctgcacaaatgccttcagaaggggctgagatctccagtcctgca 1860
Db 1801 cacatcagtattctcctgcacaaatgccttcagaaggggctgagatctccagtcctgca 1860
QY 1861 gtgaaagattgacatcagttcgtctgtcgaaacatgtatttgggaagatttcagacctgt 1920
Db 1861 gtgaaagattgacatcagttcgtctgtcgaaacatgtatttgggaagatttcagacctgt 1920
QY 1921 ctggtgcggcactcaagcagtcgtttggctgtgcgtgtgcacacctctggctggaaa 1980
Db 1921 ctggtgcggcactcaagcagtcgtttggctgtgcgtgtgcacacctctggctggaaa 1980
QY 1981 gtgctcattccggggacacacatccctgcagagctctgttcccgatggggaagatgcc 2040
Db 1981 gtgctcattccggggacacacatccctgcagagctctgttcccgatggggaagatgcc 2040
QY 2041 accctcctgatacatgaagccacacctggaagatggtttgggaagcagtggaagaa 2100
Db 2041 accctcctgatacatgaagccacacctggaagatggtttgggaagcagtggaagaa 2100
QY 2101 acacagcacaacagtcaccaagccatcagcgtggggatggcgatgaaacggagttcatt 2160
Db 2101 acacagcacaacagtcaccaagccatcagcgtggggatggcgatgaaacggagttcatt 2160
QY 2161 atgctgaaccacttcagccagcgtatgccaaagtccccctcttcagcccacacttcagc 2220
Db 2161 atgctgaaccacttcagccagcgtatgccaaagtccccctcttcagcccacacttcagc 2220
QY 2221 gagaaagtggagttgctttgaccacatgaagatgctgtttggagactttccacaagt 2280
Db 2221 gagaaagtggagttgctttgaccacatgaagatgctgtttggagactttccacaagt 2280
QY 2281 cccaagtgtattccccactgaaagccctgtttgctggcagatcgaggagatggagag 2340
Db 2281 cccaagtgtattccccactgaaagccctgtttgctggcagatcgaggagatggagag 2340
QY 2341 cgcagggagaagcgggagctgcggcaggtgcggcaggtgcggcaggtgcggcaggtgcga 2400
Db 2341 cgcagggagaagcgggaggtgcggcaggtgcggcaggtgcggcaggtgcggcaggtgcga 2400
QY 2401 ggcggcctggaggtgggagcctcagcagaagcgggcccacacagagggagccacagcc 2460
Db 2401 ggcggcctggaggtgggagcctcagcagaagcgggcccacacagagggagccacagcc 2460
QY 2461 aagaagtcagagcccag 2478
Db 2461 aagaagtcagagcccag 2478

RESULT 3
AAH14250
ID AAH14250 standard; cDNA; 2976 BP.
XX
AC AAH14250;
XX AC
XX AC
DT 26-JUN-2001 (first entry)
XX
DE Human cDNA sequence SEQ ID NO:11557.
XX
KW Human; primer; detection; diagnosis; antisense therapy; gene therapy; ss.
XX
OS Homo sapiens.
XX
PN EP1074617-A2.
XX

QY 236 agttcaaccggtatctcttcaactgttgagaagcgcttcagagactcatgcaggagcaca 295
|||||
Db 61 agttcaaccggtatctcttcaactgttgagaagcgcttcagagactcatgcaggagcaca 120

QY 296 agttaaagggtgcctgcctgacacacattctctgacacgaatgcactggtctaattgtg 355
|||||
Db 121 agttaaagggtgcctgcctgacacacattctctgacacgaatgcactggtctaattgtg 180

QY 356 gggcgcttaagtgaatgattcttactttaaggaacccgggcttccaaagtgtgtac 412
|||||
Db 181 gggcgcttaagtgaatgattcttactttaaggaacccgggcttccaaagtgtgtac 237

RESULT 8

AAA60390
ID AAA60390 standard; cDNA; 326 BP.

XX AC AAA60390;

XX DT 07-DEC-2000 (first entry)

XX DE Murine prostate cancer predisposing gene HPC2 coding sequence.

XX KW Mouse; prostate cancer predisposing gene; HPC2; gene therapy;
XX KW peptide therapy; drug design; ss.

XX OS Mus musculus.

XX FH Key Location/Qualifiers

XX CDS 51..269

XX FT /*tag= a

XX FT /product= "Mm.HPC2"

XX FT /partial

XX FT /note= "this sequence contains no termination codon"

XX PN W0200027864-A1.

XX PD 18-MAY-2000.

XX PF 05-NOV-1999; 99WO-US26055.

XX PR 06-NOV-1998; 98US-0107468.

XX PA (MYRI-) MYRIAD GENETICS INC.

XX PI Tavtigian SV, Teng DHF, Simard J, Rommens JM;

XX DR WPI; 2000-376481/32.

XX DR P-PSDB; AAB07230.

XX PT Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX PT antibodies, useful for treatment and diagnosis of prostate cancer

XX PS Disclosure; Page 151; 157pp; English.

XX CC The present sequence is the coding sequence of the murine prostate
XX CC cancer predisposing gene Mm. HPC2, the human homologue of which is found
XX CC on chromosome 17p. Some alleles of this gene cause a predisposition to
XX CC cancer, particularly prostate cancer. This gene and its protein can be
XX CC used in peptide and gene therapy for cancer patients, as well as being
XX CC useful as diagnostic tools (both for cancer sufferers and those with a
XX CC predisposition to the disease) and in the production of cancer drugs.

XX SQ Sequence 326 BP; 39 A; 104 C; 127 G; 56 T; 0 other;

Query Match

Best Local Similarity 1.0%; Score 26; DB 21; Length 326;

Matches 26; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 166 aacaccgtgtacctgcaggtggtgac 191
|||||

Db 192 aacaccgtgtacctgcaggtggtgac 217

RESULT 9

AAA60373

ID AAA60373 standard; cDNA; 23 BP.

XX AC AAA60373;

XX DT 07-DEC-2000 (first entry)

XX DE Human prostate cancer predisposing gene HPC2 variant 1641insG (normal).

XX KW Human; prostate cancer predisposing gene; HPC2; chromosome 17p;

XX KW gene therapy; peptide therapy; drug design; ss.

XX OS Homo sapiens.

XX PN W0200027864-A1.

XX PD 18-MAY-2000.

XX PF 05-NOV-1999; 99WO-US26055.

XX PR 06-NOV-1998; 98US-0107468.

XX PA (MYRI-) MYRIAD GENETICS INC.

XX PI Tavtigian SV, Teng DHF, Simard J, Rommens JM;

XX DR WPI; 2000-376481/32.

XX PT Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX PT antibodies, useful for treatment and diagnosis of prostate cancer

XX PS Example 5; Page 63; 157pp; English.

XX CC The present sequence is part of the coding sequence of a variant of the
XX CC human prostate cancer predisposing gene HPC2, which is found on
XX CC chromosome 17p. This variant has been designated 1641insG. Some
XX CC alleles of this gene cause a predisposition to cancer, particularly
XX CC prostate cancer, this allele being an example of this. The HPC2 gene and
XX CC its protein can be used in peptide and gene therapy for cancer patients,
XX CC as well as being useful as diagnostic tools (both for cancer sufferers
XX CC and those with a predisposition to the disease) and in the production of
XX CC cancer drugs. This sequence was isolated by mutation screening of the
XX CC HPC2 gene in humans.

XX SQ Sequence 23 BP; 5 A; 9 C; 5 G; 4 T; 0 other;

Query Match

Best Local Similarity 0.9%; Score 23; DB 21; Length 23;

Matches 23; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1630 gtgtccaccctgcacgcagatca 1652
|||||

Db 1 gtgtccaccctgcacgcagatca 23

RESULT 10

AAC24564/c

ID AAC24564 standard; cDNA; 143 BP.

XX AC AAC24564;

XX DT 06-OCT-2000 (first entry)

XX DE Human secreted protein 5' EST, SEQ ID NO: 28639.

XX KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
XX KW gene therapy; chromosome mapping; ss.

XX OS Homo sapiens.


```
XX EP1033401-A2.
XX
XX
XX 06-SEP-2000.
XX
XX 21-FEB-2000; 2000EP-0200610.
XX
XX 26-FEB-1999; 99US-0122487.
XX
XX (GEST ) GENSET.
XX
XX Dumas Milne Edwards J, Duclert A, Giordano J;
XX
XX WPI; 2000-500381/45.
XX
XX New nucleic acid that is a 5' expressed sequence tag (5' EST) for
XX obtaining cDNAs and genomic DNAs that correspond to 5' ESTs and for
XX diagnostic, forensic, gene therapy and chromosome mapping procedures -
XX
XX Claim 1; SEQ ID 28639; 71pp + CD-ROM; English.
XX
XX The present sequence is one of a large number of 5' ESTs derived from
XX mRNAs encoding secreted proteins. No ORF has yet been conclusively
XX identified within the present sequence. The 5' ESTs were prepared from
XX total human RNAs or polyA+ RNAs derived from 30 different tissues. EST
XX sequences usually correspond mainly to the 3' untranslated region (UTR)
XX of the mRNA because they are often obtained from oligo-dT primed cDNA
XX libraries. Such ESTs are not well suited for isolating cDNA sequences
XX derived from the 5' ends of mRNAs and even in those cases where longer
XX cDNA sequences have been obtained, the full 5' UTR is rarely included.
XX 5' ESTs are derived from mRNAs with intact 5' ends and can therefore be
XX used to obtain full length cDNAs and genomic DNAs. 5' ESTs are also used
XX in diagnostic, forensic, gene therapy and chromosome mapping procedures.
XX They are used to obtain upstream regulatory sequences and to design
XX expression and secretion vectors.
XX
XX Sequence 143 BP; 40 A; 26 C; 45 G; 32 T; 0 other;
XX
XX
XX Query Match 0.8%; Score 21; DB 21; Length 143;
XX Best Local Similarity 100.0%; Pred. No. 3.9;
XX Matches 21; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX QY 976 ttccagaggtaccaggaag 996
XX ||||||||||||||||
XX DB 67 TTTCAGAGGTACCAGGAAG 47
XX
XX
XX RESULT 11
XX AAA60275/C
XX ID AAA60275 standard; DNA; 38 BP.
XX
XX AC AAA60275;
XX
XX 07-DEC-2000 (first entry)
XX
XX Human HPC2 cDNA exon 1 mutation screening primer SEQ ID NO: 96.
XX
XX Human; mouse; prostate cancer predisposing gene; HPC2;
XX human chromosome 17p; gene therapy; peptide therapy; drug design;
XX PCR primer; sequencing primer; ss.
XX
XX Homo sapiens.
XX
XX WO200027864-A1.
XX
XX 18-MAY-2000.
XX
XX 05-NOV-1999; 99WO-US26055.
XX
XX 06-NOV-1998; 98US-0107468.
XX
XX (MYRI-) MYRIAD GENETICS INC.
XX
XX
```

```
XX Tavtigian SV, Teng DHE, Simard J, Rommens JM;
XX
XX WPI; 2000-376481/32.
XX
XX Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX antibodies, useful for treatment and diagnosis of prostate cancer -
XX
XX Example 5; Page 59; 157pp; English.
XX
XX The present sequence is a primer used in the isolation of the human
XX and murine prostate cancer predisposing genes HPC2 and Mm.HPC2. The human
XX version of the gene is found on chromosome 17p. Some alleles cause a
XX predisposition to cancer, particularly prostate cancer. This gene and its
XX protein can be used in peptide and gene therapy for cancer patients, as
XX well as being useful as diagnostic tools (both for cancer sufferers and
XX those with a predisposition to the disease) and in the production of
XX cancer drugs.
XX
XX Sequence 38 BP; 10 A; 9 C; 11 G; 8 T; 0 other;
XX
XX
XX Query Match 0.8%; Score 20; DB 21; Length 38;
XX Best Local Similarity 100.0%; Pred. No. 13;
XX Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX QY 56 gacgaccatctgcaggca 75
XX ||||||||||||||||
XX DB 38 GACGCACCATATCGCAGGCA 19
XX
XX RESULT 12
XX AAF09297
XX ID AAF09297 standard; cDNA; 308 BP.
XX
XX AC AAF09297;
XX
XX 13-MAR-2001 (first entry)
XX
XX Fusarium venenatum EST SEQ ID NO:1820.
XX
XX Multiple gene expression; filamentous fungal cell; EST;
XX expressed sequence tag; Fusarium venenatum; Aspergillus niger;
XX Aspergillus oryzae; Trichoderma reesei; identification; recombination;
XX culture condition; environmental stress; spore morphogenesis;
XX metabolic pathway engineering; catabolic pathway engineering; ss.
XX
XX Fusarium venenatum.
XX
XX WO200056762-A2.
XX
XX 28-SEP-2000.
XX
XX 22-MAR-2000; 2000WO-US07781.
XX
XX 22-MAR-1999; 99US-0273623.
XX
XX (NOVO ) NOVO NORDISK BIOTECH INC.
XX (NOVO ) NOVO NORDISK AS.
XX
XX Berka RM, Rey MW, Shuster JR, Kauppinen S, Clausen IG, Olsen PB;
XX
XX WPI; 2000-594572/56.
XX
XX Monitoring differential expression of genes in filamentous fungal cells
XX uses fluorescence-labeled nucleic acids isolated from the cells and a
XX substrate of expressed sequence tags -
XX
XX Claim 86; Page 1064; 3161pp; English.
XX
XX The present invention describes a method for monitoring differential
XX expression of genes in a first filamentous fungal (FF) cell relative to
XX expression of the same genes in one or more second filamentous fungal
XX
```

CC cells. The method uses fluorescence-labeled nucleic acids isolated from
CC the FF cells and a substrate of expressed sequence tags (EST). The ESTs
CC are used in the methods for monitoring differential expression of genes
CC in a first filamentous fungal (FF) cell relative to expression of the
CC same genes in one or more second filamentous fungal cells. Monitoring
CC the global expression of genes from FF cells allows the production
CC potential of the microorganisms to be improved. New genes may be
CC discovered, possible functions of unknown open reading frames can be
CC identified, and gene copy number variation and stability can be
CC monitored. The expression of genes can be used to study how FF cells
CC adapt to changes in culture conditions, environmental stress, spore
CC morphogenesis, recombination, metabolic or catabolic pathway
CC engineering. Using ESTs provides several advantages over genomic or
CC random cDNA clones including elimination of redundancy as one spot on an
CC array equals one gene or open reading frame, and organisation of the
CC microarrays based on function of the gene products to facilitate
CC analysis of the results. AAF07478 to AAF11247 represents ESTs from
CC *Fusarium venenatum*; AAF11248 to AAF11853 represents ESTs from *Aspergillus*
CC *niger*; AAF11854 to AAF14878 represents ESTs from *Aspergillus oryzae*; and
CC AAF14879 to AAF15337 represents ESTs from *Trichoderma reesei*, which are
CC all specifically claimed in the present invention.

XX
SQ Sequence 308 BP; 88 A; 56 C; 100 G; 63 T; 1 other;

Query Match 0.8%; Score 20; DB 21; Length 308;
Best Local Similarity 100.0%; Pred. No. 12;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2334 ggaggagcgagggaggaagc 2353
Db 30 ggaggagcgagggaggaagc 49
|||||

RESULT 13

AAC57035
ID AAC57035 standard; DNA; 457 BP.

XX AAC57035;

XX 25-JAN-2001 (first entry)

XX Pinus radiata transcription factor DNA sequence #481.

XX Plant; transcription factor; gene expression; eucalyptus; pine; acacia;
KW poplar; sweetgum; tea; mahogany; bZIP; G-box binding factor;
KW basic helix-loop-helix zipper; homeotic; homeodomain; homeobox; MADS;
KW homeodomain zipper; LIM domain; AP2; EREBS; zinc finger domain;
KW type 2 Cys2His2; CCAAT box element; MYB; ss.

XX Pinus radiata.

XX WO200053724-A2.

XX 14-SEP-2000.

XX 09-MAR-2000; 2000WO-US06112.

XX 11-MAR-1999; 99US-0266513.

XX 18-AUG-1999; 99US-0149485.

XX (GENE-) GENESIS RES & DEV CORP LTD.

XX (FLET-) FLETCHER CHALLENGE FORESTS LTD.

XX Wood M, McGrath A, Shenk MA, Glenn M;

XX WPI; 2000-579369/54.

XX New isolated polynucleotide encoding a plant transcription factor for
XX producing a plant e.g. a woody plant, preferably eucalyptus or pine,
XX having modified gene expression or modified activity of a polypeptide

XX

PS Claim 1; Pages 570-571; 747pp; English.

XX The present invention relates to novel plant transcription factors from
XX *Eucalyptus grandis* or *Pinus radiata*. The present sequence is the coding
XX sequence for one such transcription factor. The transcription factor may
XX be used to produce a plant having modified gene expression such as a
XX woody plant e.g. a eucalyptus, pine, acacia, poplar, sweetgum, tea, or
XX mahogany species or to modify the activity of a polypeptide in a plant.
XX The transcription factors of the present invention are members from the
XX following families of regulatory proteins: bZIP, bZIP family of G-box
XX binding factors, basic helix-loop-helix zipper,
XX homeotic/homeodomain/homeobox/MADS, homeodomain zipper, LIM domain, AP2
XX and EREBS, zinc finger domains of type 2 Cys2His2, CCAAT box elements
XX and MYB.

SQ Sequence 457 BP; 130 A; 94 C; 118 G; 115 T; 0 other;

Query Match 0.8%; Score 20; DB 21; Length 457;
Best Local Similarity 100.0%; Pred. No. 12;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2082 agaggaagcagtggaaga 2101
Db 146 agaggaagcagtggaaga 165
|||||

RESULT 14

AAA60211/C

ID AAA60211 standard; DNA; 19 BP.

XX AAA60211;

XX 07-DEC-2000 (first entry)

XX Human HPC2 cDNA 5' RACE primer SEQ ID NO: 32.

XX Human; mouse; prostate cancer predisposing gene; HPC2;
KW human chromosome 17p; gene therapy; peptide therapy; drug design;
KW PCR primer; sequencing primer; ss.

XX Homo sapiens.

XX WO200027864-A1.

XX 18-MAY-2000.

XX 05-NOV-1999; 99WO-US26055.

XX 06-NOV-1998; 98US-0107468.

XX (MYRI-) MYRIAD GENETICS INC.

XX Tavtigian SV, Teng DHF, Simard J, Rommens JM;

XX WPI; 2000-376481/32.

XX Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX antibodies, useful for treatment and diagnosis of prostate cancer

XX Example 3; Page 55; 157pp; English.

XX The present sequence is a primer used in the isolation of the human
XX and murine prostate cancer predisposing genes HPC2 and Mm.HPC2. The human
XX version of the gene is found on chromosome 17p. Some alleles cause a
XX predisposition to cancer, particularly prostate cancer. This gene and its
XX protein can be used in peptide and gene therapy for cancer patients, as
XX well as being useful as diagnostic tools (both for cancer sufferers and
XX those with a predisposition to the disease) and in the production of
XX cancer drugs.

XX Sequence 19 BP; 4 A; 7 C; 3 G; 5 T; 0 other;

Query Match 0.8%; Score 19; DB 21; Length 19;
Best Local Similarity 100.0%; Pred. No. 39;
Matches 19; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 257 actgtggaagaagcggttca 275
 |||||
DB 19 ACTGTGAGAGGCGTTCA 1

RESULT 15
AAA60229
ID AAA60229 standard; DNA; 19 Bp.
XX
AC AAA60229;
XX
DT 07-DEC-2000 (first entry)
XX
DE Human HPC2 cDNA sequencing primer SEQ ID NO: 50.
XX
KW Human; mouse; prostate cancer predisposing gene; HPC2;
KW human chromosome 17p; gene therapy; peptide therapy; drug design;
KW PCR primer; sequencing primer; ss.
XX
OS Homo sapiens.
XX
PN WO200027864-A1.
XX
PD 18-MAY-2000.
XX
PF 05-NOV-1999; 99WO-US26055.
XX
PR 06-NOV-1998; 98US-0107468.
XX
PA (MYRI-) MYRIAD GENETICS INC.
XX
PI Tavtigian SV, Teng DHF, Simard J, Rommens JM;
XX WPI; 2000-376481/32.
XX
PT Human prostate cancer (HPC)2 nucleic acids, polypeptides, and
XX antibodies, useful for treatment and diagnosis of prostate cancer
XX
PS Example 3; Page 55; 157pp; English.
XX
CC The present sequence is a primer used in the isolation of the human
CC and murine prostate cancer predisposing genes HPC2 and Mm.HPC2. The human
CC version of the gene is found on chromosome 17p. Some alleles cause a
CC predisposition to cancer, particularly prostate cancer. This gene and its
CC protein can be used in peptide and gene therapy for cancer patients, as
CC well as being useful as diagnostic tools (both for cancer sufferers and
CC those with a predisposition to the disease) and in the production of
CC cancer drugs.
XX
SQ Sequence 19 Bp; 5 A; 3 C; 6 G; 5 T; 0 other;

Query Match 0.8%; Score 19; DB 21; Length 19;
Best Local Similarity 100.0%; Pred. No. 39;
Matches 19; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1901 tggagaagtttcagacctg 1919
 |||||
DB 1 tggagaagtttcagacctg 19

Search completed: April 1, 2002, 11:11:03
Job time: 5877 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: April 1, 2002, 09:32:36 ; Search time 1802.89 Seconds
(without alignments)
22702.163 Million cell updates/sec

Title: US-09-988-687-1
Perfect score: 2481
Sequence: 1 atgtggcgcttctgcgcgt.....agaaggtcagagcccgatga 2481

Scoring table: OLIGO_NUC
Gapop 60.0 , Gapext 60.0

Searched: 1472140 seqs, 8248589755 residues

Word size : 0

Total number of hits satisfying chosen parameters: 2944280

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 45 summaries

Database : GenEmbl.*

- 1: gb_ba.*
- 2: gb_htg.*
- 3: gb_in.*
- 4: gb_om.*
- 5: gb_ov.*
- 6: gb_pat.*
- 7: gb_ph.*
- 8: gb_pl.*
- 9: gb_pr.*
- 10: gb_ro.*
- 11: gb_sts.*
- 12: gb_sy.*
- 13: gb_un.*
- 14: gb_vl.*
- 15: em_ba.*
- 16: em_fun.*
- 17: em_hum.*
- 18: em_in.*
- 19: em_om.*
- 20: em_or.*
- 21: em_ov.*
- 22: em_pat.*
- 23: em_ph.*
- 24: em_pl.*
- 25: em_ro.*
- 26: em_sts.*
- 27: em_sy.*
- 28: em_un.*
- 29: em_vl.*
- 30: em_htgo_hum.*
- 31: em_htgo_inv.*
- 32: em_htgo_rod.*
- 33: em_htg_hum.*
- 34: em_htg_inv.*
- 35: em_htg_rod.*
- 36: em_htg_other.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	2481	100.0	2908	9	AF304370	Homo sapi
2	2379	95.9	2997	9	BC001939	Homo sapi
3	2379	95.9	3006	9	BC004158	Homo sapi
4	2022	81.5	2976	9	AK001392	Homo sapi
5	1667	67.2	2908	9	AF308698	Pan trogl
6	1266	51.0	2893	9	AF308694	Gorilla g
7	247	10.0	118788	9	AC005277	AF308694
8	142	5.7	740	9	AF304371S2	Homo sapi
9	122	4.9	721	9	AF304371S1	Homo sapi
10	47	1.9	2712	10	AF308696	AF308696
11	46	1.9	34593	10	AF348157	Mus muscu
12	23	0.9	43514	9	AC005545	Mus muscu
13	23	0.9	105490	2	AF165142	Homo sapi
14	23	0.9	190195	2	AC091560	Homo sapi
15	23	0.9	190705	2	AC019331	Homo sapi
16	21	0.8	64151	9	AL139399	Human DNA
17	21	0.8	125403	9	AC008929	Homo sapi
18	21	0.8	148193	9	AC027347	Homo sapi
19	21	0.8	163665	2	AL442223	Homo sapi
20	21	0.8	196424	9	AP000719	Homo sapi
21	21	0.8	196613	2	AP002490	Homo sapi
22	21	0.8	220146	2	AC034179	Homo sapi
23	20	0.8	1176	5	AB046207	Anguilla
24	20	0.8	1573	8	ATU23796	Arabidopsi
25	20	0.8	4918	8	AF047031	Arabidops
26	20	0.8	6718	9	AB014516	Homo sapi
27	20	0.8	13800	1	SC7B7	AL009199
28	20	0.8	46275	9	AC003107	Streptomy
29	20	0.8	76656	9	AL441923	Human DNA
30	20	0.8	79590	8	AB007727	Human DNA
31	20	0.8	84129	8	AB013392	Arabidops
32	20	0.8	103638	8	ATF14F18	Arabidops
33	20	0.8	114521	9	AL159985	Arabidops
34	20	0.8	117338	9	HS173D1	Human DNA
35	20	0.8	127953	2	AC022835	Human DNA
36	20	0.8	148508	2	AC027795	Homo sapi
37	20	0.8	149006	9	AC025812	Homo sapi
38	20	0.8	149180	2	AC015525	Homo sapi
39	20	0.8	150683	2	AC069420	Homo sapi
40	20	0.8	165490	2	AC025326	Homo sapi
41	20	0.8	165493	2	AC018876	Homo sapi
42	20	0.8	166304	2	AC091135	Homo sapi
43	20	0.8	166344	2	AL162577	Homo sapi
44	20	0.8	168997	2	AC021927	Homo sapi
45	20	0.8	177868	2	AC025191	Homo sapi

ALIGNMENTS

RESULT	1
AF304370	
LOCUS	AF304370 2908 bp mRNA PRI 23-FEB-2001
DEFINITION	Homo sapiens putative prostate cancer susceptibility protein
ACCESSION	HPC2/ELAC2 mRNA, complete cds.
VERSION	AF304370
KEYWORDS	AF304370.1 GI:10880932
SOURCE	human.
ORGANISM	Homo sapiens
REFERENCE	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
	1 (bases 1 to 2908)
	Tavtigian,S.V., Simard,J., Teng,D.H.F., Abtin,V., Baumgard,M.,
	Beck,A., Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P.,
	Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C.,
	Gaithari,S., Gupta,J.S., Hu,R., Iliev,D., Janecki,T., Kort,E.N.,
	Laity,K.E., Leavitt,A., Leblanc,G., McArthur-Morrison,J.,
	Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S.,
	Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J.,

Thomas,A., Tranchant,M., Woodland,A.M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
A candidate prostate cancer susceptibility gene at chromosome 17p
Nat. Genet. 27 (2), 172-180 (2001)
11175785

REFERENCE
2 (bases 1 to 2908)

AUTHORS
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Beck,A., Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S., Gupta,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K.E., Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Svensen,J., Thomas,A., Tranchant,M., Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.

TITLE
JOURNAL
SUBMITTED (12-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt Lake City, UT 84108, USA
Lake City, UT 84108, USA

FEATURES
SOURCE
Location/Qualifiers
1..2908
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="17"
/map="17p"
1..2481
/codon_start=1
/product="putative prostate cancer susceptibility protein HPC2/ELAC2"
/protein_id="AAG24441.1"
/db_xref="GI:10880933"
/translation="MWALCSLLRSAAAGRTMSQGRITISQAPARRERPKDPLRLHLRTRKRGPSGSGPNTVYLQVVAAGSRDSGAALYVFSEFNRYLFNCGEGVGQRLMOEHLKVARDLNFILPRMHWSNVNGVLSSGMILLTKETGLPKCVLSGPPQLKEALKIKESGPLKGIELARPHASEDEDTMTVIQIPIHSEQRHGKHQPWSPERPLSRSPERSSDSENENPHLPHGVSQDRVRGDSLSLVAFICKLHLKNFLVKAKEMGLPVGTAAFIPTIAAVNDKGSITHEGREIIAELEICTDPDGAAFFVVCEPDSEFIOICENATFTQYQGLADAPVALVHMWAPASVDYSRVQOMREFGPDTHLVLNDCNASVHNLSHKIQTLQALHPDIPLLTSFRCKKPGTPLSVPMVOGELLVOLRPREMWRDAIITCNPEFIVLEA LQLPNQSOQVEYRRSAODGPAPAERKSQYPELIFLTGSTAPMKIRNYSATNLIPSDSYLLDCEGVTFQCILRHGYGDQDVRLVTLAAYFVSHLHADHTGLPSILLQRRRAL ASUGKLPELLVYNOLKAWGOYYHQCOEVLHHISMIPACKLOSGAEISSPAVERL IISLEATLDGLEEEPTCLVRHCRAFCAVLTSGWKVYVSGDTPMPCEARVLMGKDATL LIHEATLEDLEEABVEKHTSTTSQAISYGMRAANEFIMLNHFQSRYAKVPLFPNFS EKVGVAFDHMKVCFGDFPTMPKLPPLPKALFAGDIEEMBERREKRRELQVRAALLSRE LAGGEDGGEPQQOKRAHTEBPPAQKKVQA"

BASE COUNT 702 a 793 c 826 g 587 t

ORIGIN

Query Match 100.0%; Score 2481; DB 9; Length 2908;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 2481; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 atgtggcgcttctgctgctgcgttcggtccgcggccgcgcagcaccatgtcgagggaacg 60
Db 1 ATGTGGCGCTTTTGCTGCCTGCTCGGTCGGGCCGCGGACGCACCATGTCCAGGGACGC 60

Qy 61 accatatcgaggcaacccgccgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcctg 120
Db 61 ACCATATCGCAGGACACCCGCCGCCGCCGCCGCCGCCGCCGCCGCCGCCGCCGCCGCC 120

Qy 121 cgacgcgagagaagcgcgcacctcggggtgcctccgcgcgcgcgcgcgcgcgcgcgcgcctg 180
Db 121 CGCACGCGAGAGAAGCGCGACCGTCGGGGTGTCGCCGGCGGCCCAAACACCGTGACTG 180

Qy 181 cagtggtgtgcagcgggtagcgggactcgggcgcgcgcgcgcgcgcgcgcgcgcgcgccttc 240
Db 181 CAGGTGTGTGCAGCGGCTAGCGGGACTCGGGCCGCCGCTCTACGCTCTTCTCCGAGTTC 240

Qy 241 aacgcgtattcttccaactgtgagaagggcggttcagagaaactcatgacaggacaagtta 300
Db 241 AACCGGTATCTTCACTGTGAGAAGGGTTTCAGAGACTCATGACAGTTCATGACAGCAAGTTA 300


```
QY 2041 accctctgatcatgaagccaccctcggaagatggtttggaagagaaagcagtggaag 2100
|||||
Db 2101 ACCCTCTGATCATGAAAGCCACCTCGGAAGATGTTTGAAGAGAAAGCAGTGGAAAG 2160
QY 2101 acacacagacaacgtcccaagccatcagcgtggaagatcggtatgaacgcgagttcatt 2160
|||||
Db 2161 ACACACAGACACACGTCCTCCAAAGCCATCAGCGTGGGATCGGATGAACGCGAGTTCATT 2220
QY 2161 atgctgaaccacttcagccagcgtatgccaaggtccccccttcagcccaacttcagc 2220
|||||
Db 2221 ATGCTGAACCACTTCAGCCAGCGCTATGCCAAGTCCCTCTTCAGCCCCAACTTCAGC 2280
QY 2221 gagaagtggagttgctttgaccacatgaaggtctgctttggagactttccaacaatg 2280
|||||
Db 2281 GAGAAAGTGGGAGTTCCTTTGACCACATGAAGGTCTGCTTTGGAGACTTTCACAAATG 2340
QY 2281 ccaagctgattcccccaactgaagccctgtttgtggaacatcgagagatggggag 2340
|||||
Db 2341 CCCAAGCTGATTCCCCCACTGAAGCCCTGTTTGTGGCGACATCGAGAGATGGAGGAG 2400
QY 2341 cgcaggagaagcggagctgcgaggtgcgaggtgcgagcgccctctgtccagggagctggca 2400
|||||
Db 2401 CGCAGGAGAAAGCGGAGCTGCGGAGCTGCGGGCGGCCCTCTGTCCAGGAGCTGGCA 2460
QY 2401 ggcgcctggagatggggagcctcagcagaagcgggccacacagagagccacagggc 2460
|||||
Db 2461 GCGGCGCTGGAGTGGGAGCCTCAGCAGAAGCGGGGCCACACAGAGGAGCCACAGGCC 2520
QY 2461 aagaaggtcagagccagtgca 2481
|||||
Db 2521 AAGAAGGTGAGAGCCCACTGA 2541

RESULT 3
BC004158 3006 bp mRNA PRI 12-JUL-2001
LOCUS Homo sapiens, putative prostate cancer susceptibility protein,
DEFINITION clone MGC:2441 IMAGE:2820640, mRNA, complete cds.
ACCESSION BC004158
VERSION BC004158.1 GI:13278770
KEYWORDS MGC.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 3006)
Strausberg,R.
Direct Submission
Submitted (01-MAR-2001) National Institutes of Health, Mammalian
Gene Collection (MGC), Cancer Genomics Office, National Cancer
Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
USA
NIH-MGC Project URL: http://mgc.nci.nih.gov
Contact: MGC help desk
Email: cgapbs-remail.nih.gov
Tissue procurement: DCTD/DRP
CDNA Library Preparation: Rubin Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Institute for Systems Biology
http://www.systemsbio.org
contact: amadan@systemsbiology.org
Anup Madan, Rachel Dickhoff, Jessica Fahey, Stephanie Ford, Julia
Greene, Mark Kettman and Anuradha Madan

Clone distribution: MGC clone distribution information can be found
through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
Series: IRAL Plate: 2 Row: c Column: 13
This clone was selected for full length sequencing because it
passed the following selection criteria: matched mRNA gi: 7022621.
Location/Qualifiers
1. .3006
/organism="Homo sapiens"
/db_xref="LocusID:60528"
```

FEATURES

source

```
/db_xref="taxon:9606"
/clone="MGC:2441 IMAGE:2820640"
/tissue_type="Lung, small cell carcinoma"
/clone_lib="NIH_MGC_7"
/lab_host="DH10B-R"
/notes="Vector: pOTB7"
70. .2550
/codon_start=1
/product="putative prostate cancer susceptibility protein"
/protein_id="AAH04158.1"
/db_xref="GI:13278771"
translation="MWAQSLLRSAAGRTMSQORTISQAPARERPRKDPRLRLHRTRE
KRPSGSGGPNVTYLVQVAGSRDGAALVYFSEFNRYLFNCGEGVQRLMHKLV
KLDNIFLTRHMSNVGSLGMLPILTKETGLPKVSGPQLEKYLEAKIFSGKLKV
IELAVRPHSAPEVEDETMTVYOIPTHSEORRGKHOPQSPERPLSRLSRPSRSDSLN
ENEPHLPCHVSQRRGVRDSSLVAFICKLHLKRGNELVLKAKEMGLPVGTAAATPIIA
AVKDGKSTHREGRIILAEELCTPPDPAFPVVVECPDEFIQICENATFQRTQGRAD
APVALVHMNAPASLVDSRYQOMERFPGDTQHLVLENSCASVHNRSKHQIQOLNLI
HDIIFPLTISFRCKEAGDTPSPVMQGECLLYQLRPREWRQDAITICNPEEFIVEA
LQLPNFOQSVQRRSAODGAPAPAKRSOYPEIIFLGTGSAIPKMTIRNYSATLVNISP
DPSLLDCGEGTGOICRHVGQDVRVLGTLAAVYFVSHLHADHHTGLPSTILQERERL
ASLGKPLHLLVYAPNLKAWLQVHNCQEVHLHLSMIPAKCLOGAETSSPAVERL
ISLURICDLEEFQCLVRHCKHAFECALVHTSGWVYVSGDTPMPCAEALVRMGKATL
LIHEATLEDLEEEAVEKTHTSQAISVGMNMAEFIMLNHFSQRYAKVPLFSPNFS
EKVGVAFDHMKVCFGDFPTMPKLIPLPKALFAGDIEEMEEREREKRLQVRAALLSRE
LAGGLEDEGEPOQKRAHTEPQAKVRAQ"
BASE COUNT 742 a 808 c 858 g 598 t
ORIGIN

Query Match 95.9%; Score 2379; DB 9; Length 3006;
Best Local Similarity 99.9%; Pred. No. 0;
Matches 2479; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 atgtggcgcttgctgtgtgcggtccgcgccgagcaccatgtcgagggagcgc 60
|||||
Db 70 ATGTGGCGCTTTCGTCGCTGCTCGCGTCCGCGCCGCGACCATGTGCGAGGAGC 129
QY 61 accatctgcaggcaccgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgc 120
|||||
Db 130 ACCATATCGCAGGACACCGCCCGCGCGAGCGCGCGCAAGGACCGCTGCGGCACCTG 189
QY 121 cgcacgcgagagaagcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgc 180
|||||
Db 190 CGCACCGGAGAGAGCGCGACCGCTCGGGGTGCTCCGGCGCCCAACACCGTGACTG 249
QY 181 caggtggtggcagcgggtgactcggcgccgcgcgcgcgcgcgcgcgcgcgcgcgcgc 240
|||||
Db 250 CAGGTGTTGCGACGGGTAGCCGGGACTCGGGCGCCGCGCTCTACGCTTCTCCGAGTTC 309
QY 241 aaccggtatcttcaacttgagagaagcgttcagagacatcgtcagagacacaagttta 300
|||||
Db 310 AACCGGTATCTCTTCAACTGTGAGAAGCGGCTTCAGAGACTCATGAGAGACACAAGTTA 369
QY 301 aaggtgtgcctcgacacacattctctgacacgaatgcactggtctaatgttgggggc 360
|||||
Db 370 AAGTGTCTGCGCTGGACACATATTCCTCAGACGAATGCATGCTGTATGTGTGGGGC 429
QY 361 ttaagtggaaatgatcttactttaaggaacccggcgttcacaaagtgtgacttctcgga 420
|||||
Db 430 TTAAGTGAATGATTTCTTACTTTAAAGGAAACCGGGCTTCCAAAGTGTGTACTTCTGGA 489
QY 421 cctccacaactgaaataatcctcgaagcaatcaaaatatattctgtgccattgaaagga 480
|||||
Db 490 CCTCCACAACCTGGAATAATACCTCGAAGCAATCAAAATATTTTCTGTGCTCCATTGAAAGGA 549
QY 481 atagaactggtgtgcgccccactctgccccagaataacagagataaaacacagcagtt 540
|||||
Db 550 ATAGAATGGCTGTGGCGCCCCACTCTGCCCCCAGAAATACAGGATGAACCATGACACAGT 609
QY 541 taccagatccccatcacagtgaacagaggggggaagcaccacacccatggcagagtcaca 600
|||||
Db 610 TACCAGATCCCATACACAGTGAACAGAGGAGGGGAAAGACCAACCATGCGCAGAGTCCA 669
```

QY 601 gaaaggcctctcagcagcctcagtcacagcgcgatcttcagactcccgagtcgaatgaaat 660
DB 670 GAAAGGCTCTCAGCAGCCTCAGTCCAGAGCGATCTTCAGACTCCGAGTTGAATGAAAT 729
QY 661 gagccacaccttcacatggtgttagccagagagaggggtcagggactcttccctggtc 720
DB 730 GAGCCACACTTCCACATGTGTGTAGCCAGAGAGAGGGGTFCAGGGACTCTTCCCTGGTC 789
QY 721 gtgctttcactcgttaagcttcacttaagagagagaaactcttgggtgcataaagcaag 780
DB 790 GTAGCTTTCATCTGTAAAGCTTCATTTAAAGAGAGAAACTTCTTGGTGTCTCAAAAGCAAG 849
QY 781 gagatgggctccagctggagacagctgccatcgctcccatcattgctgctgcaagac 840
DB 850 GAGATGGGCTCCAGTTGGGACAGCTGCCATCGCTCCCATCATTTGCTGTGTCGAAGGAC 909
QY 841 gggaaaagcatcactcactgaaggaagagagatatttggtcgaagagctgtgtactcccca 900
DB 910 GGGAAAAGCATCACTCATGAAGGAAGAGAGATTTTGGCTGAAGAGCTGTGTACTCCTCCA 969
QY 901 gatcctggtcgtctttgtggtgtagaatgtccagatgaagacttcattcaaccatc 960
DB 970 GATCCTGGTCTGCTTTGTGGTGTGAATGTCCAGATGAAGCTTCAATCAACCCATC 1029
QY 961 tgtgagaatgccactcttcagaggtaccaggaagagcagatgccccgtggccttggtg 1020
DB 1030 TGTGAGAAATGCCACTTTCAGAGGTACCAAGGAAGGCAGATGCCCCGCTTGGCTTGGTG 1089
QY 1021 gttcacatggccccagcatctgtgctgtgtgagacagaggtaccagcagtgtagagag 1080
DB 1090 GTTCACATGCCCCAGCATCTGTGTTGTGGACAGCAGGTACCAAGCAGTGGATGGAGAGG 1149
QY 1081 ttgggctacacccagactggtcctgaatgagaactgtgcctcagttcacaacctt 1140
DB 1150 TTGGGCTCTGACACCCAGCATTGGTCTCTGAATGAGAATCTGTGCTCAGTTCAACACTT 1209
QY 1141 cgcagccacaagattcaaacccagctcaacctcatccaccggagatcttccccctgctc 1200
DB 1210 CGCAGCCACAAGATTCAAAACCCAGCTCAACCTCATCCACCCGACATCTTCCCCCTGCTC 1269
QY 1201 accagtttcgctgtaagaaggaggccccaccctcagttgccccagtggtcagggtaa 1260
DB 1270 ACCAGTTTCGCTGTAAAGAGAGGGGGCCCCACCTCAGTGTGCCCATGTGTTACGGGTGAA 1329
QY 1261 tgcctctcaagtaccagctccgtccagagagaggtgagagagatgccattattact 1320
DB 1330 TGCTCTCAAGTACCAGCTCCGTCCAGAGGAGGTGGCAGGGATGCCATATTATTACT 1389
QY 1321 tgcaatcctgaggaattcatagttgagcgtcgcagcttcccaacttccagcagagcgtg 1380
DB 1390 TGCAATCCTCAGGAATTCATAGTTGAGCGCTGCAGCTTCCCAACTTCCAGCAGAGCGTG 1449
QY 1381 caggagtacaggaggagtcgcagagagcgcagccagcccccagagaaaagatcagttac 1440
DB 1450 CAGGAGTACAGGAGGAGTGGCGAGAGCGGGCCCCAGCCCCAGCAGAGAAAAGAAAGTCAGTAC 1509
QY 1441 ccagaaatcatcttccctgaacaggtctgccatcccgatgaagattcgaatgtcagt 1500
DB 1510 CCAGAAATCATCTTCTTGGAAACAGGCTCTGCCATCCCGATGAAGATTCGAAATGTCAGT 1569
QY 1501 gccacattgtcaacaataagccccgcacagctctctgtactggaactggtgagggcaca 1560
DB 1570 GCCACACTTGTCAACATAAGCCCCGACACAGCTCTCTGTACTGTGACTGTGTGAGGGCAGC 1629
QY 1561 ttgggagcgtgtgcctcactacagagacaggtgagaggggtccctgggcaacctggct 1620
DB 1630 TTTGGGAGCTGTGCGCTCATATTACGGAGACAGGTGTGACAGGGTCTCTGGGCAACCCCTGGCT 1689
QY 1621 gctgtgttcttccacacctgcagcagatcacacacagcgttgcgaagtattctgtg 1680
DB 1690 CTTGTGTTGTGTCCTCCACCTTCAGCGCAGATCACACACAGGGCTTGGCCAAAGTATCTTCTGT 1749

QY 1681 cagagaaacgcgccttggcatctttgggaaagcgcgttccacctttgctggtggtgccc 1740
DB 1750 CAGAGAAACGCGCTTGGCATCTTTGGGAAAGCGCTTACCTTACCTTGTGCTGGTGTGCC 1809
QY 1741 ccaaccagctcaaaagcctggtccagcagtcaccacacacagtcgccaggaggtcgtgcac 1800
DB 1810 CCCAACAGCTCAAAAGCTGGCTCCAGCAGTACCACACACAGTGCAGAGAGTCTCTGCAC 1869
QY 1801 cacatcagtatgattcctgcacaaatgcttcaggaaggggctgagatctccagtcctgca 1860
DB 1870 CACATCAGTATGATCTCTGCAAAATGCTTCAGGAAGGGCTGAGATCTCCAGTCTCTGCA 1929
QY 1861 gtgaaagattgacagttcgtctgttcgaaatgtgatttgggaagagtttcagacctgt 1920
DB 1930 GTGGAAGATTGATCAGTTCGCTGTTCGGAACATGTGATTTGGAAGAGTTTCAGACCTGT 1989
QY 1921 ctggtgcgcactgcaagcagtcgcttggctgtgctgtggtgcacacctctggtggaaa 1980
DB 1990 CTGCTGGGCACCTGCAAGCATGCTTTGGCTGTGGCTGTGTCACACCTCTGGCTGGAAA 2049
QY 1981 gtggtctatctccggggagacacatgcccctgcgaggtctgttcccgatggggaagatgcc 2040
DB 2050 GTGCTCTATTCCGGGGACACCATGCCCTGGAGGCTCTGGTCCGGATGGGGAAGATGCC 2109
QY 2041 accctcctgatacatgaagccacctggaagatggttggaaagagagcagtggaagaa 2100
DB 2110 ACCCTCCTGATACATGAAGCCACCCTCGAAGATGTTTGGGAAGAGGAGAGTGGAAAG 2169
QY 2101 acacagcacaacgtcccaagccatcagcgtggtggatgggagtgaaacgcggagttcaat 2160
DB 2170 ACACAGCACAAAGTCCCAAGCCATCAGCGTGGGGATGCGGATGAACGCGAGTTCAAT 2229
QY 2161 atcctgaacacttcagcagcgtatgcaagatccccctcttccaccaccaactcagc 2220
DB 2230 ATGCTGAACACTTTCAGCAGCGCTATGCCAAGTCCCTCTTCAGCCCCCACTTCAGC 2289
QY 2221 gagaagtggagttgctcttgaccacatgaagtcgtcttggagactttcccaacaatg 2280
DB 2290 GAGAAAGTGGAGTTGCTTTGACACATGAAGTCTGCTTTGGAGACTTTTCCAACAATG 2349
QY 2281 ccaagctgattccccacactgaaagccctgttctgagcagatcagaggagatggagag 2340
DB 2350 CCCAAGCTGATTCCTCCACTGAAAGCCTGTTTGTCTGGCAGATCGAGGAGATGGAGAG 2409
QY 2341 cgaaggagaaagcgggagctgcgcaggtgcggcgccctctcctgtccaggagctggca 2400
DB 2410 CGCAGGAGAAAGCGGAGCTGCGGCAGGTGCGGCGGGCCCTCTCTGTCCAGGAGCTGGCA 2469
QY 2401 ggcggcctgagagatggggagcctcagcaagcggggccacacagagaggagccagggcc 2460
DB 2470 GCGGCTGGAGGATGGGAGCCTCAGCAGAAAGCGGGCCACACAGAGGAGCCACAGGCC 2529
QY 2461 aagaagtcagagcccaagtga 2481
DB 2530 AAGAAGTCAGAGCCCAAGTGA 2550

RESULT 4

AK001392 2976 bp mRNA PRI 22-FEB-2000
LOCUS Homo sapiens cDNA FLJ10530 fis, clone NT2RP2000985.
DEFINITION AK001392
ACCESSION AK001392
VERSION AK001392.1 GI:7022621
KEYWORDS oligo capping; fis (full insert sequence).
SOURCE Homo sapiens teratocarcinoma cell_line:NT2 cDNA to mRNA,
clone_lib:NT2RP2 clone:NT2RP2000985.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (sites)
REFERENCE Isogai,T., Ota,T., Hayashi,K., Sugiyama,T., Otsuki,T., Suzuki,Y.,
Nishikawa,T., Nagai,K., Sugano,S., Shiratori,A., Sudo,H.,
Wagatsuma,M., Hosoiri,T., Kaku,Y., Kodaira,H., Kondo,H.,

Oy 1321 tgcaatcctgagggaattcattagtgagcgctgcagcttcccaacttccagcagagcgtg 1380
|||||
Db 1392 TGCAATCCTGAGGAATTCATAGTTGAGCGCTGCAGCTTCCCACTTCCACGAGCGTG 1451

Oy 1381 cagagtacaggagagtgogcagagcgccagccccagcagagagaaagtcagtcac 1440
|||||
Db 1452 CAGAGTACAGGAGAGTGCAGCAGCGCCAGCCAGCAGAGAGAAAGTCAAGTAC 1511

Oy 1441 ccagaaatcattcctctggaacaggtctgcaccccgatgaagattcgaatgtcagt 1500
|||||
Db 1512 CCAGAAATCATCTCTTGGAAACAGGCTGCCATCCGATGAAGATTCGAAATGTCA 1571

Oy 1501 gccacactgtcaacataagccccgcacagctctctgctactggtgactgtggtgagggcaca 1560
|||||
Db 1572 GCCACACTGTCAACATAAGCCCCGACACAGCTCTCTGTACTGGACTGTGGTGAAGGCACA 1631

Oy 1561 ttgggcagctgtccgctcattacggagaccaggtggacaggggtctctggcaccctggct 1620
|||||
Db 1632 TTTGGCAGCTGTGCCGTCAATTACGGAGACCCAGGTGGACAGGGTCTCTGGCACCCTGGCT 1691

Oy 1671 gctgtgtttgtccaccctcacgcagatccacacagggcttgcgaagtattctgtg 1680
|||||
Db 1692 GCTGTGTTGTGCCACTCCACGCGAGATCACCACAGGGGCTTGCCAAAGTATCTTGTGCTG 1751

Oy 1681 cagagaaacgcgcttggtgcatctttgggaaagccgcttccacctttgctggtggtgccc 1740
|||||
Db 1752 CAGAGAAACGCGCTTGGCATCTTTGGGAAAGCCGCTTACCCTTGTCTGCTGTTGCC 1811

Oy 1741 ccacacagctcaagctggctccagcagtcaccacacacagtcgagggaggtccctgcac 1800
|||||
Db 1812 CCCAACAGCTCAAAAGCTGTGCTGCCAGCAGTACTACACACAGTGCACAGAGTCTCGCAC 1871

Oy 1801 cacatcagtatgctctgcacaaatgccttcaggaagggctgcagatccagtcctgcac 1860
|||||
Db 1872 CACATCAGTATGCTTGCCTCAATGCTTCAGGAAGGGGCTGAGATCTCCAGTCCCTGCA 1931

Oy 1861 gtgaaagattgatcagttcgctgttcgaaacatgtgatttgggaagagtttcagaccctgt 1920
|||||
Db 1932 GTGAAAGATTGATCAGTTCGCTGTTGCGAATGTTGATTTGGAAGAGTTTCAGACCTGT 1991

Oy 1921 ctgtgcggcaactcagcagctgttggctgtgcgtgtgtgcacacctctgctgtgaaa 1980
|||||
Db 1992 CTGTGCGGCACTCAAGACATGCTGTTGGCTGTGCTGTGTCACACCTCTGTGGTGGAAA 2051

Oy 1981 gtgtctattcggggacacacatccctcgagagctctgtcccgatggggaagatgcc 2040
|||||
Db 2052 GTGCTCTATTCGGGGACACCATGCCCTGCGAGGCTCTGGTCCGGATGGGGAAGATGCC 2111

Oy 2041 accctcctgatcatgaagccaccctggaagatggtttggaagaggagcagtggaagag 2100
|||||
Db 2112 ACCCTCTGATACATGAAGCCACCTCGAAGATGTTTGGAGAGGAGCAGTGGAAAG 2171

Oy 2101 acacacagcacaactcccaagccatcagcgtggtggtgagatgaacgcggagttcatt 2160
|||||
Db 2172 ACACACAGCACAACGTCCTCAAGCCATCAGCTGGGGATGCGGATGAACGCGAGTTCATT 2231

Oy 2161 atgctgaaccattcagcagcgtatgcgaagttccctcttccagcccccaacttcagc 2220
|||||
Db 2232 ATGCTGAACCACTTCAGCCAGCGTATGCCAAGGTGCCCTTCCTTCAGCCCCCAACTTCAGC 2291

Oy 2221 gaaaaagtggagttgctctttgacacatgaagttctgtctgttgagactttccacaagt 2280
|||||
Db 2292 GAGAAAGTGGAGTGTCTTTGACCATGAAGTCTGCCTTGAGACTTTCACACATG 2351

Oy 2281 cccaagctgattcccccaactgaaagccctgtttgtcggcgacatcgaggagatggagag 2340
|||||
Db 2352 CCCAAGCTGATTCCTCCCACTGAAAGCCCTGTTTGTCTGCGACATCGAGGAGTGGAGAG 2411

Oy 2341 cgcaggagagcggagcctgcgcagatgcggcgccctctctgtccaggagactggca 2400
|||||
Db 2412 CGCAGGAGAGACGGGAGCTCGCGCAGGTGCGGGCGGCCCCCTCTCTGTCTCCAGGAGCTGGCA 2471

Oy 2401 gccgcctcgaggatggg 2418
|||||
Db 2472 GCGCGCTGGAGATGGG 2489

RESULT 5
AF308698 2908 bp mRNA PRI 27-FEB-2001
LOCUS Pan troglodytes ELAC2 mRNA, complete cds.
DEFINITION AF308698
ACCESSION AF308698.1 GI:10946496
VERSION AF308698.1
KEYWORDS chimpanzee.
SOURCE Pan troglodytes
ORGANISM Eukaryota; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
REFERENCE 1 (bases 1 to 2908)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Abtin,V., Baumgard,M., Beck,A., Camp,N.J., Carillo,A.R., Chen,Y., Dayananth,P., Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S., Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K.E., Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M., Woodland,A.M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
A candidate prostate cancer susceptibility gene at chromosome 17p Nat. Genet. 27 (2), 172-180 (2001)
11175785
2 (bases 1 to 2908)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Dayananth,P., Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S., Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K., Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M., Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
Pan troglodytes ortholog of human HPC2/ELAC2 Unpublished
3 (bases 1 to 2908)
Tavtigian,S.V., Simard,J., Teng,D.H.F., Baumgard,M., Dayananth,P., Desrochers,M., Dumont,M., Farnham,J.M., Frank,D., Frye,C., Ghaffari,S., Gupte,J.S., Hu,R., Iliev,D., Janacki,T., Kort,E.N., Laity,K., Leavitt,A., Leblanc,G., McArthur-Morrison,J., Pederson,A., Penn,B., Peterson,K.T., Reid,J.E., Richards,S., Schroeder,M., Smith,R., Snyder,S.C., Swedlund,B., Swensen,J., Thomas,A., Tranchant,M., Woodland,A.-M., Labrie,F., Skolnick,M.H., Neuhausen,S., Rommens,J. and Cannon-Albright,L.A.
Direct Submission
Submitted (27-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt Lake City, UT 84103, USA
Location/Qualifiers
1. 2908
/organism="Pan troglodytes"
/db_xref="taxon:9598"
1. 2481
/codon_start=1
/product="ELAC2"
/protein_id="AAG24920.1"
/db_xref="GI:10946497"
/translation="MWALCSLLRSAGRTMSQGTISOAPARRPRKDPRLHLRTRE KRPSGCGGPNVYLIQVAAAGSDGAALVFSEFNRYLFCGEGTQRLMOEHLKLV ARLDNFLTMRHNSNVGGLSGMLITLKETGPKCVLSGPOLKYLEAIKIFSGPLAG IEUARPHSAPEYEDETWVIQPIHSEQRKQHPQWSPERPLRSLSPSSDESIN ENEPHLPHGVSQRGRVDSVAFIKLHLKRGNFVLKAKEMGLPVGTAAPILIA AVDKGSI THEGREILAEELCTPPDPGAFFVVECPDESIQPTICENATQRYOGKAD APVALVHMAPESVLDSTRYQOWMERFQPTQHLVLNENCASVHNLRSKHTQTLNLI HPDIEPLLTSPCKKEGTLSVPMVQCELLKYQLRPREWORDATLITCNPEEFII EA LQLPNQQSOVQYERSAQDPAPAKRSOYPEILFGLTGSAPMKINVSATLVNISP DTSLLDCGEGTFCGLCRHYGQDVRVYGLAAVFSVHLRADHHTGLNILLQREARL ASLGKFPFPLLVAPNOLKAWLOQYHNQCOEVLHHSIMIPAKCLQEAELSSSAVERL ISSLLRTCDLEEFQCTCLVRHCKHAFGKLVHTSGWKVYVSGDTMPCEALVYRMGKDATL

LIHEATLEDLEEEAVEKTHSTTSQAISVGMRRNAEFIMLNHFSQRYAKVPLFSPNFN
EKVGFVAFHMKVCFDFTDMPKLIPLRALFAGDTEEMEERREKRELQVRAALLSRE
LAGGLEDPEQOKRAHTEPEQAKVRAQ"

BASE COUNT 712 a 788 c 819 g 589 t
ORIGIN

Query Match		67.2%;	Score 1667;	DB 9;	Length 2908;
Best Local Similarity		99.4%;	Pred. No. 0;		
Matches 2417; Conservative		0;	Mismatches 15;	Indels 0;	Gaps 0;
QY	1	abtgggcgcttbtgcgtgtgctgcggcgccgagcgccgagcgccgcaagagaccgctgcggacactg	120		
Db	1	ATGTGGCGCTTTGCTCGCTGCTGCGGTCCGGCGCCGAGCGACACCATGTGCGCAGGGACGC	60		
QY	61	accatatccagcgaccgcccgccgagcgccgagcgccgcaagagaccgctgcggacactg	120		
Db	61	ACCATATCGAGCGACACCGCCGCCGCGAGCGCCGCGCAAGGACCCGCTGGCGCACCTG	120		
QY	121	cgcacgcgagaaagcgcgacactgcggggtgctccgcgcgccgcaaacacccgtgtacctg	180		
Db	121	CGCACGGAGAGAGCGCGGACCTGCGGGTGTCTCGCGGGCCCAACACCCGTGTACCTG	180		
QY	181	cagggtggtgcgagcggtgagcgggactcgggcgcgcgctctacgtctcttctccgagttc	240		
Db	181	CAGGTGTGGCAGCGGGTAGCCGGGACTCGGGCGCGCTCTACGTCTTCTCCGAGTTC	240		
QY	241	aaccggtatcttccaactgtgagaaagcggttcaagagactcatgcagagacaagtta	300		
Db	241	AACCGGTATCTCTTCAACTGTGTGAGAAAGCATTCAGAGACTCATGTCAGGAGCAAAAGTA	300		
QY	301	aaggttgcctcgtggaacaatatctctgacacgaatcactggtctctaagtgtggggc	360		
Db	301	AGGTTGCTCGCTGGACAAATATCTCTGACACGAATGCATGTGTCATGTGTGGGGC	360		
QY	361	ttaagtggatgattcttactttaaggaaacgggcttccaaagtgttactttcttgg	420		
Db	361	TTAAGTGGAAATGATCTTACTTTAAAGGAAACCGGGCTTCCAAAGTGTGTACTTTCTGGA	420		
QY	421	cctccacaactggaaaaatctcctgaagcaatacaaaaaattttctggtccattgaaagga	480		
Db	421	CTCCACAACCTGGAAAAATACCTCGAAGCAATCAAAATATTTTCTGGTCCATTGAAAGGA	480		
QY	481	atagaactggctgtgcggcccaactctgccagaaatcagagatgaacccatgacagtt	540		
Db	481	ATAGAACTGGCTGTGGGGCCCCACTCTGCCCAGATACGAGATGAACCATGACAGTT	540		
QY	541	taccagatccccatacacagtgaaacagagaggggaaagcacaacacatgagagttcca	600		
Db	541	TACCAGATCCCATACACAGTGAACAGAGAGGGGAAAGCACCAACCATGGCAGAGTCCA	600		
QY	601	gaaaggcctctcagcaggtcagtcagagcagatcttccactcagtcagtcgaatgaaat	660		
Db	601	GAAAGCCCTCTCAGCAGGCTCAGTCAGAGCCGATCTTCAGACTCCCGAGTCAAAATGAAAT	660		
QY	661	gagccacacttccacatggtgttagccagagaaaggggtcagggactcttccctggtc	720		
Db	661	GAGCCACACTTCCACATGTTGTAGCCAGAGAGAGGGTTCAGGACTCTTCCCTGGTC	720		
QY	721	gtagcttcatctgttaagttcacttaagagaggaacttcttggtctcacaagcaag	780		
Db	721	GTAGCTTTTATCTGTAAAGTTTCACTTAAAGAGAGGAAACTTCTTGGTGTCAAAGCAAG	780		
QY	781	gagatggcctccagttgggacagctgccatcgctcccatcattgctgctgcaaggac	840		
Db	781	GAGATGGGCTCCAGTTGGGACAGCTGCCATCGCTCCCATCATCTGCTGTCAAGGAC	840		
QY	841	gggaaagcatcactcatgaagaaagagagattttggctgaagagctgtgactctcca	900		
Db	841	GGGAAAGCATCACTCATGAGGAAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCCA	900		
QY	901	gactcgtgtgcttctttdgtggttagaatgtccagatgaaagcttcatccaaccatc	960		
Db	901	GTGGTCTATTCCGGGGACACCATGCCCTGCGAGGCTCTGTCTCCGGATGGGAAAGATGCC	960		

Db	901	GATCCTGGTGTCTGCTTTTGGTGGTAGAATGTCCAGATGAAAGCTTCATTCAACCCATC	960
QY	961	tgtgaaatgtccacetttcagaggttaccaaagaaagcagatgcccccgctggccttggtg	1020
Db	961	TGTGAGAAATGCCACCTTTCAGAGGTACCAAGAAAGCAGATGCCCCGCTGGCTTGGTG	1020
QY	1021	gttcacatggccccagcatctgtgctgtgagacagcaggtaccagcagtgatggagag	1080
Db	1021	GTTCACATGGCCCCCAAAATCTGTGTGTGACAGCAGGTTACCAGCACTGTGATGGAGAGG	1080
QY	1081	tttggccctgacacccagcagcacttggtctgaaatgagaactgtgcctcagttccaacctt	1140
Db	1081	TTTGGGCTGACACCCAGCAGCACTTGGCTCAATGAGAACTGTGCCTCAGTTCAACACTT	1140
QY	1141	cgagccacaagattcaaacccagctcaacctcatccacccggacatcttccccctgctc	1200
Db	1141	CGAGCCACAAGATTCAAAACCCAGCTCAACTCATCCACCCGAGCATCTTCCCCTGCTC	1200
QY	1201	accagtttcgcgtgtaagaaggggccccaccctcagtgccccatggttcagggtgaa	1260
Db	1201	ACCAGTTTCCCTGTGAAGAAGGAGGCCCCACCCTCAGTGTGCCATGGTTTCAGGGTGAA	1260
QY	1261	tgctcctcaagtaccagctcccagggagggagtggcagagggatgcacattattact	1320
Db	1261	TGCTCTCTCAAGTACCAGCTCCGCTCCAGGAGGAGTGGCAGAGGGATGCCATTATTACT	1320
QY	1321	tgcaatcctgaggaattcatagttgaggcgctcagcttcccacttccagcagagcggtg	1380
Db	1321	TGCAATCCCTGAGAAATTCATTAATTGAGGCGCTCAGCTTCCCAACTTTCAGAGAGGTG	1380
QY	1381	caggagtagagggaggtgcgcagggacgccccagcccgagcaagaaaaagtcagttac	1440
Db	1381	CAGGAGTAGAGGAGGTGCGCAGGAGCGGCCAGCCGCCACAGACAGAAAAAAGTCAGTAC	1440
QY	1441	ccagaaatcatcttcttggaaacaggggtctgccatcccgatcccgatcgaatgtcagt	1500
Db	1441	CCAGAAATCATCTCTCTTGGAAACAGGGTCTGCCATCCGATGAAGATTGCAAAATGTCACT	1500
QY	1501	gcacactgtcaaaataagccccagacacgtctctgactgactgtggtgaggggacac	1560
Db	1501	GCCACACTTGTCAACATAAGCCCCGACACGCTCTGCTACTGAGCTGTGTGAGGGGACG	1560
QY	1561	tttggcgagctgtgcgcgtcattacggagaccaggtggaacagggctcctgggacacctgct	1620
Db	1561	TTTGGCAGCTGTGCGCTCATTAGGAGACACAGGTGGACAGGGTCTCTGGCACCCTGGCT	1620
QY	1621	gctgtgtttgtgtccacactgcgcagatccacacacgggcttgccaagtatatctgtg	1680
Db	1621	GCTGTGTTTGTGTCCACCTTGCACGAGATCACACACGGGCTTGTCTTAAATATCTTCTGTG	1680
QY	1681	cagagaaacgcgcttggcatctttggaaagccgcttccaccttgcgtgggtgtgccc	1740
Db	1681	CAGAGAAAGAGGCGCTTGGCATCTTTGGGAAAGCCCTTTCACCCCTTGTGTGGTGTGCC	1740
QY	1741	cccaacagctcaaaagcctggtccagcagttacacaacagtgccagagggctcctgcac	1800
Db	1741	CCCAACAGCTCAAAAGCTTGCTCCAGCAGTACCACAACACAGTSCCAGAGAGTCTCTGCAC	1800
QY	1801	cacatcagtatgattcctgcctcgaatgccttcagaaaggggctgagatctccagctctgca	1860
Db	1801	CACATCAGTATGATTCTGTCGCAATGCCTTTCAGGAAAGGGCTGAGATCTCAGTCTCTGCA	1860
QY	1861	gtgaaagattgacatcagttcgctgttgcaacatgtgattgaaagatttcagacctgt	1920
Db	1861	GTGGAAGATTTGATCATCTGCTGTGTGCGAAACATGTGATTTGGAAGAGTTTTCAGACCTGT	1920
QY	1921	ctggtgcggcactgcgaagcatgcgtttggctgtgcgtggtgcacacctctggtggaaa	1980
Db	1921	CTGCTGGGCACTGCAAGCATGGTTGGCTGTGGCTGTGTCACACCTCTGCTGCTGAAA	1980
QY	1981	gtggtctattccgggggacaccatgcacctgcgagctctgtccggatggggaaagatgcc	2040
Db	1981	GTGGTCTATTCCGGGGACACCATGCCCTGCGAGGCTCTGTCTCCGGATGGGAAAGATGCC	2040

Qy	2041	accctctgtatcatgaagccaccctggaagatggtttggaagaggaagcagtggaagaag	2100
Db	2041	ACCCTCTGTATCATGAAGCCACCCTGGAAGACGCTTTGGAAGAGGAAGCAGTGGAAAAG	2100
Qy	2101	acacacagcacaacgctcccaagcaccatcagcgtggggatgagatgaaacgcgaggttcatt	2160
Db	2101	ACACACAGCACAACGCTCCCAAGCCATCAGCGTGGGGATGCGGATGAACGCGGAGTTCATT	2160
Qy	2161	atgctgaaccacttcagccagcgtatgccaaggtcccccctcttcagcccaacttcagc	2220
Db	2161	ATGCTGAACCACTTCAGCCAGCGTATGCCAAGGTCCCCCTTCAGCCCCCAACTTCAC	2220
Qy	2221	gagaaagtggaggttgcctttgaccacatgaaggtctgtctgttgagactttcccaacaatg	2280
Db	2221	GAGAAAGTGGGAGTTCCTTTGACCACATGAAGGTCTGCTTTGGAGACTTTGCAACAATG	2280
Qy	2281	cccaagctgattccccaccactgaagccctgtttctgctggcgacatcgaggatgagagag	2340
Db	2281	CCCAAGCTGATTCCCCCACTGAAGCCCTGTTTCTGCGGACATCGAGGATGGAGGAG	2340
Qy	2341	cgcaggagagaagcgggagctgcgcaggtgcgcgcgcctctctgctccaggagactggca	2400
Db	2341	CGCAGGAGAGAAGCGGAGCTGCGCAGGTGCGGCGGCGCCCTCTGTCAGGGAGCTGGCA	2400
Qy	2401	ggcgccctggaagatggggagccttcagcagaa	2432
Db	2401	GGCGCCCTGGAGGATGGGAGCCTTCAGCAGAA	2432
RESULT 6			
AF308694			
LOCUS			
DEFINITION			
ACCESSION			
VERSION			
KEYWORDS			
SOURCE			
ORGANISM			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			
AUTHORS			
TITLE			
JOURNAL			
PUBMED			
REFERENCE			

QY 481 atagaactgctgtgcggcccaactctgccagaaatacagagatgaaacacatgacagtt 540
|||||
Db 481 ATAGAACTGGCTGTGGGGCCCACTCTGCCCAGAAATACAGAGTGAACACCATGACAGTT 540
QY 541 taccagatcccatatacacagtgaacagagaggggaaagcaccaacacatggcagagtcca 600
|||||
Db 541 TACCAGATCCCATACACAGTGAACAGAGAGGGGAAGGCACCAACCATGGCAGAGTCCA 600
QY 601 gaaaggccttcagcaggtctagtcagagagcgatcttcagactcccgagtcgaatgaaat 660
|||||
Db 601 GAAAGGCCCTCTCAGCAGGCTCAGTCAGAGCGATCTTCAGACTCCCGAGTCGAATGAAAT 660
QY 661 gagccacacctccacatgattagccagagaaaggggtcaggactcttcctggctc 720
|||||
Db 661 GAGCCACACTTCCACATGGTGTAGCCAGAGAGAGGGGTCAAGGACTCTTCCCTGGCT 720
QY 721 gtactcttcactgtgaagcttcacttaagagagagaaactctctggtctcaagcaag 780
|||||
Db 721 GTAGCTTTTCATCTGTAAAGCTTCACTTTAAAGAGAGAAACTTCTTGTGCTCAAAGCAAG 780
QY 781 gagatgggctccagcttgagcagctgcacatcgctcccatcattgctgtcagggac 840
|||||
Db 781 GAGATGGGCTCCCACTTGGGACAGCTGCCATCGCTCCCATCATTTGCTGTCAAGGAC 840
QY 841 gggaaaaagcatcactcatgaagaaagagagattttgctgaagagctgtgtactctcca 900
|||||
Db 841 GGGAAAAGCATCACTCATGAGGAAGAGAGATTTTGGCTGAAGAGCTGTGTACTCTCTCA 900
QY 901 gatcctggctgctgtcttgggtggttagaatgtccagatgaaagcttcattcaaccatc 960
|||||
Db 901 GATCCTGGTGTCTTGTGTGGTGTAGAATGTCCAGATGAAAGCTTCATTCAACCCATC 960
QY 961 tgtgaaatggcaactttcagaggtaccagaaagagagatgccccctggcttgggtg 1020
|||||
Db 961 TGTGAATGTCCACCTTTTCAGAGGTACCAAGGAAGAGAGATGCCCCGCTGGCTTGGTG 1020
QY 1021 gttcacatggccccagcatctgtgtgtgacagcaggtaccagcagtggtgagagag 1080
|||||
Db 1021 GTTCATATGGCCCCCAAACTGTGTCTGTGGACAGCAGGTACACAGTGGATGGAGAG 1080
QY 1081 ttgggctgacacccagcacttggctggaatgagaactgtgcctcagttcaaacctt 1140
|||||
Db 1081 TTTGGGCTTGACACCCAGCACTTGTGTCTTGAATGAGAACTGTGCTTCAGTTCAACCTT 1140
QY 1141 cgcagccaaagattcaaacccagctcaacctcatccaccggagactcttccccctgctc 1200
|||||
Db 1141 CGCAGCCACAAGATTCAAAACCCAGCTCAACCTCATCCACCCGACATCTTCCCCCTGCTC 1200
QY 1201 accagttccgctgtgaagagggggccccaccctcagtggtgccccatggttcaggtgaa 1260
|||||
Db 1201 ACCAGTTTCCCTGTGAAGAGAGGGGCCCCACCCTCAGTGTGCCCATGGTTCAGGTGAA 1260
QY 1261 tgctcctcaagtaccagctccgtccagagggaggtgagagggatgagcattattact 1320
|||||
Db 1261 TGCTCTCTCAAGTACCAGTCCGTCCAGAGGGGAATGCGAGAGGATGCAATATCACT 1320
QY 1321 tgcaatcctgaggaattcattagttgaggcgctgcagcttcccaactccagcagagcggt 1380
|||||
Db 1321 TGCAATCCCTGAGGAATTTCACTGTAGGGCGCTGCAGCTTCCCAACTTCCAGCAGAGTGTG 1380
QY 1381 caggagtcagagagaggtgcgagcagcgcagccccagcagcagagaaagaagtcagtac 1440
|||||
Db 1381 CAGAGTACAGAGAGAGTGTGCAGAGCTGCCAGCCGCCAGCAGAGAAAGAAGTCAGTAC 1440
QY 1441 ccagaaatcatctctctggaacaggggtgcccattcccgatgaagattcgaatgtcagt 1500
|||||
Db 1441 CCAGAAATCATCTCTCTTGAACAGAGGTCTGCCATCCCCATGAAGATTGGAATGTCACT 1500
QY 1501 gccacactgtcaacataagccccgacacagctctctgactgactgtgtgagggcaca 1560
|||||
Db 1501 GCCACACTTGTCAACATAAGCCCCGACACGCTCTGCTACTGTGACTGTGTGAGGGCACG 1560

QY 1561 tttagcagctgtgcgtctcattaccagaccaggtgagacaggtcctgggacacccctgct 1620
|||||
Db 1561 TTTGGCAGCTGTGCCGTCTATTACGGAGACCAGGTGAGAGGGTCTTGGGCACCCCTGGCT 1620
QY 1621 gctgttctgtgtccacacctgcgcagatcacacacggtcttgccaagtatatctgtg 1680
|||||
Db 1621 GCTGTGTGTGTGTCCCACTGCGCAGATCACACACGGGCTTGTGTAATATCTTCTGCTG 1680
QY 1681 cagagagaacgcctctggcatctttgggaaagcggcttcacaccttgcctgggtgctc 1740
|||||
Db 1681 CAGAGAGAACAACCTTGGCATCTTTGGGAAAGCCCTTACCCTTTGCTGGTGGTTGCC 1740
QY 1741 cccaacacagctcaaaccttgctccagcagatcacacaacacagtcgacagaggtcctcac 1800
|||||
Db 1741 CCAGCAGCTCAAGCCTGGCTCCAGCAGTACACANCCAGTCCAGAGGCTCCTGCAC 1800
QY 1801 cacatcagtatgatctcgtcccaaatgccttcaggaagggctgagatctccagtcctgca 1860
|||||
Db 1801 CACATCAGTATGATTTCTTGCCAAATGCTTTCAGSAAGGGCTGAGATCTCAGTCTGCA 1860
QY 1861 gtggaagattgatcagttcgtctgttgcaacatgtgatttggaagatttcagacatgt 1920
|||||
Db 1861 GTGGAAGATGTATCATAGTTCGCTTTCGGAACATGTGATTTGGAAGAGTTTCAGACCTGT 1920
QY 1921 ctggtgcgcacgtcaagcagatcgcttgcgtgcgtgcgtgcacacctctggctgaaa 1980
|||||
Db 1921 CTGCTGGGCACTGCAAGCATGCTTGGCTGTGCGTGTGCACACCTCTGGCTGGAAA 1980
QY 1981 gtggtctattccggggacaccatgcctgcgaggtctgctccggatggtgggaaagtgc 2040
|||||
Db 1981 GTGGTCTATTTCGGGGACACCATGCCCTGCGAGGCTCTGGTCCGATGGGAAAGATGCC 2040
QY 2041 acctcctgatacatgaagccacccctggaagatggtttggaagaggaagcagtggaag 2100
|||||
Db 2041 ACCTCTCTGATACATGAAGCCACCTCGGAAGATGGTTTGAAGAGGAAGCAGTGGAAAAG 2100
QY 2101 acacagacacaacgtcccaagccatcagcgtgggagtcggtgacgcgagattcatt 2160
|||||
Db 2101 ACACAGACACACGTCCCAGCCATCAGCGTGGGATGCGGATGAACCGGAGTTCATT 2160
QY 2161 atgctgaaccacttcagcagcgtatgccaaaggtccctcttcagccccaaactcagc 2220
|||||
Db 2161 ATGCTGAACCACTTCAGCCAGCGCTATGCCAAGTCCCTCTTTCAGCCCCCACTTCAAC 2220
QY 2221 gagaagtgaggatgctcttgacacatgaaggtcgtcttgagagatttccaaagt 2280
|||||
Db 2221 GAGAAATGGGAGTTGCTTTTGACCAATGAAGGTCTGCTTTGGAGACTTTTCCAACAATG 2280
QY 2281 cccaagctgattcccccaactgaaagccctgtttgctggcgacatcgagagatggagag 2340
|||||
Db 2281 CCCAAGCTGATTTCCCACTGAAAGCCCTGTTTGCCTGGCAGCATCAGAGGAGATGGAGGAG 2340
QY 2341 cgcagggagaagcggagctgcgcaggtgcggcggtgcggcgccctcctgtcc 2388
|||||
Db 2341 CGCAGGAGAGAAGCGGAGCTGCGGAGGTGCGGCGGCGGCTCCTCTGCTGC 2388

RESULT 7

AC005277 118788 bp DNA PRI 23-JUL-1998
LOCUS Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.
DEFINITION
AC005277
AC005277.1 GI:3337311
VERSION HTG.
KEYWORDS
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
AUTHORS Birren,B., Fasman,K., Linton,L., Nusbaum,C. and Lander,E.
TITLE Homo sapiens chromosome 17, clone hRPK.597_M_12
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 118788)

AUTHORS

Birren,B., Fasman,K., Linton,L., Nusbaum,C., Lander,E., Allen,N., Baker,J., Baldwin,J., Barna,N., Beckerly,R., Benn,J., Boatin,C., Boutwell,C., Brown,A., Castle,A., Cerny,J., Cooke,P., Depayre,E., Devon,K., Dewar,K., Donelan,L., Etemadi,S., Ferreira,P., Fitzhugh,W., Forrest,C., Funke,R., Gage,D., Gardyna,S., Gensheimer,S., Geraghty,K., Gilmartin,T., Grant,G., Hagos,B., Harris,K., Horton,L., Howland,J.C., Hui,L., Jacotot,L., Kann,L., Macdonald,P., Marquis,N., McEwan,P., McGurk,A., McKernan,K., Meldrim,J., Molla,M., Morris,W., Morrow,J., Mychaleckyj,J., Nachman,A., Nahf,R., Naylor,J., Niloff,M., O'Connor,T., Pavlin,B., Peterson,K., Riley,R., Roberts,D., Rossello,R., Roy,A., Shyam,R., Stange-Thomann,N., Stillwell,J., Stojanovic,N., Stone,C., Strickland,C., Subramanian,A., Torruella-Miller,I., Vassiliev,H., Vo,A., Wagner,A., Wang,B., Wheeler,J., Wu,Y., Ye,W.J., Zhao,J. and Zody,M.

TITLE

Submitted (10-JUL-1998) Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA

REFERENCE

3 (bases 1 to 118788)

AUTHORS

Birren,B., Fasman,K., Linton,L., Nusbaum,C., Lander,E., Allen,N., Baker,J., Baldwin,J., Barna,N., Beckerly,R., Benn,J., Boatin,C., Boutwell,C., Brown,A., Castle,A., Cerny,J., Cooke,P., Depayre,E., Devon,K., Dewar,K., Donelan,L., Etemadi,S., Ferreira,P., Fitzhugh,W., Forrest,C., Funke,R., Gage,D., Gardyna,S., Gensheimer,S., Geraghty,K., Gilmartin,T., Grant,G., Hagos,B., Macdonald,P., Marquis,N., McEwan,P., McGurk,A., McKernan,K., Meldrim,J., Molla,M., Morris,W., Morrow,J., Mychaleckyj,J., Nachman,A., Nahf,R., Naylor,J., Niloff,M., O'Connor,T., Pavlin,B., Peterson,K., Riley,R., Roberts,D., Rossello,R., Roy,A., Shyam,R., Stange-Thomann,N., Stillwell,J., Stojanovic,N., Stone,C., Strickland,C., Subramanian,A., Torruella-Miller,I., Vassiliev,H., Vo,A., Wagner,A., Wang,B., Wheeler,J., Wu,Y., Ye,W.J., Zhao,J. and Zody,M.

TITLE

Submitted (23-JUL-1998) Whitehead Institute/MIT Center for Genome Research, 320 Charles Street, Cambridge, MA 02141, USA

COMMENT

On Jul 23, 1998 this sequence version replaced gi:3335015.

All repeats were identified using RepeatMasker: Smit, A.F.A. & Green, P. (1996-1997)

<http://ftp.genome.washington.edu/RM/RepeatMasker.html>

Only the first 118.8 kilobases of this clone are being submitted. The remainder overlaps accession number AC005274 (WICGR project L350).

FEATURES

source

Location/Qualifiers

1..118788
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone_lib="hRPK.597_M.12"
/map="17"
/chromosome="17"

repeat_region

795..884

repeat_region

/rpt_family="MIR"

repeat_region

complement(932..1000)

repeat_region

/rpt_family="MIR"

repeat_region

2044..2076

repeat_region

/rpt_family="AT_rich"

repeat_region

2237..2713

repeat_region

/rpt_family="MER34"

repeat_region

2718..3477

repeat_region

/rpt_family="L2"

repeat_region

complement(3478..3821)

repeat_region

/rpt_family="MLTIC"

repeat_region

3822..4007

repeat_region

/rpt_family="L2"

repeat_region

complement(4015..4281)

repeat_region

/rpt_family="MER89"

repeat_region

complement(4282..4321)

repeat_region

/rpt_family="(TAA)n"

repeat_region

complement(4328..4608)

repeat_region

/rpt_family="AluSx"

repeat_region

complement(4609..4895)

repeat_region

/rpt_family="MER89"

repeat_region

complement(4896..5186)

repeat_region

/rpt_family="AluSp"

repeat_region

5219..5479

repeat_region

/rpt_family="L2"

repeat_region

complement(5481..5740)

repeat_region

/rpt_family="MER34"

repeat_region

complement(5963..6275)

repeat_region

/rpt_family="AluSp"

repeat_region

complement(6411..6494)

repeat_region

/rpt_family="MER5A"

repeat_region

6830..7013

repeat_region

/rpt_family="MLTIC"

repeat_region

7014..7318

repeat_region

/rpt_family="AluYb8"

repeat_region

7319..7581

repeat_region

/rpt_family="MLTIC"

repeat_region

7721..8032

repeat_region

/rpt_family="AluYb"

repeat_region

8039..8333

repeat_region

/rpt_family="AluSg"

repeat_region

9431..9460

repeat_region

/rpt_family="AT_rich"

repeat_region

9662..9829

repeat_region

/rpt_family="MIR"

repeat_region

complement(11302..11728)

repeat_region

/rpt_family="MER39"

repeat_region

complement(11824..11884)

repeat_region

/rpt_family="LTR16C"

repeat_region

complement(11928..12108)

repeat_region

/rpt_family="LTR16C"

repeat_region

12453..12725

repeat_region

/rpt_family="AluYb"

repeat_region

13377..13785

repeat_region

/rpt_family="MSTB"

repeat_region

14118..14153

repeat_region

/rpt_family="(CA)n"

repeat_region

complement(15320..15620)

repeat_region

/rpt_family="AluJo"

repeat_region

15883..15759

repeat_region

/rpt_family="(CA)n"

repeat_region

complement(15838..15893)

repeat_region

/rpt_family="MER91A"

repeat_region

complement(15915..16080)

repeat_region

/rpt_family="MER91A"

repeat_region

complement(16474..16544)

repeat_region

/rpt_family="L2"

repeat_region

17907..17920

repeat_region

/rpt_family="L1ME"

repeat_region

18271..18311

repeat_region

/rpt_family="L2"

repeat_region

complement(18368..18529)

repeat_region

/rpt_family="AluYb"

repeat_region

complement(18530..18560)

repeat_region

/rpt_family="(CA)n"

repeat_region

complement(18561..18681)

repeat_region

/rpt_family="AluYb"

repeat_region

18760..19065

repeat_region

/rpt_family="AluSg"

repeat_region

complement(19638..19896)

repeat_region

/rpt_family="MIR"

repeat_region

complement(19971..20260)

repeat_region

/rpt_family="L1ME3A"

repeat_region

20263..20552

repeat_region

/rpt_family="MER58B"

repeat_region

complement(20553..20816)

repeat_region

/rpt_family="L1ME3A"

repeat_region

complement(20821..21069)

repeat_region

/rpt_family="L1M4"

repeat_region

complement(21071..21100)

repeat_region

/rpt_family="(TAA)n"

repeat_region

complement(21101..21338)

Db	421	GT	422	
RESULT	10			
AF308696				
LOCUS	AF308696	2712 bp	mRNA	27-FEB-2001
DEFINITION	Mus musculus ELAC2 mRNA, complete cds.			
ACCESSION	AF308696			
VERSION	AF308696.2			
KEYWORDS	GI:11992378			
SOURCE	house mouse.			
ORGANISM	Mus musculus			
REFERENCE	Mammalia; Eutheria; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.			
AUTHORS	1 (bases 1 to 2712)			
	Tavtigian, S.V., Simard, J., Teng, D.H.F., Abtin, V., Baumgard, M., Beck, A., Camp, N.J., Carillo, A.R., Chen, Y., Dayananth, P., Desrochers, M., Dumont, M., Farnham, J.M., Frank, D., Frye, C., Ghaffari, S., Gupte, J.S., Hu, R., Iliev, D., Janecki, T., Kort, E.N., Laity, K.E., Leavitt, A., Leblanc, G., McArthur-Morrison, J., Pederson, A., Penn, B., Peterson, K.T., Reid, J.E., Richards, S., Schroeder, M., Smith, R., Snyder, S.C., Swedlund, B., Swensen, J., Thomas, A., Tranchant, M., Woodland, A.-M., Labrie, F., Skolnick, M.H., Neuhausen, S., Rommens, J. and Cannon-Albright, L.A.			
TITLE	A candidate prostate cancer susceptibility gene at chromosome 17p			
JOURNAL	Nat. Genet. 27 (2), 172-180 (2001)			
REFERENCE	11175785			
AUTHORS	2 (bases 1 to 2712)			
	Tavtigian, S.V., Simard, J., Teng, D.H.F., Baumgard, M., Beck, A., Camp, N.J., Carillo, A.R., Chen, Y., Dayananth, P., Desrochers, M., Dumont, M., Farnham, J.M., Frank, D., Frye, C., Ghaffari, S., Gupte, J.S., Hu, R., Iliev, D., Janecki, T., Kort, E.N., Laity, K.E., Leavitt, A., Leblanc, G., McArthur-Morrison, J., Pederson, A., Penn, B., Peterson, K.T., Reid, J.E., Richards, S., Schroeder, M., Smith, R., Snyder, S.C., Swedlund, B., Swensen, J., Thomas, A., Tranchant, M., Woodland, A.-M., Labrie, F., Skolnick, M.H., Neuhausen, S., Rommens, J. and Cannon-Albright, L.A.			
TITLE	Mouse ortholog of human HPC2/ELAC2			
JOURNAL	Unpublished			
REFERENCE	3 (bases 1 to 2712)			
AUTHORS	Tavtigian, S.V., Simard, J., Teng, D.H.F., Baumgard, M., Beck, A., Camp, N.J., Carillo, A.R., Chen, Y., Dayananth, P., Desrochers, M., Dumont, M., Farnham, J.M., Frank, D., Frye, C., Ghaffari, S., Gupte, J.S., Hu, R., Iliev, D., Janecki, T., Kort, E.N., Laity, K.E., Leavitt, A., Leblanc, G., McArthur-Morrison, J., Pederson, A., Penn, B., Peterson, K.T., Reid, J.E., Richards, S., Schroeder, M., Smith, R., Snyder, S.C., Swedlund, B., Swensen, J., Thomas, A., Tranchant, M., Woodland, A.-M., Labrie, F., Skolnick, M.H., Neuhausen, S., Rommens, J. and Cannon-Albright, L.A.			
TITLE	Direct Submission			
JOURNAL	Submitted (27-SEP-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt Lake City, UT 84103, USA			
REFERENCE	4 (bases 1 to 2712)			
AUTHORS	Tavtigian, S.V., Simard, J., Teng, D.H.F., Baumgard, M., Beck, A., Camp, N.J., Carillo, A.R., Chen, Y., Dayananth, P., Desrochers, M., Dumont, M., Farnham, J.M., Frank, D., Frye, C., Ghaffari, S., Gupte, J.S., Hu, R., Iliev, D., Janecki, T., Kort, E.N., Laity, K.E., Leavitt, A., Leblanc, G., McArthur-Morrison, J., Pederson, A., Penn, B., Peterson, K.T., Reid, J.E., Richards, S., Schroeder, M., Smith, R., Snyder, S.C., Swedlund, B., Swensen, J., Thomas, A., Tranchant, M., Woodland, A.-M., Labrie, F., Skolnick, M.H., Neuhausen, S., Rommens, J. and Cannon-Albright, L.A.			
TITLE	Direct Submission			
JOURNAL	Submitted (26-DEC-2000) Myriad Genetics, Inc., 320 Wakara Way, Salt Lake City, UT 84103, USA			
REMARK	Sequence update by submitter			
COMMENT	On Dec 26, 2000 this sequence version replaced gi:10946492.			
FEATURES	Location/Qualifiers			
source	1..2712			
	/organism="Mus musculus"			
	/db_xref="taxon:10090"			
	/dev_stage="fetus"			

KPFOILLVAPTLRAWLQOYHHHCQELHHVSMIPAKCLQKQAEVNTTLERLISLL
LETYCDLEEFQTLVRHCKHAFGCAVHSSGMKVYSGDTMPCEALVQMGKDALLLIHE
ATLEDGLEEAVERKTHSTSOAINVGMNNAEFLNLNHFQRYAKIPLFSPDFNEKVG
IAFDHMKVCGDEFTVPKLIPLPLKALFAGDTEENVERREKRELRLVRAALLTQOADS
EDREPOQKRAHTDHPHSPQSKKESVANTLGARV"
BASE COUNT 8641 a 8030 c 8142 g 9780 t
ORIGIN

Query Match 1.9%; Score 46; DB 10; Length 34593;
Best Local Similarity 100.0%; Pred. No. 1.9e-14;
Matches 46; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 445 gaagcaatcaaaatttttctggtccattgaagaataagactgg 490
|||||
Db 10969 GAAGCAATCAAAATATTTCTGTCCTTGAAGGAATAGAACTGG 11014
|||||

RESULT 12

AC005545/c 43514 bp DNA PRI 03-SEP-1998
LOCUS Homo sapiens chromosome 19, cosmid R26634, complete sequence.
AC005545
AC005545.1 GI:3478638
VERSION
KEYWORDS HTG.
SOURCE human.

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 43514)

REFERENCE

AUTHORS Lamerdin, J.E., McCready, P.M., Skowronski, E., Adamson, A.W.,
Burkhardt-Schulz, K., Gordon, L., Kyle, A., Ramirez, M., Stilwagen, S.,
Phan, H., Velasco, N., Do, L., Regala, W., Terry, A., Garnes, J.,
Danganan, L., Poundstone, P., Christensen, M., Georgescu, A., Avila, J.,
Liu, S., Attix, C., Andreise, T., Frankheim, M., Amico-Keller, G.,
Coefield, J., Duarte, S., Lucas, S., Bruce, R., Thomas, P., Quan, G.,
Kronmiller, B., Arellano, A., Montgomery, M., Ow, D., Nolan, M.,
Trong, S., Kobayashi, A., Olsen, A.S. and Carrano, A.V.
TITLE Sequence analysis of a 3.5 Mb contig in human 19p13.3 containing a
serine protease gene cluster
Unpublished

JOURNAL

REFERENCE 2 (bases 1 to 43514)

AUTHORS

Lamerdin, J.E.

TITLE

Direct Submission

JOURNAL

Submitted (27-AUG-1998) Joint Genome Institute, Lawrence Livermore
National Laboratory, 7000 East Ave., Livermore, CA 94551, USA

REFERENCE

3 (bases 1 to 43514)

AUTHORS

Lamerdin, J.E.

TITLE

Direct Submission

JOURNAL

Submitted (03-SEP-1998) Joint Genome Institute, Lawrence Livermore
National Laboratory, 7000 East Ave., Livermore, CA 94551, USA
Map and sequence oriented from p telomere to centromere. Cosmid
R26634 overlaps cosmid R26660 (AC005328) to the left from bases 1
to 4,683 of this accession, and overlaps cosmid F8682 (AC005257) to
the right from bases 41,662 to 43,514. Additional chromosome 19 map
and sequence information may be obtained at:
<http://www-bio.lnl.gov/bbrp/genome/genome.html>.

FEATURES

source

1. 43514
Location/Qualifiers
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="R26634"
/chromosome="19"
/map="19p13.3 between CDC34 and D19S342"
/cell_line="5HL2-B"
/clone_lib="LL19NC03 R chromosome 19-specific cosmid
library"
/note="Cosmid library constructed at LNL from flow-sorted
chromosomes from hybrid 5HL2-B, which carries chromosome
19 as its only human chromosome."
46..152

misc_feature

46..152
/note="DDS similarity to overlapping ESTs:
(46..152) AA431731 zw77g03.s1 Soares testis NHT Homo

sapiens cDNA clone 782260 3'; (391..340); 100%
identity.-(111..152) AA609572 af15c02.s1 Soares testis NHT
Homo sapiens cDNA clone 1031714 3'; (372..331); 100%
identity."
complement(273..608)
/note="DDS similarity to overlapping ESTs:
(608..273) T05239 EST03128 Homo sapiens cDNA clone
HFBC775. Score: 621 Identity: 325/337 (96%).-(718..308)
AA496009 zv72a03.s1 Soares total fetus Nb2HF8 9w Homo
sapiens cDNA clone 759148 3'; Score: 755 Identity:
398/408 (97%)."
378..707
/note="DDS similarity to overlapping ESTs:
AA431731 zw77g03.s1 Soares testis NHT Homo sapiens cDNA
clone 782260 3'; (339..11); 99% identity. -AA609572
af15c02.s1 Soares testis NHT Homo sapiens cDNA clone
1031714 3'; (330..5); 99% identity. -AA448181 zw83c05.s1
Soares testis NHT Homo sapiens cDNA clone 782792 3';
(336..4); 99% identity."

CDS

<378..468
/note="Hypothetical human protein with no significant
similarity to known proteins"
/codon_start=2
/evidence=not_experimental
/product="R26660_2, partial CDS"
/protein_id="AAC34213.1"
/db_xref="GI:3478640"
/translation="LVSPALRCLEPPHLANTLEDAAECLKQH"
1771..3383
/note="DDS similarity to overlapping ESTs:
(3391..3154) AA630776 ac14c10.s1 Stratagene HeLa cell s3
937216 Homo sapiens cDNA clone 856434 3' similar to
TR-G163328 G163328 LEUKEMIA VIRUS CELL RECEPTOR. ;
(262..1); 99% identity.-(1771..2449) AA167736 zq40040.s1
Stratagene hnt neuron (#937233) Homo sapiens cDNA clone
632167 3'; Score: 1207 Identity: 655/674
(97%).-(2109..2638) AA843415 ak07f04.s1 Soares parathyroid
tumor NbHPA Homo sapiens cDNA clone IMAGE:1405279 3';
Score: 969 Identity: 516/547 (94%).-(2814..2510) AA364678
EST75336 Pineal gland II Homo sapiens cDNA 5' end; Score:
582 Identity: 301/305 (98%).-(3200..2766) H73448
yu02f02.r1 Homo sapiens cDNA clone 232635 5'. Score: 717
Identity: 413/446 (92%).-(3358..2857) H28923 Ym33c10.r1
Homo sapiens cDNA clone 49874 5'. Score: 756 Identity:
465/518 (89%).-(3383..2950) W69851 zd48c04.r1 Soares fetal
heart NbHH19w Homo sapiens cDNA clone 343878 5' similar to
PIR:A45716 A45716 leukemia virus cell receptor ;
Score: 744 Identity: 418/440 (95%). -Additional EST
matches:

misc_feature

AA617872, AA716429, W63772, AA305631, AA321888, AA371945,
R18826, T33092, T30887, F01584 and many others"
complement(2119..>39837)
/note="Human AP-3 complex delta subunit mRNA"
/product="Homo sapiens delta-adaptin mRNA"
complement(join(3296..3391,9810..9889,10209..10330,
10996..11081,11259..11347,11830..12019,12408..12455,
12802..12951,13983..14054,14459..14536,15248..15425,
15871..15944,16342..16541,16661..16736,17330..17401,
17728..17869,18345..18490,19724..19955,21985..22215,
22286..22434,22857..23002,24481..24529,24953..25002,
28275..28324,30213..30244,31625..31660,33594..33701,
38134..38214,38850..38930,39742..>39837))
/note="vesicle coat component, similar to alpha and gamma
adaptins"
/codon_start=1
/product="AP-3 complex delta subunit, partial CDS"
/protein_id="AAC34214.1"
/db_xref="GI:3522925"

mRNA

CDS

FNIIEMSGASRFTFRRIYLAAQSQFHEGTVMILTNQIRKDLSSPSYDGTGVALTG
LSCFTVPDLANDLMIHTSKPTIRKKALIEPLNLHSTAMSLLYECVNTVI
AVLIISSGMPNHSASIQLCVQKRLIEDSQNLKYLGLLANSKILKTHPXSQSHK


```
KEYWORDS      HTG; HTGS_PHASE2; HTGS_DRAFT; HTGS_FULLTOP.
SOURCE        human.
ORGANISM      Homo sapiens
REFERENCE     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS      Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE        1 (bases 1 to 190195)
JOURNAL      Birren,B., Linton,L., Nusbaum,C., Lander,E., Allen,N., Anderson,S.,
REFERENCE     Camarata,J., Campopiano,A., Chang,J., Choepel,Y., Colangelo,M.,
AUTHORS      Collins,S., Collymore,A., Cooke,P., DeArellano,K., Dewar,K.,
              Diaz,J.S., Dodge,S., Faro,S., Ferreira,P., FitzHugh,W., Gage,D.,
              Galagan,J., Gardyna,S., Ginde,S., Goyette,M., Graham,L.,
              Grand-Pierre,N., Hagos,B., Hearford,A., Horton,L., Hulme,W.,
              Iliev,I., Johnson,R., Jones,C., Karatas,A., LaRocque,K.,
              Lamazares,R., Landers,T., Lehoczy,J., Levine,R., Liu,G.,
              MacLean,C., Macdonald,P., Marquis,N., Matthews,C., McCarthy,M.,
              McEwan,P., McKernan,K., McPheeters,R., Meldrim,J., Meneus,L.,
              Mihova,T., Mlenga,V., Murphy,T., Naylor,J., Nguyen,C., Norbu,C.,
              Norman,C.H., O'Connor,T., O'Donnell,P., O'Neill,D., Oliver,J.,
              Peterson,K., Phunkhang,P., Pierre,N., Pollara,V., Raymond,C.,
              Retta,R., Rieback,M., Riley,R., Rise,C., Rogov,P., Roman,J.,
              Rosetti,M., Roy,A., Santos,R., Schauer,S., Schuback,R., Seaman,S.,
              Severy,P., Sounguez,C., Spencer,B., Stange-Thomann,N.,
              Stojanovic,N., Strauss,N., Subramanian,A., Talamas,J., Tesfaye,S.,
              Theodore,J., Travers,M., Travis,N., Trigillo,J., Vassiliev,H.,
              Viel,R., Vo,A., Wilson,B., Wu,X., Wyman,D., Ye,W.J., Young,G.,
              Zainoun,J., Zembek,L., Zimmer,A. and Zody,M.
              Direct Submission
              Submitted (07-MAY-2001) Whitehead Institute/MIT Center for Genome
              Research, 320 Charles Street, Cambridge, MA 02141, USA
              On Jul 7, 2001 this sequence version replaced gi:13959165.
              All repeats were identified using RepeatMasker:
              Smit, A.F.A. & Green, P. (1996-1997)
              http://ftp.genome.washington.edu/RM/RepeatMasker.html
              ----- Genome Center
              Center: Whitehead Institute/ MIT Center for Genome Research
              Center code: WBIR
              Web site: http://www-seq.wi.mit.edu
              Contact: sequence_submissions@genome.wi.mit.edu
              ----- Project Information
              Center project name: L11660
              Center clone name: 104_D_16
              ----- Summary Statistics
              Sequencing vector: Plasmid; n/a; 100% of reads
              Chemistry: Dye-terminator Big Dye; 100% of reads
              Assembly program: Phrap; version 0.960731
              Consensus quality: 189800 bases at least Q40
              Consensus quality: 189993 bases at least Q30
              Consensus quality: 190051 bases at least Q20
              Insert size: 192000; agarose-fp
              Insert coverage: 11.0 in Q20 bases; agarose-fp
              Quality coverage: 11.1 in Q20 bases; sum-of-contigs
              -----
              * NOTE: This is a 'working draft' sequence. It currently
              * consists of 2 contigs. Gaps between the contigs
              * are represented as runs of N. The order of the pieces
              * is believed to be correct as given, however the sizes
              * of the gaps between them are based on estimates that have
              * provided by the submittor.
              * This sequence will be replaced
              * by the finished sequence as soon as it is available and
              * the accession number will be preserved.
              * 1 66263: contig of 66263 bp in length
              * 66264 66363: gap of 100 bp
              * 66364 190195: contig of 123832 bp in length.
              Location/Qualifiers
              1..190195
              /organism="Homo sapiens"

/db_xref="taxon:9606"
/chromosome="8"
/map="8"
/clone="RP11-104D16"
/clone_lib="RPC1-11 Human Male BAC"
misc_feature 1..66263
  /note="assembly_fragment
  clone_end:SP6
  vector_side:left"
misc_feature 66364..190195
  /note="assembly_fragment
  clone_end:r7
  vector_side:right"
BASE COUNT 57071 a 36687 c 36123 g 60205 t 109 others
ORIGIN

Query Match      0.9%; Score 23; DB 2; Length 190195;
Best Local Similarity 100.0%; Pred. No. 0.48;
Matches 23; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1428 aagaagtcagtcaccagaaatca 1450
|||||
Db 161058 AAGAAAGTCAGTACCAGAAATCA 161080

RESULT 15
AC019331
LOCUS      AC019331 190705 bp DNA HTG 07-JUL-2000
DEFINITION Homo sapiens chromosome 8 clone RP11-104D16, WORKING DRAFT
SEQUENCE 16 unordered pieces.
ACCESSION AC019331
VERSION AC019331.4 GI:8569783
KEYWORDS HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE human.
ORGANISM Homo sapiens
REFERENCE 1 (bases 1 to 190705)
AUTHORS Waterston,R.H.
TITLE The sequence of Homo sapiens clone
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 190705)
AUTHORS Waterston,R.H.
TITLE Direct Submission
JOURNAL Submitted (01-JAN-2000) Genome Sequencing Center, Washington
University School of Medicine, 4444 Forest Park Parkway, St. Louis,
MO 63108, USA
COMMENT On Jun 16, 2000 this sequence version replaced gi:7717162.

----- Genome Center -----
Center: Washington University Genome Sequencing Center
Center code: WUGSC
Web site: http://genome.wustl.edu/gsc/index.shtml
----- Project Information -----
Center project name: H_NH0104D16
----- Summary Statistics -----
Sequencing vector: M13; 49%
Sequencing vector: plasmid; 51%
Chemistry: Dye-terminator ET; 49% of reads
Chemistry: Dye-terminator Big Dye; 51% of reads
Assembly program: Phrap; version 0.990319
Consensus quality: 182645 bases at least Q40
Consensus quality: 185230 bases at least Q30
Consensus quality: 186612 bases at least Q20
Insert size: 199000; agarose-fp
Insert size: 189205; sum-of-contigs
Quality coverage: 4.52 in Q20 bases; agarose-fp
Quality coverage: 4.79 in Q20 bases; sum-of-contigs
-----
* NOTE: This is a 'working draft' sequence. It currently
* consists of 16 contigs. The true order of the pieces
* is not known and their order in this sequence record is
```


